

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	31	PM ₁₀	1
2	Agra	Good	28	PM ₁₀ , O ₃ , PM _{2.5}	4
3	Ahmedabad	Satisfactory	71	O ₃ , PM ₁₀	9
4	Ajmer	Satisfactory	88	PM ₁₀	1
5	Alwar	Satisfactory	51	PM ₁₀	1
6	Amaravati	Good	25	O ₃	1
7	Ambala	Satisfactory	59	PM ₁₀	1
8	Amritsar	Good	46	PM ₁₀	1
9	Asansol	Satisfactory	62	PM ₁₀	1
10	Aurangabad	Good	46	со	1
11	Bagalkot	Good	37	PM ₁₀	1
12	Baghpat	Satisfactory	54	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Ankleshwar, Bidar, Chikkamagaluru, Coimbatore, Davanagere, Dharuhera, Gummidipoondi, Jorapokhar, Kalaburgi, Kalyan, Kozhikode, Mandikhera, Manesar, Manglore, Moradabad, Naharlagun, Nandesari, Sagar, Solapur, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bahadurgarh	Satisfactory	53	PM _{2.5}	1
14	Ballabgarh	Satisfactory	62	СО	1
15	Bathinda	Good	36	PM ₁₀	1
16	Bengaluru	Satisfactory	66	CO, PM ₁₀ , PM _{2.5}	6
17	Bettiah	Satisfactory	60	PM ₁₀	1
18	Bhiwadi	Moderate	107	PM ₁₀	1
19	Bhiwani	Satisfactory	67	O ₃	1
20	Bhopal	Good	41	СО	1
21	Bihar Sharif	Satisfactory	59	NO ₂	1
22	Brajrajnagar	Good	45	SO ₂	1
23	Bulandshahr	Good	41	O ₃	1
24	Chamarajanagar	Good	45	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Ankleshwar, Bidar, Chikkamagaluru, Coimbatore, Davanagere, Dharuhera, Gummidipoondi, Jorapokhar, Kalaburgi, Kalyan, Kozhikode, Mandikhera, Manesar, Manglore, Moradabad, Naharlagun, Nandesari, Sagar, Solapur, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chandigarh	Good	47	PM ₁₀	1
26	Chandrapur	Good	23	PM ₁₀ , O ₃	2
27	Charkhi Dadri	Satisfactory	54	PM ₁₀	1
28	Chennai	Satisfactory	55	PM ₁₀ , CO	7
29	Chikkaballapur	Good	29	NO ₂	1
30	Damoh	Good	18	NO ₂	1
31	Darbhanga	Satisfactory	61	СО	1
32	Delhi	Satisfactory	95	PM _{2.5} , PM ₁₀ , CO	34
33	Dewas	Good	29	PM ₁₀	1
34	Durgapur	Moderate	143	PM ₁₀	1
35	Eloor	Satisfactory	78	со	1
36	Ernakulam	Good	38	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Ankleshwar, Bidar, Chikkamagaluru, Coimbatore, Davanagere, Dharuhera, Gummidipoondi, Jorapokhar, Kalaburgi, Kalyan, Kozhikode, Mandikhera, Manesar, Manglore, Moradabad, Naharlagun, Nandesari, Sagar, Solapur, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Faridabad	Satisfactory	96	PM _{2.5}	2
38	Fatehabad	Satisfactory	68	O ₃	1
39	Firozabad	Good	18	СО	1
40	Gadag	Good	16	O ₃	1
41	Gandhinagar	Good	46	со	2
42	Gaya	Satisfactory	58	PM _{2.5}	1
43	Ghaziabad	Satisfactory	82	PM ₁₀	4
44	Gorakhpur	Good	17	СО	1
45	Greater Noida	Satisfactory	82	PM ₁₀	2
46	Gurugram	Moderate	118	PM _{2.5}	3
47	Guwahati	Good	49	SO ₂ , PM ₁₀	2
48	Gwalior	Satisfactory	82	PM ₁₀ , O ₃	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Ankleshwar, Bidar, Chikkamagaluru, Coimbatore, Davanagere, Dharuhera, Gummidipoondi, Jorapokhar, Kalaburgi, Kalyan, Kozhikode, Mandikhera, Manesar, Manglore, Moradabad, Naharlagun, Nandesari, Sagar, Solapur, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hajipur	Satisfactory	71	СО	1
50	Haldia	Satisfactory	52	PM ₁₀	1
51	Hapur	Satisfactory	62	со	1
52	Hassan	Satisfactory	56	PM ₁₀	1
53	Hisar	Satisfactory	65	03	1
54	Howrah	Satisfactory	60	PM ₁₀	3
55	Hubballi	Good	28	PM ₁₀	1
56	Hyderabad	Good	36	NO ₂ , PM _{2.5} , PM ₁₀	5
57	Indore	Good	45	PM ₁₀	1
58	Jabalpur	Good	25	PM ₁₀	1
59	Jaipur	Satisfactory	67	PM ₁₀ , CO	3
60	Jalandhar	Good	43	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Ankleshwar, Bidar, Chikkamagaluru, Coimbatore, Davanagere, Dharuhera, Gummidipoondi, Jorapokhar, Kalaburgi, Kalyan, Kozhikode, Mandikhera, Manesar, Manglore, Moradabad, Naharlagun, Nandesari, Sagar, Solapur, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Jind	Good	33	PM ₁₀	1
62	Jodhpur	Satisfactory	94	PM ₁₀	1
63	Kaithal	Satisfactory	88	O ₃	1
64	Kannur	Good	37	NO ₂	1
65	Kanpur	Good	28	O ₃	2
66	Karnal	Satisfactory	87	SO ₂	1
67	Katni	Good	28	СО	1
68	Khanna	Satisfactory	64	PM ₁₀	1
69	Kochi	Good	42	со	1
70	Kohima	Good	33	SO ₂	1
71	Kolar	Satisfactory	76	со	1
72	Kolkata	Satisfactory	62	PM _{2.5} , PM ₁₀ , O ₃	6

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Ankleshwar, Bidar, Chikkamagaluru, Coimbatore, Davanagere, Dharuhera, Gummidipoondi, Jorapokhar, Kalaburgi, Kalyan, Kozhikode, Mandikhera, Manesar, Manglore, Moradabad, Naharlagun, Nandesari, Sagar, Solapur, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kollam	Satisfactory	100	со	1
74	Koppal	Good	28	O ₃	1
75	Kota	Satisfactory	60	со	1
76	Kurukshetra	Good	30	PM ₁₀	1
77	Lucknow	Good	43	CO, PM _{2.5} , O ₃	6
78	Ludhiana	Satisfactory	87	PM ₁₀	1
79	Maihar	Good	12	NO ₂	1
80	Mandi Gobindgarh	Good	34	PM _{2.5}	1
81	Mandideep	Good	28	PM ₁₀	1
82	Medikeri	Good	21	SO ₂	1
83	Meerut	Satisfactory	53	CO, O ₃ , PM ₁₀	3
84	Motihari	Good	45	O ₃	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Ankleshwar, Bidar, Chikkamagaluru, Coimbatore, Davanagere, Dharuhera, Gummidipoondi, Jorapokhar, Kalaburgi, Kalyan, Kozhikode, Mandikhera, Manesar, Manglore, Moradabad, Naharlagun, Nandesari, Sagar, Solapur, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Mumbai	Satisfactory	58	O ₃ , PM ₁₀ , CO	16
86	Muzaffarnagar	Satisfactory	84	СО	1
87	Muzaffarpur	Satisfactory	63	O ₃ , CO, PM _{2.5}	3
88	Mysuru	Good	34	03	1
89	Nagpur	Satisfactory	76	со	1
90	Narnaul	Good	41	PM _{2.5}	1
91	Nashik	Good	27	PM ₁₀	1
92	Navi Mumbai	Good	29	PM ₁₀	3
93	Noida	Satisfactory	93	PM _{2.5} , PM ₁₀	3
94	Pali	Satisfactory	78	PM _{2.5}	1
95	Palwal	Satisfactory	85	O ₃	1
96	Panchkula	Satisfactory	72	СО	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Ankleshwar, Bidar, Chikkamagaluru, Coimbatore, Davanagere, Dharuhera, Gummidipoondi, Jorapokhar, Kalaburgi, Kalyan, Kozhikode, Mandikhera, Manesar, Manglore, Moradabad, Naharlagun, Nandesari, Sagar, Solapur, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Panipat	Satisfactory	56	PM ₁₀	1
98	Patiala	Good	37	03	1
99	Patna	Satisfactory	60	O ₃ , PM ₁₀	5
100	Pithampur	Satisfactory	60	PM ₁₀	1
101	Prayagraj	Good	21	PM ₁₀ , CO	3
102	Puducherry	Good	47	03	1
103	Pune	Satisfactory	71	PM _{2.5} , CO	4
104	Raichur	Good	37	PM ₁₀	1
105	Rajamahendravaram	Satisfactory	54	PM ₁₀	1
106	Ramanagara	Good	36	03	1
107	Ratlam	Good	34	PM ₁₀	1
108	Rohtak	Satisfactory	64	NO ₂	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

lotes:

- * AQI is not calculated for today's bulletin for Aizawl, Ankleshwar, Bidar, Chikkamagaluru, Coimbatore, Davanagere, Dharuhera, Gummidipoondi, Jorapokhar, Kalaburgi, Kalyan, Kozhikode, Mandikhera, Manesar, Manglore, Moradabad, Naharlagun, Nandesari, Sagar, Solapur, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Rupnagar	Satisfactory	62	PM ₁₀	1
110	Satna	Good	47	PM ₁₀	1
111	Shillong	Good	12	SO ₂	1
112	Shivamogga	Good	41	PM ₁₀	1
113	Siliguri	Good	30	со	1
114	Singrauli	Good	32	PM ₁₀	1
115	Sirsa	Satisfactory	93	PM ₁₀	1
116	Sonipat	Satisfactory	70	03	1
117	Srinagar	Satisfactory	54	PM ₁₀	1
118	Talcher	Satisfactory	84	со	1
119	Thane	Satisfactory	92	PM ₁₀	1
120	Thiruvananthapuram	Good	49	CO, PM ₁₀	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Ankleshwar, Bidar, Chikkamagaluru, Coimbatore, Davanagere, Dharuhera, Gummidipoondi, Jorapokhar, Kalaburgi, Kalyan, Kozhikode, Mandikhera, Manesar, Manglore, Moradabad, Naharlagun, Nandesari, Sagar, Solapur, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Thoothukudi	Good	45	PM ₁₀	1
122	Thrissur	Satisfactory	59	SO ₂	1
123	Tirupati	Good	37	СО	1
124	Udaipur	Satisfactory	88	PM ₁₀	1
125	Udupi	Poor	274	O ₃	1
126	Ujjain	Good	45	PM _{2.5}	1
127	Vapi	Satisfactory	56	PM ₁₀	1
128	Varanasi	Good	46	PM ₁₀	3
129	Vatva	Satisfactory	90	PM ₁₀	1
130	Visakhapatnam	Satisfactory	95	PM ₁₀	1
131	Yadgir	Good	24	PM ₁₀	1
132	Yamunanagar	Satisfactory	67	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Ankleshwar, Bidar, Chikkamagaluru, Coimbatore, Davanagere, Dharuhera, Gummidipoondi, Jorapokhar, Kalaburgi, Kalyan, Kozhikode, Mandikhera, Manesar, Manglore, Moradabad, Naharlagun, Nandesari, Sagar, Solapur, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.