

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	169	PM _{2.5}	1
2	Agra	Moderate	179	PM _{2.5}	4
3	Ahmedabad	Satisfactory	98	NO ₂ , PM _{2.5} , PM ₁₀	9
4	Aizawl	Good	37	PM ₁₀	1
5	Ajmer	Poor	221	PM _{2.5}	1
6	Alwar	Moderate	105	PM _{2.5}	1
7	Amaravati	Moderate	168	PM _{2.5}	1
8	Ambala	Poor	223	PM _{2.5}	1
9	Amritsar	Satisfactory	83	PM ₁₀	1
10	Araria	Poor	230	PM _{2.5}	1
11	Arrah	Poor	238	PM _{2.5}	1
12	Bagalkot	Good	42	PM ₁₀	1

Possible Health Impacts

Poor

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases

Very Poor Respiratory illness on prolonged exposure

Severe Affects healthy people and seriously impacts those with existing diseases

Breathing discomfort to most people on prolonged exposure

- * AQI is not calculated for today's bulletin for Ankleshwar, Asansol, Aurangabad, Ballabgarh, Bettiah, Chhapra, Coimbatore, Gadag, Gummidipoondi Hubballi, Jorapokhar, Katni, Manguraha, Naharlagun, Nandesari, Palwal, Sirsa, Solapur, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baghpat	Poor	244	PM _{2.5}	1
14	Bahadurgarh	Poor	273	PM _{2.5}	1
15	Bathinda	Moderate	125	PM ₁₀	1
16	Bengaluru	Satisfactory	74	PM _{2.5} , PM ₁₀	8
17	Bhagalpur	Poor	255	PM _{2.5}	1
18	Bhilai	Satisfactory	70	PM ₁₀	1
19	Bhiwadi	Poor	276	PM _{2.5}	1
20	Bhiwani	Moderate	171	PM _{2.5}	1
21	Bhopal	Poor	267	PM _{2.5}	1
22	Bidar	Moderate	108	PM ₁₀	1
23	Bihar Sharif	Poor	276	PM _{2.5}	1
24	Bilaspur	Moderate	127	PM ₁₀	1

Possible Health Impacts

Severe

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Asansol, Aurangabad, Ballabgarh, Bettiah, Chhapra, Coimbatore, Gadag, Gummidipoondi Hubballi, Jorapokhar, Katni, Manguraha, Naharlagun, Nandesari, Palwal, Sirsa, Solapur, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Brajrajnagar	Satisfactory	88	PM ₁₀	1
26	Bulandshahr	Very Poor	318	PM _{2.5}	1
27	Buxar	Very Poor	327	PM _{2.5}	1
28	Chamarajanagar	Good	31	PM ₁₀	1
29	Chandigarh	Moderate	118	PM _{2.5} , PM ₁₀	2
30	Chandrapur	Moderate	154	O ₃ , PM _{2.5}	2
31	Charkhi Dadri	Moderate	198	PM _{2.5}	1
32	Chennai	Satisfactory	62	PM ₁₀	8
33	Chikkaballapur	Satisfactory	74	PM _{2.5}	1
34	Chikkamagaluru	Good	41	PM ₁₀	1
35	Damoh	Poor	295	PM _{2.5}	1
36	Darbhanga	Poor	257	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Asansol, Aurangabad, Ballabgarh, Bettiah, Chhapra, Coimbatore, Gadag, Gummidipoondi Hubballi, Jorapokhar, Katni, Manguraha, Naharlagun, Nandesari, Palwal, Sirsa, Solapur, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Davanagere	Satisfactory	94	PM ₁₀	1
38	Delhi	Very Poor	305	PM _{2.5}	36
39	Dewas	Moderate	197	PM _{2.5}	1
40	Dharuhera	Very Poor	321	PM _{2.5}	1
41	Durgapur	Poor	269	PM _{2.5}	1
42	Eloor	Satisfactory	70	PM ₁₀	1
43	Ernakulam	Moderate	142	PM _{2.5}	1
44	Faridabad	Poor	300	PM _{2.5}	1
45	Fatehabad	Moderate	128	PM _{2.5}	1
46	Firozabad	Poor	219	PM _{2.5}	1
47	Gandhinagar	Satisfactory	91	PM _{2.5} , PM ₁₀	2
48	Gaya	Poor	280	PM _{2.5}	2

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Asansol,
 Aurangabad, Ballabgarh, Bettiah, Chhapra, Coimbatore, Gadag, Gummidipoondi
 Hubballi, Jorapokhar, Katni, Manguraha, Naharlagun, Nandesari, Palwal,
 Sirsa, Solapur, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Ghaziabad	Poor	286	PM _{2.5}	4
50	Gorakhpur	Moderate	147	PM _{2.5}	1
51	Greater Noida	Poor	288	PM _{2.5}	2
52	Gurugram	Poor	283	PM _{2.5}	4
53	Guwahati	Poor	218	PM _{2.5}	2
54	Gwalior	Poor	208	PM _{2.5} , PM ₁₀	2
55	Hajipur	Moderate	182	PM _{2.5}	1
56	Haldia	Moderate	198	PM _{2.5}	1
57	Hapur	Poor	292	PM _{2.5}	1
58	Hassan	Satisfactory	57	PM ₁₀	1
59	Hisar	Poor	295	PM _{2.5}	1
60	Howrah	Poor	281	PM _{2.5}	3

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Asansol, Aurangabad, Ballabgarh, Bettiah, Chhapra, Coimbatore, Gadag, Gummidipoondi Hubballi, Jorapokhar, Katni, Manguraha, Naharlagun, Nandesari, Palwal, Sirsa, Solapur, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hyderabad	Moderate	119	PM _{2.5} , PM ₁₀	6
62	Indore	Moderate	183	PM _{2.5}	1
63	Jabalpur	Poor	266	PM _{2.5}	1
64	Jaipur	Moderate	176	PM _{2.5} , PM ₁₀	2
65	Jalandhar	Moderate	107	PM ₁₀	1
66	Jind	Poor	219	PM _{2.5}	1
67	Jodhpur	Moderate	156	PM ₁₀	1
68	Kaithal	Moderate	193	PM _{2.5}	1
69	Kalaburgi	Moderate	129	PM _{2.5}	1
70	Kalyan	Poor	250	PM _{2.5}	1
71	Kannur	Moderate	105	PM _{2.5}	1
72	Kanpur	Moderate	150	PM _{2.5} , PM ₁₀	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Asansol, Aurangabad, Ballabgarh, Bettiah, Chhapra, Coimbatore, Gadag, Gummidipoondi Hubballi, Jorapokhar, Katni, Manguraha, Naharlagun, Nandesari, Palwal, Sirsa, Solapur, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Karnal	Moderate	133	PM _{2.5}	1
74	Katihar	Very Poor	316	PM _{2.5}	1
75	Khanna	Moderate	108	PM _{2.5}	1
76	Kishanganj	Poor	260	PM _{2.5}	1
77	Kochi	Good	47	PM _{2.5}	1
78	Kohima	Good	47	PM ₁₀	1
79	Kolar	Satisfactory	98	PM _{2.5}	1
80	Kolkata	Poor	234	PM _{2.5} , PM ₁₀	7
81	Kollam	Moderate	115	PM ₁₀	1
82	Koppal	Satisfactory	74	O ₃	1
83	Kota	Poor	267	PM _{2.5}	1
84	Kozhikode	Good	49	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Asansol, Aurangabad, Ballabgarh, Bettiah, Chhapra, Coimbatore, Gadag, Gummidipoondi Hubballi, Jorapokhar, Katni, Manguraha, Naharlagun, Nandesari, Palwal, Sirsa, Solapur, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kurukshetra	Moderate	149	PM _{2.5}	1
86	Lucknow	Poor	249	PM _{2.5}	5
87	Ludhiana	Satisfactory	93	PM ₁₀	1
88	Madikeri	Satisfactory	60	PM ₁₀	1
89	Maihar	Moderate	134	PM _{2.5}	1
90	Mandi Gobindgarh	Moderate	147	PM _{2.5}	1
91	Mandideep	Moderate	125	PM _{2.5}	1
92	Mandikhera	Moderate	105	со	1
93	Manesar	Very Poor	372	PM _{2.5}	1
94	Manglore	Good	50	PM _{2.5}	1
95	Meerut	Poor	277	PM _{2.5}	3
96	Moradabad	Moderate	126	PM _{2.5}	2

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Asansol,
 Aurangabad, Ballabgarh, Bettiah, Chhapra, Coimbatore, Gadag, Gummidipoondi
 Hubballi, Jorapokhar, Katni, Manguraha, Naharlagun, Nandesari, Palwal,
 Sirsa, Solapur, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Motihari	Poor	296	PM _{2.5}	1
98	Mumbai	Poor	201	PM _{2.5}	19
99	Munger	Poor	217	PM ₁₀	1
100	Muzaffarnagar	Very Poor	315	PM _{2.5}	1
101	Muzaffarpur	Very Poor	328	PM _{2.5}	2
102	Mysuru	Satisfactory	68	03	1
103	Nagpur	Moderate	116	PM ₁₀	1
104	Narnaul	Poor	210	PM _{2.5}	1
105	Nashik	Satisfactory	100	PM _{2.5}	1
106	Navi Mumbai	Moderate	199	PM _{2.5} , CO	2
107	Noida	Poor	274	PM _{2.5}	3
108	Pali	Poor	249	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Asansol, Aurangabad, Ballabgarh, Bettiah, Chhapra, Coimbatore, Gadag, Gummidipoondi Hubballi, Jorapokhar, Katni, Manguraha, Naharlagun, Nandesari, Palwal, Sirsa, Solapur, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Panchkula	Moderate	109	PM _{2.5}	1
110	Panipat	Moderate	141	PM ₁₀	1
111	Patiala	Moderate	135	PM _{2.5}	1
112	Patna	Poor	252	PM _{2.5} , PM ₁₀	5
113	Pithampur	Moderate	179	PM _{2.5}	1
114	Prayagraj	Poor	261	PM _{2.5}	3
115	Puducherry	Satisfactory	53	PM ₁₀	1
116	Pune	Moderate	184	PM _{2.5}	4
117	Purnia	Poor	286	PM _{2.5}	1
118	Raichur	Moderate	117	PM ₁₀	1
119	Rajamahendravaram	Moderate	141	PM _{2.5}	1
120	Rajgir	Very Poor	340	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Asansol, Aurangabad, Ballabgarh, Bettiah, Chhapra, Coimbatore, Gadag, Gummidipoondi Hubballi, Jorapokhar, Katni, Manguraha, Naharlagun, Nandesari, Palwal, Sirsa, Solapur, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Ramanagara	Satisfactory	62	PM ₁₀	1
122	Ratlam	Moderate	110	PM ₁₀	1
123	Rohtak	Moderate	164	PM _{2.5}	1
124	Rupnagar	Poor	219	PM ₁₀	1
125	Sagar	Moderate	139	PM _{2.5}	1
126	Saharsa	Poor	256	PM ₁₀	1
127	Sasaram	Very Poor	367	PM _{2.5}	1
128	Satna	Satisfactory	66	PM ₁₀	1
129	Shillong	Good	19	PM _{2.5}	1
130	Shivamogga	Good	49	PM ₁₀	1
131	Siliguri	Satisfactory	93	PM ₁₀	1
132	Singrauli	Very Poor	317	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Asansol, Aurangabad, Ballabgarh, Bettiah, Chhapra, Coimbatore, Gadag, Gummidipoondi Hubballi, Jorapokhar, Katni, Manguraha, Naharlagun, Nandesari, Palwal, Sirsa, Solapur, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Siwan	Very Poor	319	PM _{2.5}	1
134	Sonipat	Moderate	171	PM ₁₀	1
135	Srinagar	Satisfactory	97	PM ₁₀	1
136	Talcher	Moderate	117	NO ₂	1
137	Thane	Poor	246	PM ₁₀	1
138	Thiruvananthapuram	Moderate	102	PM ₁₀ , PM _{2.5}	2
139	Thoothukudi	Good	43	PM ₁₀	1
140	Thrissur	Satisfactory	64	PM ₁₀	1
141	Tirupati	Satisfactory	80	PM _{2.5}	1
142	Udaipur	Moderate	149	PM _{2.5}	1
143	Ujjain	Moderate	125	PM ₁₀	1
144	Vapi	Poor	241	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Asansol, Aurangabad, Ballabgarh, Bettiah, Chhapra, Coimbatore, Gadag, Gummidipoondi Hubballi, Jorapokhar, Katni, Manguraha, Naharlagun, Nandesari, Palwal, Sirsa, Solapur, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Varanasi	Moderate	156	PM _{2.5}	4
146	Vatva	Moderate	121	PM ₁₀	1
147	Vijayapura	Good	41	PM ₁₀	1
148	Visakhapatnam	Moderate	132	PM ₁₀	1
149	Vrindavan	Moderate	178	PM _{2.5}	1
150	Yadgir	Moderate	108	PM _{2.5}	1
151	Yamunanagar	Poor	265	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Asansol, Aurangabad, Ballabgarh, Bettiah, Chhapra, Coimbatore, Gadag, Gummidipoondi Hubballi, Jorapokhar, Katni, Manguraha, Naharlagun, Nandesari, Palwal, Sirsa, Solapur, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.