

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	240	PM _{2.5}	2
2	Agra	Satisfactory	73	PM _{2.5}	6
3	Ahmedabad	Moderate	110	PM ₁₀	1
4	Aizawl	Good	49	PM ₁₀	1
5	Ajmer	Moderate	147	PM _{2.5}	1
6	Alwar	Moderate	144	PM _{2.5}	1
7	Amaravati	Moderate	103	PM _{2.5}	1
8	Ambala	Moderate	135	PM _{2.5}	1
9	Amritsar	Poor	208	PM _{2.5}	1
10	Anantapur	Satisfactory	57	O ₃	1
11	Araria	Poor	239	PM _{2.5}	1
12	Ariyalur	Moderate	120	СО	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Ankleshwar, Bettiah, Bhilai, Bihar Sharif, Bilaspur, Buxar, Dewas, Dharwad, Eloor, Ernakulam, Haldia, Hisar, Jorapokhar, Karnal, Kishanganj, Kochi, Koppal, Korba, Naharlagun, Pune, Raichur, Raipur, Saharsa, Salem, Srinagar, Tumakuru, Vrindavan, Yadgir as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Arrah	Poor	252	PM _{2.5}	1
14	Asansol	Very Poor	348	PM _{2.5}	1
15	Aurangabad (Bihar)	Very Poor	335	PM _{2.5}	1
16	Aurangabad (Maharashtra)	Moderate	113	PM ₁₀	1
17	Baddi	Very Poor	383	PM _{2.5}	1
18	Bagalkot	Good	42	PM ₁₀	1
19	Baghpat	Poor	252	PM _{2.5}	1
20	Bahadurgarh	Poor	292	PM _{2.5}	1
21	Ballabgarh	Poor	278	PM _{2.5}	1
22	Bareilly	Satisfactory	92	PM _{2.5}	2
23	Baripada	Very Poor	319	PM _{2.5}	1
24	Bathinda	Moderate	130	PM _{2.5}	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Ankleshwar, Bettiah, Bhilai, Bihar Sharif, Bilaspur, Buxar, Dewas, Dharwad, Eloor, Ernakulam, Haldia, Hisar, Jorapokhar, Karnal, Kishanganj, Kochi, Koppal, Korba, Naharlagun, Pune, Raichur, Raipur, Saharsa, Salem, Srinagar, Tumakuru, Vrindavan, Yadgir as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Begusarai	Very Poor	334	PM _{2.5}	1
26	Belgaum	Moderate	185	PM _{2.5}	1
27	Bengaluru	Satisfactory	82	СО	9
28	Bhagalpur	Very Poor	354	PM _{2.5}	2
29	Bhiwadi	Poor	218	PM _{2.5}	1
30	Bhiwani	Poor	292	PM _{2.5}	1
31	Bhopal	Moderate	162	PM _{2.5}	2
32	Bidar	Satisfactory	86	со	1
33	Bileipada	Very Poor	332	PM _{2.5}	1
34	Brajrajnagar	Moderate	115	PM ₁₀	1
35	Bulandshahr	Poor	260	PM _{2.5}	1
36	Byrnihat	Very Poor	333	PM _{2.5}	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Ankleshwar, Bettiah, Bhilai, Bihar Sharif, Bilaspur, Buxar, Dewas, Dharwad, Eloor, Ernakulam, Haldia, Hisar, Jorapokhar, Karnal, Kishanganj, Kochi, Koppal, Korba, Naharlagun, Pune, Raichur, Raipur, Saharsa, Salem, Srinagar, Tumakuru, Vrindavan, Yadgir as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chamarajanagar	Good	43	PM ₁₀	1
38	Chandigarh	Very Poor	371	PM _{2.5}	2
39	Chandrapur	Moderate	197	PM _{2.5}	1
40	Charkhi Dadri	Poor	257	PM _{2.5}	1
41	Chengalpattu	Satisfactory	87	PM _{2.5}	1
42	Chennai	Satisfactory	86	PM _{2.5} , PM ₁₀	8
43	Chhapra	Very Poor	304	PM _{2.5}	1
44	Chikkaballapur	Moderate	106	PM ₁₀	1
45	Chikkamagaluru	Satisfactory	59	PM ₁₀	1
46	Chittoor	Good	41	PM ₁₀	1
47	Coimbatore	Moderate	114	PM _{2.5}	1
48	Damoh	Satisfactory	55	PM _{2.5}	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Ankleshwar, Bettiah, Bhilai, Bihar Sharif, Bilaspur, Buxar, Dewas, Dharwad, Eloor, Ernakulam, Haldia, Hisar, Jorapokhar, Karnal, Kishanganj, Kochi, Koppal, Korba, Naharlagun, Pune, Raichur, Raipur, Saharsa, Salem, Srinagar, Tumakuru, Vrindavan, Yadgir as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Darbhanga	Poor	280	PM _{2.5}	1
50	Davanagere	Moderate	111	PM _{2.5}	1
51	Dehradun	Moderate	174	PM _{2.5}	1
52	Delhi	Very Poor	385	PM _{2.5}	38
53	Dharuhera	Very Poor	357	PM _{2.5}	1
54	Dindigul	Poor	210	NO ₂	1
55	Durgapur	Poor	282	PM _{2.5}	1
56	Faridabad	Very Poor	359	PM _{2.5}	3
57	Fatehabad	Satisfactory	88	PM _{2.5}	1
58	Firozabad	Satisfactory	66	PM ₁₀	2
59	Gadag	Satisfactory	55	O ₃	1
60	Gandhinagar	Moderate	102	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Ankleshwar, Bettiah, Bhilai, Bihar Sharif, Bilaspur, Buxar, Dewas, Dharwad, Eloor, Ernakulam, Haldia, Hisar, Jorapokhar, Karnal, Kishanganj, Kochi, Koppal, Korba, Naharlagun, Pune, Raichur, Raipur, Saharsa, Salem, Srinagar, Tumakuru, Vrindavan, Yadgir as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Gangtok	Satisfactory	64	PM _{2.5}	1
62	Gaya	Poor	264	PM _{2.5}	3
63	Ghaziabad	Very Poor	335	PM _{2.5}	4
64	Gorakhpur	Moderate	106	PM ₁₀	1
65	Greater Noida	Very Poor	361	PM _{2.5}	2
66	Gummidipoondi	Moderate	104	PM ₁₀	1
67	Gurugram	Very Poor	355	PM _{2.5}	4
68	Guwahati	Poor	259	PM _{2.5}	3
69	Gwalior	Poor	273	PM _{2.5}	3
70	Hajipur	Moderate	133	PM ₁₀	1
71	Hapur	Moderate	148	PM _{2.5}	1
72	Hassan	Satisfactory	68	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Ankleshwar, Bettiah, Bhilai, Bihar Sharif, Bilaspur, Buxar, Dewas, Dharwad, Eloor, Ernakulam, Haldia, Hisar, Jorapokhar, Karnal, Kishanganj, Kochi, Koppal, Korba, Naharlagun, Pune, Raichur, Raipur, Saharsa, Salem, Srinagar, Tumakuru, Vrindavan, Yadgir as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Haveri	Satisfactory	91	PM ₁₀	1
74	Hosur	Satisfactory	98	СО	1
75	Howrah	Poor	261	PM _{2.5}	3
76	Hubballi	Satisfactory	91	PM ₁₀	2
77	Hyderabad	Satisfactory	95	PM ₁₀	13
78	Imphal	Poor	204	PM _{2.5}	2
79	Indore	Satisfactory	93	PM ₁₀	1
80	Jabalpur	Very Poor	311	PM _{2.5}	1
81	Jaipur	Moderate	171	PM _{2.5}	3
82	Jalandhar	Moderate	182	PM _{2.5}	1
83	Jhansi	Moderate	127	PM ₁₀	1
84	Jind	Poor	260	PM _{2.5}	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Ankleshwar, Bettiah, Bhilai, Bihar Sharif, Bilaspur, Buxar, Dewas, Dharwad, Eloor, Ernakulam, Haldia, Hisar, Jorapokhar, Karnal, Kishanganj, Kochi, Koppal, Korba, Naharlagun, Pune, Raichur, Raipur, Saharsa, Salem, Srinagar, Tumakuru, Vrindavan, Yadgir as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Jodhpur	Moderate	144	PM _{2.5}	1
86	Kaithal	Moderate	165	PM _{2.5}	1
87	Kalaburgi	Satisfactory	85	PM _{2.5}	1
88	Kalyan	Moderate	183	PM ₁₀	1
89	Kanchipuram	Satisfactory	67	PM ₁₀	1
90	Kannur	Satisfactory	74	PM _{2.5}	1
91	Kanpur	Moderate	181	PM _{2.5}	4
92	Katihar	Very Poor	317	PM _{2.5}	1
93	Katni	Very Poor	326	PM _{2.5}	1
94	Keonjhar	Very Poor	307	PM _{2.5}	1
95	Khanna	Satisfactory	84	PM ₁₀	1
96	Khurja	Moderate	152	PM _{2.5}	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Ankleshwar, Bettiah, Bhilai, Bihar Sharif, Bilaspur, Buxar, Dewas, Dharwad, Eloor, Ernakulam, Haldia, Hisar, Jorapokhar, Karnal, Kishanganj, Kochi, Koppal, Korba, Naharlagun, Pune, Raichur, Raipur, Saharsa, Salem, Srinagar, Tumakuru, Vrindavan, Yadgir as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Kohima	Satisfactory	74	PM ₁₀	1
98	Kolar	Moderate	157	SO ₂	1
99	Kolkata	Poor	236	PM _{2.5}	7
100	Kollam	Satisfactory	83	PM ₁₀	1
101	Kota	Poor	204	PM _{2.5}	1
102	Kozhikode	Satisfactory	75	PM _{2.5}	1
103	Kurukshetra	Moderate	196	PM _{2.5}	1
104	Lucknow	Poor	219	PM _{2.5}	6
105	Ludhiana	Poor	262	PM _{2.5}	1
106	Madikeri	Good	39	O ₃	1
107	Maihar	Moderate	124	PM ₁₀	1
108	Mandi Gobindgarh	Poor	299	PM _{2.5}	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Ankleshwar, Bettiah, Bhilai, Bihar Sharif, Bilaspur, Buxar, Dewas, Dharwad, Eloor, Ernakulam, Haldia, Hisar, Jorapokhar, Karnal, Kishanganj, Kochi, Koppal, Korba, Naharlagun, Pune, Raichur, Raipur, Saharsa, Salem, Srinagar, Tumakuru, Vrindavan, Yadgir as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Mandideep	Satisfactory	96	PM ₁₀	1
110	Mandikhera	Moderate	118	PM ₁₀	1
111	Manesar	Very Poor	348	PM _{2.5}	1
112	Mangalore	Satisfactory	95	PM ₁₀	1
113	Manguraha	Moderate	141	PM _{2.5}	1
114	Meerut	Very Poor	311	PM _{2.5}	3
115	Moradabad	Moderate	129	PM _{2.5}	6
116	Motihari	Moderate	140	PM ₁₀	1
117	Mumbai	Poor	214	PM _{2.5} , PM ₁₀	18
118	Munger	Very Poor	321	PM _{2.5}	1
119	Muzaffarnagar	Very Poor	367	PM _{2.5}	1
120	Muzaffarpur	Poor	294	PM _{2.5}	2

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Ankleshwar, Bettiah, Bhilai, Bihar Sharif, Bilaspur, Buxar, Dewas, Dharwad, Eloor, Ernakulam, Haldia, Hisar, Jorapokhar, Karnal, Kishanganj, Kochi, Koppal, Korba, Naharlagun, Pune, Raichur, Raipur, Saharsa, Salem, Srinagar, Tumakuru, Vrindavan, Yadgir as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Mysuru	Good	42	PM ₁₀	1
122	Nagpur	Poor	245	PM _{2.5}	1
123	Nalbari	Poor	232	PM _{2.5}	1
124	Nandesari	Good	18	PM _{2.5}	1
125	Narnaul	Moderate	172	PM _{2.5}	1
126	Nashik	Moderate	175	PM _{2.5}	1
127	Navi Mumbai	Poor	293	PM _{2.5}	3
128	Nayagarh	Poor	294	PM _{2.5}	1
129	Noida	Very Poor	332	PM _{2.5}	4
130	Ooty	Satisfactory	52	PM ₁₀	1
131	Pali	Moderate	118	PM _{2.5}	1
132	Palwal	Satisfactory	64	PM ₁₀	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Ankleshwar, Bettiah, Bhilai, Bihar Sharif, Bilaspur, Buxar, Dewas, Dharwad, Eloor, Ernakulam, Haldia, Hisar, Jorapokhar, Karnal, Kishanganj, Kochi, Koppal, Korba, Naharlagun, Pune, Raichur, Raipur, Saharsa, Salem, Srinagar, Tumakuru, Vrindavan, Yadgir as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Panchkula	Moderate	197	PM _{2.5}	1
134	Panipat	Moderate	184	PM ₁₀	1
135	Patiala	Satisfactory	95	PM ₁₀	1
136	Patna	Poor	264	PM _{2.5}	6
137	Pithampur	Moderate	118	PM _{2.5}	1
138	Prayagraj	Moderate	133	PM _{2.5}	3
139	Puducherry	Satisfactory	70	PM _{2.5}	1
140	Purnia	Poor	287	PM _{2.5}	1
141	Rairangpur	Very Poor	319	PM _{2.5}	1
142	Rajamahendravaram	Satisfactory	75	PM ₁₀	1
143	Rajgir	Very Poor	352	PM _{2.5}	1
144	Ramanagara	Satisfactory	66	PM ₁₀	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Ankleshwar, Bettiah, Bhilai, Bihar Sharif, Bilaspur, Buxar, Dewas, Dharwad, Eloor, Ernakulam, Haldia, Hisar, Jorapokhar, Karnal, Kishanganj, Kochi, Koppal, Korba, Naharlagun, Pune, Raichur, Raipur, Saharsa, Salem, Srinagar, Tumakuru, Vrindavan, Yadgir as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Ramanathapuram	Satisfactory	54	PM ₁₀	1
146	Ratlam	Satisfactory	95	PM ₁₀	1
147	Rohtak	Very Poor	320	PM _{2.5}	1
148	Rourkela	Very Poor	322	PM _{2.5}	1
149	Rupnagar	Poor	227	PM ₁₀	1
150	Sagar	Satisfactory	98	PM _{2.5} , CO	2
151	Samastipur	Poor	234	PM _{2.5}	1
152	Sasaram	Very Poor	319	PM _{2.5}	1
153	Satna	Satisfactory	67	PM ₁₀	1
154	Shillong	Satisfactory	57	PM _{2.5}	1
155	Shivamogga	Good	42	PM ₁₀	1
156	Siliguri	Moderate	180	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Ankleshwar, Bettiah, Bhilai, Bihar Sharif, Bilaspur, Buxar, Dewas, Dharwad, Eloor, Ernakulam, Haldia, Hisar, Jorapokhar, Karnal, Kishanganj, Kochi, Koppal, Korba, Naharlagun, Pune, Raichur, Raipur, Saharsa, Salem, Srinagar, Tumakuru, Vrindavan, Yadgir as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Singrauli	Very Poor	366	PM _{2.5}	1
158	Sirsa	Moderate	117	PM _{2.5}	1
159	Sivasagar	Good	40	PM ₁₀	1
160	Siwan	Very Poor	316	PM _{2.5}	1
161	Solapur	Moderate	132	PM _{2.5}	1
162	Sonipat	Moderate	186	PM _{2.5}	1
163	Suakati	Poor	286	PM _{2.5}	1
164	Surat	Poor	274	PM _{2.5}	1
165	Talcher	Satisfactory	86	PM _{2.5}	1
166	Tensa	Poor	295	PM _{2.5}	1
167	Thane	Poor	208	O ₃	1
168	Thiruvananthapuram	Satisfactory	82	PM _{2.5}	2

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

Notes:

- * AQI is not calculated for today's bulletin for Ankleshwar, Bettiah,
 Bhilai, Bihar Sharif, Bilaspur, Buxar, Dewas, Dharwad, Eloor, Ernakulam,
 Haldia, Hisar, Jorapokhar, Karnal, Kishanganj, Kochi, Koppal, Korba,
 Naharlagun, Pune, Raichur, Raipur, Saharsa, Salem, Srinagar, Tumakuru,
 Vrindavan, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Thoothukudi	Moderate	141	O ₃	1
170	Thrissur	Satisfactory	94	PM ₁₀	1
171	Tirupati	Satisfactory	74	PM _{2.5}	1
172	Tirupur	Satisfactory	51	PM ₁₀	1
173	Udaipur	Poor	222	PM _{2.5}	1
174	Udupi	Moderate	108	со	1
175	Ujjain	Poor	265	PM _{2.5}	1
176	Vapi	Very Poor	304	PM _{2.5}	1
177	Varanasi	Satisfactory	68	PM _{2.5} , PM ₁₀	4
178	Vatva	Moderate	130	PM ₁₀	1
179	Vijayapura	Satisfactory	53	PM ₁₀	1
180	Visakhapatnam	Moderate	102	PM ₁₀	1

Good	Minimal Impact	
Satisfactory	ctory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Ankleshwar, Bettiah, Bhilai, Bihar Sharif, Bilaspur, Buxar, Dewas, Dharwad, Eloor, Ernakulam, Haldia, Hisar, Jorapokhar, Karnal, Kishanganj, Kochi, Koppal, Korba, Naharlagun, Pune, Raichur, Raipur, Saharsa, Salem, Srinagar, Tumakuru, Vrindavan, Yadgir as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Yamunanagar	Poor	215	PM _{2.5}	1
182	vellore	Satisfactory	89	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

Notes:

- * AQI is not calculated for today's bulletin for Ankleshwar, Bettiah, Bhilai, Bihar Sharif, Bilaspur, Buxar, Dewas, Dharwad, Eloor, Ernakulam, Haldia, Hisar, Jorapokhar, Karnal, Kishanganj, Kochi, Koppal, Korba, Naharlagun, Pune, Raichur, Raipur, Saharsa, Salem, Srinagar, Tumakuru, Vrindavan, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.