

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	183	PM <sub>2.5</sub>	2
2	Agra	Satisfactory	68	PM <sub>10</sub>	6
3	Ahmedabad	Moderate	162	PM <sub>2.5</sub> , PM <sub>10</sub>	7
4	Ajmer	Moderate	112	PM <sub>10</sub>	1
5	Alwar	Satisfactory	100	PM <sub>2.5</sub>	1
6	Amaravati	Satisfactory	69	PM <sub>10</sub>	1
7	Ambala	Satisfactory	99	PM <sub>2.5</sub>	1
8	Amritsar	Moderate	106	PM <sub>2.5</sub>	1
9	Anantapur	Moderate	176	03	1
10	Ankleshwar	Moderate	181	PM <sub>2.5</sub>	1
11	Araria	Poor	294	PM <sub>2.5</sub>	1
12	Ariyalur	Satisfactory	71	NO <sub>2</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

# \* AQI is not calculated for today's bulletin for Aizawl, Baghpat, Notes: Begusarai, Bidar, Bikaner, Buxar, Byrnihat, Chhal, Churu, Coir

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Arrah	Poor	299	PM <sub>2.5</sub>	1
14	Asansol	Poor	285	PM <sub>2.5</sub>	1
15	Aurangabad (Bihar)	Moderate	180	PM <sub>2.5</sub>	1
16	Aurangabad (Maharashtra)	Moderate	164	PM <sub>2.5</sub>	1
17	Baddi	Moderate	105	O <sub>3</sub>	1
18	Bagalkot	Good	46	PM <sub>10</sub>	1
19	Bahadurgarh	Moderate	127	PM <sub>2.5</sub>	1
20	Ballabgarh	Poor	215	PM <sub>2.5</sub>	1
21	Bareilly	Satisfactory	93	PM <sub>10</sub>	2
22	Baripada	Very Poor	301	O <sub>3</sub>	1
23	Bathinda	Moderate	122	PM <sub>10</sub>	1
24	Belgaum	Moderate	154	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### \* AQI is not calculated for today's bulletin for Aizawl, Baghpat,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bengaluru	Satisfactory	86	PM <sub>10</sub>	11
26	Bettiah	Very Poor	360	PM <sub>2.5</sub>	1
27	Bhagalpur	Very Poor	309	PM <sub>2.5</sub>	2
28	Bharatpur	Poor	298	PM <sub>2.5</sub>	1
29	Bhilai	Satisfactory	84	PM <sub>2.5</sub> , PM <sub>10</sub>	2
30	Bhiwadi	Poor	250	PM <sub>10</sub>	1
31	Bhiwani	Moderate	164	PM <sub>2.5</sub>	1
32	Bhopal	Moderate	104	PM <sub>10</sub> , O <sub>3</sub>	3
33	Bihar Sharif	Moderate	132	PM <sub>10</sub>	1
34	Bilaspur	Satisfactory	53	PM <sub>10</sub>	1
35	Bileipada	Moderate	167	PM <sub>10</sub>	1
36	Brajrajnagar	Moderate	128	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### \* AQI is not calculated for today's bulletin for Aizawl, Baghpat,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bulandshahr	Moderate	197	PM <sub>2.5</sub>	1
38	Chamarajanagar	Good	46	PM <sub>10</sub>	1
39	Chandigarh	Moderate	131	PM <sub>2.5</sub>	3
40	Chandrapur	Poor	214	PM <sub>2.5</sub>	1
41	Charkhi Dadri	Poor	253	PM <sub>2.5</sub>	1
42	Chengalpattu	Moderate	116	PM <sub>10</sub>	1
43	Chennai	Satisfactory	98	PM <sub>2.5</sub> , PM <sub>10</sub>	7
44	Chhapra	Very Poor	348	PM <sub>10</sub>	1
45	Chikkaballapur	Moderate	109	PM <sub>10</sub>	1
46	Chikkamagaluru	Satisfactory	62	PM <sub>10</sub>	1
47	Chittoor	Satisfactory	79	PM <sub>2.5</sub>	1
48	Damoh	Good	34	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### \* AQI is not calculated for today's bulletin for Aizawl, Baghpat,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Dehradun	Satisfactory	69	PM <sub>10</sub>	1
50	Delhi	Very Poor	302	PM <sub>2.5</sub>	38
51	Dewas	Moderate	133	PM <sub>10</sub>	1
52	Dindigul	Very Poor	326	NO <sub>2</sub>	1
53	Durgapur	Poor	242	PM <sub>2.5</sub>	1
54	Eloor	Satisfactory	91	PM <sub>2.5</sub>	1
55	Faridabad	Poor	278	PM <sub>2.5</sub>	4
56	Firozabad	Moderate	103	PM <sub>10</sub>	2
57	Gadag	Satisfactory	75	03	1
58	Gandhinagar	Poor	212	PM <sub>2.5</sub> , PM <sub>10</sub>	3
59	Gangtok	Moderate	151	PM <sub>2.5</sub>	1
60	Gaya	Moderate	182	PM <sub>10</sub> , PM <sub>2.5</sub>	3

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### \* AQI is not calculated for today's bulletin for Aizawl, Baghpat,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Ghaziabad	Poor	251	PM <sub>2.5</sub>	4
62	Gorakhpur	Moderate	115	PM <sub>10</sub>	1
63	Greater Noida	Poor	253	PM <sub>2.5</sub>	2
64	Gummidipoondi	Moderate	121	PM <sub>2.5</sub>	1
65	Gurugram	Poor	294	PM <sub>2.5</sub>	4
66	Guwahati	Poor	238	PM <sub>2.5</sub>	4
67	Gwalior	Moderate	176	PM <sub>2.5</sub> , O <sub>3</sub>	3
68	Hajipur	Poor	205	PM <sub>2.5</sub>	1
69	Haldia	Satisfactory	89	PM <sub>10</sub>	1
70	Hapur	Satisfactory	80	PM <sub>2.5</sub>	1
71	Hassan	Satisfactory	83	PM <sub>10</sub>	1
72	Haveri	Satisfactory	94	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### \* AQI is not calculated for today's bulletin for Aizawl, Baghpat,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Hisar	Moderate	174	PM <sub>10</sub>	1
74	Hosur	Moderate	174	PM <sub>2.5</sub>	1
75	Howrah	Moderate	118	PM <sub>2.5</sub> , PM <sub>10</sub>	3
76	Hubballi	Moderate	169	PM <sub>10</sub>	1
77	Hyderabad	Moderate	113	PM <sub>2.5</sub> , PM <sub>10</sub>	14
78	Imphal	Moderate	148	PM <sub>2.5</sub> , SO <sub>2</sub>	2
79	Indore	Satisfactory	81	PM <sub>10</sub>	1
80	Jabalpur	Moderate	112	PM <sub>10</sub>	1
81	Jaipur	Moderate	171	PM <sub>2.5</sub> , PM <sub>10</sub>	3
82	Jalandhar	Satisfactory	78	PM <sub>10</sub>	1
83	Jhansi	Satisfactory	77	PM <sub>10</sub>	1
84	Jind	Moderate	153	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### \* AQI is not calculated for today's bulletin for Aizawl, Baghpat,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Jodhpur	Moderate	126	PM <sub>10</sub>	2
86	Jorapokhar	Poor	239	PM <sub>10</sub>	1
87	Kadapa	Moderate	184	PM <sub>2.5</sub>	1
88	Kaithal	Moderate	171	PM <sub>2.5</sub>	1
89	Kalyan	Moderate	153	PM <sub>10</sub>	1
90	Kanchipuram	Moderate	102	PM <sub>10</sub>	1
91	Kannur	Satisfactory	63	PM <sub>2.5</sub>	1
92	Kanpur	Moderate	125	PM <sub>2.5</sub>	3
93	Karnal	Satisfactory	89	PM <sub>10</sub>	1
94	Kashipur	Satisfactory	91	PM <sub>10</sub>	1
95	Katihar	Very Poor	331	PM <sub>10</sub>	1
96	Katni	Moderate	143	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### \* AQI is not calculated for today's bulletin for Aizawl, Baghpat,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Keonjhar	Moderate	146	PM <sub>2.5</sub>	1
98	Khanna	Satisfactory	66	PM <sub>10</sub>	1
99	Khurja	Moderate	154	PM <sub>2.5</sub>	1
100	Kishanganj	Poor	265	PM <sub>10</sub>	1
101	Kochi	Moderate	126	PM <sub>2.5</sub>	1
102	Kohima	Moderate	181	PM <sub>2.5</sub>	1
103	Kolar	Moderate	166	SO <sub>2</sub>	1
104	Kolkata	Moderate	110	O <sub>3</sub>	7
105	Kollam	Satisfactory	96	PM <sub>10</sub>	1
106	Koppal	Moderate	109	PM <sub>10</sub>	1
107	Korba	Moderate	147	PM <sub>2.5</sub> , PM <sub>10</sub>	2
108	Kota	Moderate	121	PM <sub>2.5</sub>	3

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### $^{\star}$ AQI is not calculated for today's bulletin for Aizawl, Baghpat,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Kozhikode	Satisfactory	75	PM <sub>2.5</sub>	1
110	Kurukshetra	Moderate	197	PM <sub>2.5</sub>	1
111	Lucknow	Moderate	152	PM <sub>2.5</sub>	6
112	Ludhiana	Moderate	113	PM <sub>2.5</sub>	1
113	Madikeri	Satisfactory	73	со	1
114	Maihar	Good	34	PM <sub>10</sub>	1
115	Mandi Gobindgarh	Moderate	131	PM <sub>2.5</sub>	1
116	Mandideep	Satisfactory	86	PM <sub>10</sub>	1
117	Mandikhera	Satisfactory	78	PM <sub>10</sub>	1
118	Manesar	Poor	210	PM <sub>2.5</sub>	1
119	Mangalore	Moderate	128	PM <sub>10</sub>	1
120	Manguraha	Poor	261	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### \* AQI is not calculated for today's bulletin for Aizawl, Baghpat,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Meerut	Poor	262	PM <sub>2.5</sub>	3
122	Moradabad	Satisfactory	74	PM <sub>10</sub>	6
123	Mumbai	Moderate	123	PM <sub>2.5</sub> , PM <sub>10</sub>	18
124	Munger	Poor	290	PM <sub>2.5</sub>	1
125	Muzaffarnagar	Moderate	130	PM <sub>2.5</sub>	1
126	Muzaffarpur	Very Poor	316	PM <sub>2.5</sub>	2
127	Mysuru	Satisfactory	65	PM <sub>10</sub>	1
128	Nagaon	Very Poor	333	PM <sub>2.5</sub>	1
129	Nagpur	Moderate	117	PM <sub>2.5</sub>	1
130	Naharlagun	Satisfactory	52	PM <sub>10</sub>	1
131	Nalbari	Moderate	187	PM <sub>2.5</sub>	1
132	Narnaul	Moderate	195	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

### \* AQI is not calculated for today's bulletin for Aizawl, Baghpat,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Nashik	Satisfactory	87	PM <sub>10</sub>	1
134	Navi Mumbai	Moderate	145	со	3
135	Nayagarh	Poor	257	PM <sub>10</sub>	1
136	Noida	Very Poor	302	PM <sub>2.5</sub>	4
137	Ooty	Satisfactory	74	PM <sub>2.5</sub>	1
138	Pali	Satisfactory	87	PM <sub>10</sub>	1
139	Palwal	Satisfactory	73	PM <sub>2.5</sub>	1
140	Panchkula	Moderate	134	PM <sub>2.5</sub>	1
141	Panipat	Moderate	137	PM <sub>10</sub>	1
142	Patiala	Satisfactory	97	PM <sub>10</sub>	1
143	Patna	Poor	295	PM <sub>10</sub> , PM <sub>2.5</sub>	6
144	Pithampur	Moderate	112	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### \* AQI is not calculated for today's bulletin for Aizawl, Baghpat,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Prayagraj	Satisfactory	85	O <sub>3</sub> , PM <sub>10</sub>	3
146	Puducherry	Satisfactory	52	PM <sub>10</sub>	1
147	Pune	Moderate	125	PM <sub>2.5</sub>	2
148	Purnia	Poor	264	PM <sub>2.5</sub>	1
149	Raipur	Moderate	113	PM <sub>2.5</sub> , NO <sub>2</sub>	4
150	Rairangpur	Moderate	152	PM <sub>2.5</sub>	1
151	Rajamahendravaram	Satisfactory	74	PM <sub>10</sub>	1
152	Rajgir	Poor	262	PM <sub>2.5</sub>	1
153	Ramanagara	Moderate	101	PM <sub>10</sub>	1
154	Ramanathapuram	Satisfactory	80	PM <sub>10</sub>	1
155	Ratlam	Moderate	135	PM <sub>2.5</sub>	1
156	Rishikesh	Satisfactory	71	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### \* AQI is not calculated for today's bulletin for Aizawl, Baghpat,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Rohtak	Moderate	179	PM <sub>2.5</sub>	1
158	Rourkela	Poor	205	PM <sub>2.5</sub>	3
159	Rupnagar	Moderate	152	PM <sub>10</sub>	1
160	Sagar	Satisfactory	80	O <sub>3</sub> , CO	2
161	Saharsa	Very Poor	377	PM <sub>2.5</sub>	1
162	Samastipur	Very Poor	351	PM <sub>10</sub>	1
163	Sasaram	Moderate	131	PM <sub>10</sub>	1
164	Satna	Moderate	111	PM <sub>10</sub>	1
165	Shillong	Moderate	181	PM <sub>2.5</sub>	1
166	Shivamogga	Satisfactory	56	O <sub>3</sub>	1
167	Siliguri	Moderate	123	PM <sub>2.5</sub>	1
168	Singrauli	Moderate	161	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### \* AQI is not calculated for today's bulletin for Aizawl, Baghpat,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Sirsa	Moderate	134	PM <sub>2.5</sub>	1
170	Sivasagar	Good	49	PM <sub>2.5</sub>	1
171	Siwan	Very Poor	320	PM <sub>2.5</sub>	1
172	Solapur	Moderate	128	PM <sub>10</sub>	1
173	Sonipat	Moderate	184	PM <sub>10</sub>	1
174	Srinagar	Good	31	PM <sub>10</sub>	1
175	Suakati	Moderate	149	PM <sub>2.5</sub>	1
176	Surat	Moderate	195	PM <sub>2.5</sub>	1
177	Tensa	Moderate	111	PM <sub>2.5</sub>	1
178	Thane	Moderate	192	03	1
179	Thiruvananthapuram	Satisfactory	64	PM <sub>10</sub> , PM <sub>2.5</sub>	2
180	Thoothukudi	Good	44	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### \* AQI is not calculated for today's bulletin for Aizawl, Baghpat,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Thrissur	Moderate	151	PM <sub>2.5</sub>	1
182	Tirupati	Satisfactory	99	PM <sub>2.5</sub>	2
183	Tirupur	Satisfactory	93	PM <sub>10</sub>	1
184	Udaipur	Satisfactory	92	PM <sub>10</sub>	1
185	Ujjain	Moderate	116	PM <sub>10</sub>	1
186	Vapi	Very Poor	312	PM <sub>2.5</sub>	1
187	Varanasi	Satisfactory	61	PM <sub>10</sub> , NO <sub>2</sub>	4
188	Vatva	Moderate	197	PM <sub>2.5</sub>	1
189	Vijayapura	Good	46	PM <sub>10</sub>	1
190	Vijayawada	Moderate	183	O <sub>3</sub>	1
191	Visakhapatnam	Moderate	113	PM <sub>10</sub>	1
192	Vrindavan	Moderate	123	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### \* AQI is not calculated for today's bulletin for Aizawl, Baghpat,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Yadgir	Satisfactory	93	PM <sub>10</sub>	1
194	Yamunanagar	Moderate	142	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.