

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	30	PM <sub>10</sub>	2
2	Agra	Good	38	PM <sub>2.5</sub> , O <sub>3</sub> , PM <sub>10</sub>	6
3	Ahmedabad	Moderate	104	PM <sub>10</sub>	1
4	Aizawl	Good	20	SO <sub>2</sub>	1
5	Ajmer	Moderate	141	PM <sub>10</sub>	1
6	Alwar	Satisfactory	66	PM <sub>10</sub>	1
7	Amaravati	Good	24	O <sub>3</sub>	1
8	Ambala	Moderate	125	PM <sub>10</sub>	1
9	Amritsar	Satisfactory	86	PM <sub>10</sub>	1
10	Ankleshwar	Good	44	со	1
11	Araria	Satisfactory	73	PM <sub>10</sub>	1
12	Arrah	Good	44	СО	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ballabgarh, Belgaum, Notes: Bhilai, Bhiwani, Bidar, Bihar Sharif, Bilaspur, Chikkamagaluru, Davanagere, Dewas, Hapur, Jabalpur, Jorapokhar, Kaithal, Kalaburgi, Kolar, Ludhiana, Madikeri, Manguraha, Naharlagun, Nandesari, Pithampur, Pune, Ramanagara, Samastipur, Sasaram, Siliguri, Siwan, Sonipat, Thane, Udupi, Vapi as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Satisfactory	68	NO <sub>2</sub>	1
14	Aurangabad (Bihar)	Satisfactory	93	PM <sub>10</sub>	1
15	Aurangabad (Maharashtra)	Good	50	PM <sub>10</sub>	1
16	Baddi	Satisfactory	97	PM <sub>10</sub>	1
17	Bagalkot	Good	42	PM <sub>10</sub>	1
18	Baghpat	Good	48	PM <sub>2.5</sub>	1
19	Bahadurgarh	Satisfactory	92	PM <sub>10</sub>	1
20	Bareilly	Good	36	PM <sub>10</sub>	1
21	Bathinda	Satisfactory	97	PM <sub>10</sub>	1
22	Begusarai	Good	50	PM <sub>2.5</sub>	1
23	Bengaluru	Good	43	CO, PM <sub>10</sub> , O <sub>3</sub>	8
24	Bettiah	Satisfactory	90	PM <sub>10</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ballabgarh, Belgaum, Notes: Bhilai, Bhiwani, Bidar, Bihar Sharif, Bilaspur, Chikkamagaluru, Davanagere, Dewas, Hapur, Jabalpur, Jorapokhar, Kaithal, Kalaburgi, Kolar, Ludhiana, Madikeri, Manguraha, Naharlagun, Nandesari, Pithampur, Pune, Ramanagara, Samastipur, Sasaram, Siliguri, Siwan, Sonipat, Thane, Udupi, Vapi as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhagalpur	Satisfactory	85	NO <sub>2</sub> , O <sub>3</sub>	2
26	Bhiwadi	Satisfactory	86	PM <sub>10</sub>	1
27	Bhopal	Satisfactory	69	со	1
28	Brajrajnagar	Good	47	со	1
29	Bulandshahr	Satisfactory	55	PM <sub>10</sub>	1
30	Buxar	Moderate	101	PM <sub>2.5</sub>	1
31	Chamarajanagar	Good	40	PM <sub>10</sub>	1
32	Chandigarh	Satisfactory	58	O <sub>3</sub> , PM <sub>2.5</sub> , PM <sub>10</sub>	3
33	Chandrapur	Satisfactory	70	со	1
34	Charkhi Dadri	Moderate	121	PM <sub>2.5</sub>	1
35	Chennai	Satisfactory	54	CO, O <sub>3</sub> , PM <sub>10</sub>	8
36	Chhapra	Satisfactory	88	СО	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

- \* AQI is not calculated for today's bulletin for Ballabgarh, Belgaum, Bhilai, Bhiwani, Bidar, Bihar Sharif, Bilaspur, Chikkamagaluru, Davanagere, Dewas, Hapur, Jabalpur, Jorapokhar, Kaithal, Kalaburgi, Kolar, Ludhiana, Madikeri, Manguraha, Naharlagun, Nandesari, Pithampur, Pune, Ramanagara, Samastipur, Sasaram, Siliguri, Siwan, Sonipat, Thane, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chikkaballapur	Good	28	СО	1
38	Coimbatore	Good	41	PM <sub>2.5</sub>	1
39	Damoh	Good	26	PM <sub>2.5</sub>	1
40	Darbhanga	Satisfactory	53	PM <sub>10</sub>	1
41	Dehradun	Good	23	PM <sub>10</sub>	1
42	Delhi	Moderate	118	PM <sub>2.5</sub> , PM <sub>10</sub>	17
43	Dharuhera	Moderate	115	PM <sub>10</sub>	1
44	Durgapur	Good	48	со	1
45	Eloor	Satisfactory	59	PM <sub>10</sub>	1
46	Ernakulam	Good	35	NO <sub>2</sub>	1
47	Faridabad	Moderate	109	PM <sub>10</sub>	1
48	Fatehabad	Satisfactory	83	PM <sub>10</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ballabgarh, Belgaum, Notes: Bhilai, Bhiwani, Bidar, Bihar Sharif, Bilaspur, Chikkamagaluru, Davanagere, Dewas, Hapur, Jabalpur, Jorapokhar, Kaithal, Kalaburgi, Kolar, Ludhiana, Madikeri, Manguraha, Naharlagun, Nandesari, Pithampur, Pune, Ramanagara, Samastipur, Sasaram, Siliguri, Siwan, Sonipat, Thane, Udupi, Vapi as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Firozabad	Good	46	O <sub>3</sub>	1
50	Gadag	Good	30	NO <sub>2</sub>	1
51	Gandhinagar	Satisfactory	56	PM <sub>2.5</sub>	1
52	Gangtok	Good	18	03	1
53	Gaya	Satisfactory	68	PM <sub>10</sub> , PM <sub>2.5</sub>	3
54	Ghaziabad	Moderate	112	PM <sub>2.5</sub> , PM <sub>10</sub>	4
55	Gorakhpur	Good	40	PM <sub>2.5</sub>	1
56	Greater Noida	Satisfactory	80	PM <sub>10</sub>	2
57	Gummidipoondi	Good	22	NO <sub>2</sub>	1
58	Gurugram	Moderate	147	PM <sub>10</sub> , PM <sub>2.5</sub>	3
59	Guwahati	Satisfactory	60	O <sub>3</sub> , PM <sub>10</sub>	2
60	Gwalior	Satisfactory	53	PM <sub>10</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ballabgarh, Belgaum, Notes: Bhilai, Bhiwani, Bidar, Bihar Sharif, Bilaspur, Chikkamagaluru, Davanagere, Dewas, Hapur, Jabalpur, Jorapokhar, Kaithal, Kalaburgi, Kolar, Ludhiana, Madikeri, Manguraha, Naharlagun, Nandesari, Pithampur, Pune, Ramanagara, Samastipur, Sasaram, Siliguri, Siwan, Sonipat, Thane, Udupi, Vapi as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hajipur	Good	43	PM <sub>10</sub>	1
62	Haldia	Good	47	со	1
63	Hassan	Satisfactory	54	SO <sub>2</sub>	1
64	Haveri	Good	47	со	1
65	Hisar	Satisfactory	93	PM <sub>2.5</sub>	1
66	Howrah	Good	28	CO, PM <sub>10</sub> , O <sub>3</sub>	3
67	Hubballi	Good	49	со	1
68	Hyderabad	Satisfactory	52	CO, PM <sub>10</sub> , NO <sub>2</sub>	14
69	Imphal	Satisfactory	87	03	1
70	Indore	Satisfactory	59	PM <sub>10</sub>	1
71	Jaipur	Satisfactory	62	PM <sub>10</sub>	2
72	Jalandhar	Satisfactory	73	PM <sub>2.5</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ballabgarh, Belgaum, Notes: Bhilai, Bhiwani, Bidar, Bihar Sharif, Bilaspur, Chikkamagaluru, Davanagere, Dewas, Hapur, Jabalpur, Jorapokhar, Kaithal, Kalaburgi, Kolar, Ludhiana, Madikeri, Manguraha, Naharlagun, Nandesari, Pithampur, Pune, Ramanagara, Samastipur, Sasaram, Siliguri, Siwan, Sonipat, Thane, Udupi, Vapi as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Jhansi	Satisfactory	73	PM <sub>10</sub>	1
74	Jind	Satisfactory	77	PM <sub>2.5</sub>	1
75	Jodhpur	Satisfactory	84	PM <sub>10</sub>	1
76	Kalyan	Satisfactory	52	со	1
77	Kannur	Satisfactory	53	PM <sub>2.5</sub>	1
78	Kanpur	Satisfactory	66	PM <sub>2.5</sub>	4
79	Karnal	Satisfactory	51	PM <sub>10</sub>	1
80	Katihar	Satisfactory	98	PM <sub>10</sub>	1
81	Katni	Satisfactory	65	PM <sub>10</sub>	1
82	Khanna	Satisfactory	69	PM <sub>10</sub>	1
83	Khurja	Moderate	104	PM <sub>2.5</sub>	1
84	Kishanganj	Satisfactory	59	03	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ballabgarh, Belgaum, Notes: Bhilai, Bhiwani, Bidar, Bihar Sharif, Bilaspur, Chikkamagaluru, Davanagere, Dewas, Hapur, Jabalpur, Jorapokhar, Kaithal, Kalaburgi, Kolar, Ludhiana, Madikeri, Manguraha, Naharlagun, Nandesari, Pithampur, Pune, Ramanagara, Samastipur, Sasaram, Siliguri, Siwan, Sonipat, Thane, Udupi, Vapi as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kochi	Satisfactory	84	PM <sub>2.5</sub>	1
86	Kohima	Satisfactory	52	SO <sub>2</sub>	1
87	Kolkata	Good	34	O <sub>3</sub> , CO	6
88	Kollam	Satisfactory	56	PM <sub>10</sub>	1
89	Koppal	Satisfactory	64	со	1
90	Kota	Satisfactory	55	PM <sub>10</sub>	1
91	Kozhikode	Satisfactory	62	PM <sub>10</sub>	1
92	Kurukshetra	Satisfactory	54	PM <sub>2.5</sub>	1
93	Lucknow	Satisfactory	58	CO, NO <sub>2</sub> , PM <sub>10</sub>	5
94	Maihar	Good	38	со	1
95	Mandi Gobindgarh	Poor	242	PM <sub>2.5</sub>	1
96	Mandideep	Satisfactory	60	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

# \* AQI is not calculated for today's bulletin for Ballabgarh, Belgaum, Notes: Bhilai, Bhiwani, Bidar, Bihar Sharif, Bilaspur, Chikkamagaluru, Davanagere,

Dewas, Hapur, Jabalpur, Jorapokhar, Kaithal, Kalaburgi, Kolar, Ludhiana, Madikeri, Manguraha, Naharlagun, Nandesari, Pithampur, Pune, Ramanagara, Samastipur, Sasaram, Siliguri, Siwan, Sonipat, Thane, Udupi, Vapi as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Mandikhera	Good	41	PM <sub>10</sub>	1
98	Manesar	Moderate	108	PM <sub>2.5</sub>	1
99	Manglore	Good	45	со	1
100	Meerut	Satisfactory	65	CO, PM <sub>10</sub> , PM <sub>2.5</sub>	3
101	Moradabad	Satisfactory	60	CO, PM <sub>10</sub> , PM <sub>2.5</sub>	6
102	Motihari	Satisfactory	64	03	1
103	Mumbai	Satisfactory	51	CO, PM <sub>2.5</sub> , O <sub>3</sub>	14
104	Munger	Moderate	106	PM <sub>10</sub>	1
105	Muzaffarnagar	Satisfactory	64	PM <sub>2.5</sub>	1
106	Muzaffarpur	Satisfactory	59	O <sub>3</sub> , PM <sub>10</sub> , CO	3
107	Mysuru	Good	42	03	1
108	Nagpur	Good	41	O <sub>3</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ballabgarh, Belgaum, Notes: Bhilai, Bhiwani, Bidar, Bihar Sharif, Bilaspur, Chikkamagaluru, Davanagere, Dewas, Hapur, Jabalpur, Jorapokhar, Kaithal, Kalaburgi, Kolar, Ludhiana, Madikeri, Manguraha, Naharlagun, Nandesari, Pithampur, Pune, Ramanagara, Samastipur, Sasaram, Siliguri, Siwan, Sonipat, Thane, Udupi, Vapi as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Narnaul	Satisfactory	74	PM <sub>2.5</sub>	1
110	Nashik	Good	32	PM <sub>2.5</sub>	1
111	Navi Mumbai	Good	49	CO, PM <sub>10</sub>	3
112	Noida	Satisfactory	94	PM <sub>2.5</sub> , PM <sub>10</sub> , CO	4
113	Pali	Satisfactory	56	PM <sub>10</sub>	1
114	Palwal	Satisfactory	69	PM <sub>10</sub>	1
115	Panchkula	Satisfactory	56	PM <sub>2.5</sub>	1
116	Panipat	Satisfactory	84	PM <sub>10</sub>	1
117	Patiala	Satisfactory	63	PM <sub>2.5</sub>	1
118	Patna	Satisfactory	86	PM <sub>2.5</sub> , PM <sub>10</sub> , O <sub>3</sub>	6
119	Prayagraj	Satisfactory	93	PM <sub>10</sub> , O <sub>3</sub> , SO <sub>2</sub>	3
120	Puducherry	Good	42	СО	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ballabgarh, Belgaum, Notes: Bhilai, Bhiwani, Bidar, Bihar Sharif, Bilaspur, Chikkamagaluru, Davanagere, Dewas, Hapur, Jabalpur, Jorapokhar, Kaithal, Kalaburgi, Kolar, Ludhiana, Madikeri, Manguraha, Naharlagun, Nandesari, Pithampur, Pune, Ramanagara, Samastipur, Sasaram, Siliguri, Siwan, Sonipat, Thane, Udupi, Vapi as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Purnia	Moderate	169	PM <sub>2.5</sub>	1
122	Raichur	Satisfactory	55	со	1
123	Rajamahendravaram	Good	18	со	1
124	Rajgir	Moderate	106	со	1
125	Ratlam	Satisfactory	61	PM <sub>2.5</sub>	1
126	Rohtak	Moderate	115	PM <sub>2.5</sub>	1
127	Rupnagar	Satisfactory	97	PM <sub>2.5</sub>	1
128	Sagar	Satisfactory	53	со	1
129	Saharsa	Satisfactory	64	PM <sub>2.5</sub>	1
130	Satna	Satisfactory	82	PM <sub>10</sub>	1
131	Shillong	Good	24	PM <sub>10</sub> , SO <sub>2</sub>	2
132	Shivamogga	Good	44	O <sub>3</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes: Bhila

- \* AQI is not calculated for today's bulletin for Ballabgarh, Belgaum, Bhilai, Bhiwani, Bidar, Bihar Sharif, Bilaspur, Chikkamagaluru, Davanagere, Dewas, Hapur, Jabalpur, Jorapokhar, Kaithal, Kalaburgi, Kolar, Ludhiana, Madikeri, Manguraha, Naharlagun, Nandesari, Pithampur, Pune, Ramanagara, Samastipur, Sasaram, Siliguri, Siwan, Sonipat, Thane, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Singrauli	Satisfactory	95	NO <sub>2</sub>	1
134	Sirsa	Satisfactory	94	03	1
135	Solapur	Satisfactory	74	PM <sub>10</sub>	1
136	Srinagar	Satisfactory	74	PM <sub>10</sub>	1
137	Talcher	Good	39	со	1
138	Thiruvananthapuram	Good	28	PM <sub>10</sub>	1
139	Thoothukudi	Good	25	PM <sub>10</sub>	1
140	Thrissur	Satisfactory	73	PM <sub>10</sub>	1
141	Tirupati	Good	35	со	1
142	Udaipur	Satisfactory	80	PM <sub>10</sub>	1
143	Ujjain	Satisfactory	59	PM <sub>2.5</sub>	1
144	Varanasi	Satisfactory	62	PM <sub>10</sub> , SO <sub>2</sub>	4

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ballabgarh, Belgaum, Notes: Bhilai, Bhiwani, Bidar, Bihar Sharif, Bilaspur, Chikkamagaluru, Davanagere, Dewas, Hapur, Jabalpur, Jorapokhar, Kaithal, Kalaburgi, Kolar, Ludhiana, Madikeri, Manguraha, Naharlagun, Nandesari, Pithampur, Pune, Ramanagara, Samastipur, Sasaram, Siliguri, Siwan, Sonipat, Thane, Udupi, Vapi as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Vatva	Good	36	PM <sub>2.5</sub>	1
146	Vijayapura	Good	40	PM <sub>10</sub>	1
147	Visakhapatnam	Satisfactory	60	PM <sub>10</sub>	1
148	Vrindavan	Good	48	SO <sub>2</sub>	1
149	Yadgir	Good	30	со	1
150	Yamunanagar	Satisfactory	94	PM <sub>10</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ballabgarh, Belgaum, Notes: Bhilai, Bhiwani, Bidar, Bihar Sharif, Bilaspur, Chikkamagaluru, Davanagere, Dewas, Hapur, Jabalpur, Jorapokhar, Kaithal, Kalaburgi, Kolar, Ludhiana, Madikeri, Manguraha, Naharlagun, Nandesari, Pithampur, Pune, Ramanagara, Samastipur, Sasaram, Siliguri, Siwan, Sonipat, Thane, Udupi, Vapi as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.