

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	28	PM _{2.5} , PM ₁₀	2
2	Agra	Satisfactory	51	PM _{2.5} , PM ₁₀	5
3	Ahmedabad	Satisfactory	67	PM ₁₀	1
4	Aizawl	Good	23	PM ₁₀	1
5	Ajmer	Moderate	159	PM _{2.5}	1
6	Alwar	Moderate	105	PM ₁₀	1
7	Amaravati	Good	24	СО	1
8	Ambala	Moderate	177	PM ₁₀	1
9	Amritsar	Satisfactory	94	PM ₁₀	1
10	Anantapur	Good	47	PM ₁₀	1
11	Ankleshwar	Satisfactory	79	со	1
12	Araria	Satisfactory	55	O ₃	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Begusarai, Belgaum, Notes: Bettiah, Bidar, Bihar Sharif, Chengalpattu, Dharuhera, Gangtok, Gummidipoondi, Gwalior, Haldia, Jind, Jorapokhar, Kalaburgi, Kishanganj, Kochi, Kolar, Kota, Madikeri, Manesar, Naharlagun, Nashik, Pune, Rajgir, Ramanathapuram, Rohtak, Saharsa, Sirsa, Siwan, Thane, Thrissur, Udupi, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Arrah	Satisfactory	71	NO ₂	1
14	Asansol	Satisfactory	77	PM ₁₀	1
15	Aurangabad (Bihar)	Moderate	144	PM _{2.5}	1
16	Aurangabad (Maharashtra)	Satisfactory	85	PM ₁₀	1
17	Baddi	Moderate	143	PM _{2.5}	1
18	Bagalkot	Good	47	PM ₁₀	1
19	Baghpat	Moderate	102	PM ₁₀	1
20	Bahadurgarh	Satisfactory	94	PM ₁₀	1
21	Ballabgarh	Satisfactory	82	PM ₁₀	1
22	Bareilly	Satisfactory	64	PM _{2.5} , PM ₁₀	2
23	Bathinda	Moderate	126	PM ₁₀	1
24	Bengaluru	Satisfactory	62	CO, PM ₁₀ , PM _{2.5}	4

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Begusarai, Belgaum, Notes: Bettiah, Bidar, Bihar Sharif, Chengalpattu, Dharuhera, Gangtok, Gummidipoondi, Gwalior, Haldia, Jind, Jorapokhar, Kalaburgi, Kishanganj, Kochi, Kolar, Kota, Madikeri, Manesar, Naharlagun, Nashik, Pune, Rajgir, Ramanathapuram, Rohtak, Saharsa, Sirsa, Siwan, Thane, Thrissur, Udupi, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhagalpur	Satisfactory	72	NO ₂ , CO	2
26	Bhilai	Good	25	NO ₂	1
27	Bhiwadi	Moderate	147	NO ₂	1
28	Bhiwani	Moderate	132	PM _{2.5}	1
29	Bhopal	Satisfactory	69	PM ₁₀	1
30	Bilaspur	Satisfactory	63	со	1
31	Brajrajnagar	Good	48	со	1
32	Bulandshahr	Satisfactory	97	PM ₁₀	1
33	Buxar	Satisfactory	99	PM ₁₀	1
34	Chamarajanagar	Good	40	PM ₁₀	1
35	Chandigarh	Moderate	121	O ₃ , PM _{2.5} , PM ₁₀	3
36	Chandrapur	Satisfactory	52	PM ₁₀ , NO ₂	2

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Begusarai, Belgaum, Notes: Bettiah, Bidar, Bihar Sharif, Chengalpattu, Dharuhera, Gangtok, Gummidipoondi, Gwalior, Haldia, Jind, Jorapokhar, Kalaburgi, Kishanganj, Kochi, Kolar, Kota, Madikeri, Manesar, Naharlagun, Nashik, Pune, Rajgir, Ramanathapuram, Rohtak, Saharsa, Sirsa, Siwan, Thane, Thrissur, Udupi, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Charkhi Dadri	Moderate	133	PM _{2.5}	1
38	Chennai	Satisfactory	59	CO, PM ₁₀	8
39	Chhapra	Moderate	131	PM ₁₀	1
40	Chikkaballapur	Good	29	со	1
41	Chikkamagaluru	Satisfactory	55	NO ₂	1
42	Coimbatore	Good	32	SO ₂ , CO	2
43	Damoh	Good	36	PM _{2.5}	1
44	Darbhanga	Satisfactory	73	PM ₁₀	1
45	Davanagere	Good	14	СО	1
46	Dehradun	Satisfactory	66	O ₃	1
47	Delhi	Moderate	110	PM _{2.5} , PM ₁₀ , CO	35
48	Dewas	Good	50	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Begusarai, Belgaum, Notes: Bettiah, Bidar, Bihar Sharif, Chengalpattu, Dharuhera, Gangtok, Gummidipoondi, Gwalior, Haldia, Jind, Jorapokhar, Kalaburgi, Kishanganj, Kochi, Kolar, Kota, Madikeri, Manesar, Naharlagun, Nashik, Pune, Rajgir, Ramanathapuram, Rohtak, Saharsa, Sirsa, Siwan, Thane, Thrissur, Udupi, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Durgapur	Satisfactory	72	PM ₁₀	1
50	Eloor	Good	50	PM ₁₀	1
51	Ernakulam	Good	35	со	1
52	Faridabad	Moderate	130	PM _{2.5} , PM ₁₀	4
53	Fatehabad	Moderate	119	PM ₁₀	1
54	Firozabad	Moderate	154	O ₃ , PM _{2.5}	2
55	Gadag	Satisfactory	58	NO ₂	1
56	Gandhinagar	Good	39	PM ₁₀	1
57	Gaya	Satisfactory	52	PM _{2.5} , O ₃	2
58	Ghaziabad	Moderate	119	PM _{2.5} , PM ₁₀	4
59	Gorakhpur	Good	46	SO ₂	1
60	Greater Noida	Moderate	108	PM ₁₀	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Begusarai, Belgaum, Notes: Bettiah, Bidar, Bihar Sharif, Chengalpattu, Dharuhera, Gangtok,

Gummidipoondi, Gwalior, Haldia, Jind, Jorapokhar, Kalaburgi, Kishanganj, Kochi, Kolar, Kota, Madikeri, Manesar, Naharlagun, Nashik, Pune, Rajgir, Ramanathapuram, Rohtak, Saharsa, Sirsa, Siwan, Thane, Thrissur, Udupi, Vapi as data was not available.

Some stations have data available at 3PM

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Gurugram	Moderate	149	PM ₁₀ , PM _{2.5}	3
62	Guwahati	Good	41	O ₃ , PM ₁₀	2
63	Hajipur	Satisfactory	56	PM ₁₀	1
64	Hapur	Satisfactory	84	PM ₁₀	1
65	Hassan	Good	28	NO ₂	1
66	Haveri	Satisfactory	59	со	1
67	Hisar	Moderate	167	PM _{2.5}	1
68	Hosur	Satisfactory	94	со	1
69	Howrah	Good	37	CO, PM _{2.5} , PM ₁₀	3
70	Hubballi	Satisfactory	56	со	1
71	Hyderabad	Good	42	NO ₂ , PM _{2.5} , PM ₁₀	11
72	Imphal	Satisfactory	96	O ₃ , PM ₁₀	2

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Begusarai, Belgaum, Notes: Bettiah, Bidar, Bihar Sharif, Chengalpattu, Dharuhera, Gangtok, Gummidipoondi, Gwalior, Haldia, Jind, Jorapokhar, Kalaburgi, Kishanganj, Kochi, Kolar, Kota, Madikeri, Manesar, Naharlagun, Nashik, Pune, Rajgir, Ramanathapuram, Rohtak, Saharsa, Sirsa, Siwan, Thane, Thrissur, Udupi, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Indore	Satisfactory	59	PM ₁₀	1
74	Jabalpur	Satisfactory	70	СО	1
75	Jaipur	Satisfactory	74	PM _{2.5}	2
76	Jalandhar	Satisfactory	77	PM ₁₀	1
77	Jhansi	Satisfactory	74	PM ₁₀	1
78	Jodhpur	Moderate	179	PM ₁₀	1
79	Kaithal	Moderate	104	PM ₁₀	1
80	Kalyan	Satisfactory	60	со	1
81	Kannur	Satisfactory	53	PM _{2.5}	1
82	Kanpur	Good	44	PM ₁₀ , PM _{2.5}	4
83	Karnal	Satisfactory	99	PM ₁₀	1
84	Katihar	Moderate	134	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Begusarai, Belgaum, Notes: Bettiah, Bidar, Bihar Sharif, Chengalpattu, Dharuhera, Gangtok, Gummidipoondi, Gwalior, Haldia, Jind, Jorapokhar, Kalaburgi, Kishanganj, Kochi, Kolar, Kota, Madikeri, Manesar, Naharlagun, Nashik, Pune, Rajgir, Ramanathapuram, Rohtak, Saharsa, Sirsa, Siwan, Thane, Thrissur, Udupi, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Katni	Satisfactory	59	PM ₁₀	1
86	Khanna	Satisfactory	99	PM ₁₀	1
87	Khurja	Moderate	143	PM _{2.5}	1
88	Kohima	Satisfactory	52	PM ₁₀	1
89	Kolkata	Good	44	O ₃ , PM ₁₀	7
90	Kollam	Satisfactory	68	PM ₁₀	1
91	Koppal	Satisfactory	58	O ₃	1
92	Kozhikode	Satisfactory	75	PM ₁₀	1
93	Kurukshetra	Satisfactory	75	PM _{2.5}	1
94	Lucknow	Satisfactory	63	NO ₂ , PM ₁₀ , PM _{2.5}	5
95	Ludhiana	Moderate	111	PM ₁₀	1
96	Maihar	Good	50	СО	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Begusarai, Belgaum, Bettiah, Bidar, Bihar Sharif, Chengalpattu, Dharuhera, Gangtok,

Gummidipoondi, Gwalior, Haldia, Jind, Jorapokhar, Kalaburgi, Kishanganj, Kochi, Kolar, Kota, Madikeri, Manesar, Naharlagun, Nashik, Pune, Rajgir, Ramanathapuram, Rohtak, Saharsa, Sirsa, Siwan, Thane, Thrissur, Udupi, Vapi as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Mandi Gobindgarh	Moderate	128	PM _{2.5}	1
98	Mandideep	Satisfactory	62	PM ₁₀	1
99	Mandikhera	Satisfactory	76	PM ₁₀	1
100	Manglore	Good	50	со	1
101	Manguraha	Good	22	PM ₁₀	1
102	Meerut	Moderate	105	PM ₁₀	3
103	Moradabad	Satisfactory	62	PM _{2.5} , PM ₁₀ , CO	6
104	Motihari	Satisfactory	55	O ₃	1
105	Mumbai	Satisfactory	66	CO, PM ₁₀	12
106	Munger	Satisfactory	79	PM _{2.5}	1
107	Muzaffarnagar	Moderate	120	PM _{2.5}	1
108	Muzaffarpur	Satisfactory	68	O ₃ , PM ₁₀ , CO	3

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Begusarai, Belgaum, Notes: Bettiah, Bidar, Bihar Sharif, Chengalpattu, Dharuhera, Gangtok, Gummidipoondi, Gwalior, Haldia, Jind, Jorapokhar, Kalaburgi, Kishanganj, Kochi, Kolar, Kota, Madikeri, Manesar, Naharlagun, Nashik, Pune, Rajgir, Ramanathapuram, Rohtak, Saharsa, Sirsa, Siwan, Thane, Thrissur, Udupi, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Mysuru	Good	34	PM ₁₀	1
110	Nagpur	Satisfactory	85	PM ₁₀	1
111	Nandesari	Moderate	197	PM _{2.5}	1
112	Narnaul	Satisfactory	78	PM _{2.5}	1
113	Navi Mumbai	Satisfactory	69	CO, NO ₂ , PM ₁₀	3
114	Noida	Moderate	106	PM _{2.5} , PM ₁₀	4
115	Ooty	Good	47	SO ₂	1
116	Pali	Moderate	105	PM ₁₀	1
117	Palwal	Satisfactory	85	PM ₁₀	1
118	Panchkula	Good	50	PM _{2.5}	1
119	Panipat	Moderate	113	PM ₁₀	1
120	Patiala	Satisfactory	88	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Begusarai, Belgaum, Notes: Bettiah, Bidar, Bihar Sharif, Chengalpattu, Dharuhera, Gangtok, Gummidipoondi, Gwalior, Haldia, Jind, Jorapokhar, Kalaburgi, Kishanganj, Kochi, Kolar, Kota, Madikeri, Manesar, Naharlagun, Nashik, Pune, Rajgir, Ramanathapuram, Rohtak, Saharsa, Sirsa, Siwan, Thane, Thrissur, Udupi, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Patna	Satisfactory	86	PM ₁₀ , PM _{2.5}	6
122	Pithampur	Satisfactory	91	PM ₁₀	1
123	Prayagraj	Satisfactory	80	PM _{2.5} , PM ₁₀	3
124	Puducherry	Good	41	PM ₁₀	1
125	Purnia	Satisfactory	88	PM ₁₀	1
126	Raichur	Satisfactory	65	со	1
127	Rajamahendravaram	Good	18	со	1
128	Ramanagara	Good	39	03	1
129	Ratlam	Satisfactory	72	PM ₁₀	1
130	Rupnagar	Moderate	101	PM ₁₀	1
131	Sagar	Satisfactory	53	PM _{2.5}	1
132	Salem	Satisfactory	63	SO ₂	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Begusarai, Belgaum, Notes: Bettiah, Bidar, Bihar Sharif, Chengalpattu, Dharuhera, Gangtok, Gummidipoondi, Gwalior, Haldia, Jind, Jorapokhar, Kalaburgi, Kishanganj, Kochi, Kolar, Kota, Madikeri, Manesar, Naharlagun, Nashik, Pune, Rajgir, Ramanathapuram, Rohtak, Saharsa, Sirsa, Siwan, Thane, Thrissur, Udupi, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Samastipur	Moderate	160	PM ₁₀	1
134	Sasaram	Satisfactory	66	PM ₁₀	1
135	Satna	Good	22	PM ₁₀	1
136	Shillong	Good	36	PM ₁₀ , PM _{2.5}	2
137	Shivamogga	Good	46	PM ₁₀	1
138	Siliguri	Good	50	PM ₁₀	1
139	Singrauli	Satisfactory	87	NO ₂	1
140	Solapur	Satisfactory	75	PM ₁₀	1
141	Sonipat	Moderate	126	PM ₁₀	1
142	Srinagar	Good	49	PM ₁₀	1
143	Talcher	Satisfactory	58	со	1
144	Thiruvananthapuram	Good	30	PM ₁₀ , NO ₂	2

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Begusarai, Belgaum, Notes: Bettiah, Bidar, Bihar Sharif, Chengalpattu, Dharuhera, Gangtok, Gummidipoondi, Gwalior, Haldia, Jind, Jorapokhar, Kalaburgi, Kishanganj, Kochi, Kolar, Kota, Madikeri, Manesar, Naharlagun, Nashik, Pune, Rajgir, Ramanathapuram, Rohtak, Saharsa, Sirsa, Siwan, Thane, Thrissur, Udupi, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Thoothukudi	Satisfactory	51	PM ₁₀	1
146	Tirupati	Good	39	со	1
147	Tiruppur	Moderate	103	PM ₁₀	1
148	Udaipur	Moderate	102	PM _{2.5}	1
149	Ujjain	Satisfactory	87	PM ₁₀	1
150	Varanasi	Satisfactory	58	PM ₁₀	4
151	Vatva	Satisfactory	58	PM ₁₀	1
152	Vijayapura	Good	40	PM ₁₀	1
153	Visakhapatnam	Good	32	NO ₂	1
154	Vrindavan	Good	47	SO ₂	1
155	Yadgir	Good	26	со	1
156	Yamunanagar	Poor	221	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Begusarai, Belgaum, Notes: Bettiah, Bidar, Bihar Sharif, Chengalpattu, Dharuhera, Gangtok, Gummidipoondi, Gwalior, Haldia, Jind, Jorapokhar, Kalaburgi, Kishanganj, Kochi, Kolar, Kota, Madikeri, Manesar, Naharlagun, Nashik, Pune, Rajgir, Ramanathapuram, Rohtak, Saharsa, Sirsa, Siwan, Thane, Thrissur, Udupi, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	vellore	Good	40	PM ₁₀	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Begusarai, Belgaum, Notes: Bettiah, Bidar, Bihar Sharif, Chengalpattu, Dharuhera, Gangtok, Gummidipoondi, Gwalior, Haldia, Jind, Jorapokhar, Kalaburgi, Kishanganj, Kochi, Kolar, Kota, Madikeri, Manesar, Naharlagun, Nashik, Pune, Rajgir, Ramanathapuram, Rohtak, Saharsa, Sirsa, Siwan, Thane, Thrissur, Udupi, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.