

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Poor	271	PM _{2.5}	1
2	Ahmedabad	Moderate	195	O ₃	1
3	Ajmer	Satisfactory	99	PM ₁₀	1
4	Alwar	Satisfactory	78	PM _{2.5}	1
5	Amaravati	Moderate	112	PM _{2.5}	1
6	Ambala	Very Poor	373	PM ₁₀	1
7	Amritsar	Poor	233	PM _{2.5}	1
8	Ankleshwar	Moderate	177	PM ₁₀	1
9	Asansol	Moderate	117	PM _{2.5}	1
10	Aurangabad	Satisfactory	93	O ₃	1
11	Bagalkot	Moderate	197	PM _{2.5}	1
12	Baghpat	Very Poor	374	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aizawl, Charkhi Dadri, Coimbatore, Ernakulam, Fatehabad, Jorapokhar, Nagpur, Nashik, Siliguri, Solapur, Vatva, Vijayapura as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bahadurgarh	Poor	284	PM _{2.5}	1
14	Ballabgarh	Very Poor	308	PM _{2.5}	1
15	Bathinda	Poor	218	PM _{2.5}	1
16	Bengaluru	Moderate	140	PM _{2.5}	9
17	Bhiwadi	Poor	291	PM _{2.5}	1
18	Bhiwani	Moderate	165	PM ₁₀	1
19	Bhopal	Poor	207	PM _{2.5}	1
20	Brajrajnagar	Moderate	113	PM _{2.5}	1
21	Bulandshahr	Very Poor	339	PM _{2.5}	1
22	Chandigarh	Moderate	126	PM ₁₀	1
23	Chandrapur	Satisfactory	86	PM ₁₀ , O ₃	2
24	Chennai	Satisfactory	87	PM _{2.5} , O ₃	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Charkhi Dadri, Coimbatore, Ernakulam, Fatehabad, Jorapokhar, Nagpur, Nashik, Siliguri, Solapur, Vatva, Vijayapura as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chikkaballapur	Moderate	195	PM _{2.5}	1
26	Chikkamagaluru	Satisfactory	94	PM ₁₀	1
27	Damoh	Poor	205	PM _{2.5}	1
28	Delhi	Poor	293	PM _{2.5}	36
29	Dewas	Moderate	151	PM _{2.5}	1
30	Dharuhera	Poor	271	PM _{2.5}	1
31	Eloor	Good	38	O ₃	1
32	Faridabad	Poor	298	PM _{2.5}	3
33	Gandhinagar	Moderate	114	PM ₁₀	1
34	Gaya	Moderate	168	03	1
35	Ghaziabad	Very Poor	355	PM ₁₀ , PM _{2.5}	4
36	Greater Noida	Very Poor	310	PM _{2.5}	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Charkhi Dadri, Coimbatore, Ernakulam, Fatehabad, Jorapokhar, Nagpur, Nashik, Siliguri, Solapur, Vatva, Vijayapura as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Gurugram	Very Poor	304	PM ₁₀ , PM _{2.5}	3
38	Guwahati	Satisfactory	79	PM ₁₀	1
39	Gwalior	Poor	235	PM _{2.5}	1
40	Hajipur	Moderate	111	PM _{2.5}	1
41	Hapur	Very Poor	318	PM ₁₀	1
42	Hisar	Poor	285	PM _{2.5}	1
43	Howrah	Good	45	O ₃ , PM ₁₀	3
44	Hubballi	Moderate	115	PM _{2.5}	1
45	Hyderabad	Moderate	163	PM _{2.5}	6
46	Indore	Moderate	150	O ₃	1
47	Jabalpur	Poor	277	PM _{2.5}	1
48	Jaipur	Moderate	133	PM _{2.5} , PM ₁₀	3

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aizawl, Charkhi Dadri, Coimbatore, Ernakulam, Fatehabad, Jorapokhar, Nagpur, Nashik, Siliguri, Solapur, Vatva, Vijayapura as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Jalandhar	Poor	220	PM _{2.5}	1
50	Jind	Very Poor	379	PM _{2.5}	1
51	Jodhpur	Poor	231	PM _{2.5}	1
52	Kaithal	Very Poor	360	PM _{2.5}	1
53	Kalaburgi	Moderate	191	PM _{2.5}	1
54	Kalyan	Moderate	165	PM ₁₀	1
55	Kannur	Good	46	СО	1
56	Kanpur	Very Poor	324	PM _{2.5}	1
57	Karnal	Poor	273	PM _{2.5}	1
58	Katni	Poor	281	PM _{2.5}	1
59	Khanna	Poor	265	PM _{2.5}	1
60	Kochi	Moderate	113	СО	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Charkhi Dadri, Coimbatore, Ernakulam, Fatehabad, Jorapokhar, Nagpur, Nashik, Siliguri, Solapur, Vatva, Vijayapura as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kohima	Good	33	PM _{2.5}	1
62	Kolkata	Good	40	O ₃ , PM ₁₀ , CO	7
63	Kollam	Moderate	200	PM _{2.5}	1
64	Kota	Moderate	160	PM ₁₀	1
65	Kozhikode	Satisfactory	79	PM ₁₀	1
66	Kurukshetra	Very Poor	369	PM _{2.5}	1
67	Lucknow	Very Poor	312	PM _{2.5} , PM ₁₀	4
68	Ludhiana	Poor	248	PM _{2.5}	1
69	Maihar	Satisfactory	63	PM ₁₀	1
70	Mandi Gobindgarh	Poor	278	PM _{2.5}	1
71	Mandideep	Moderate	171	PM _{2.5}	1
72	Mandikhera	Moderate	186	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aizawl, Charkhi Dadri, Coimbatore, Ernakulam, Fatehabad, Jorapokhar, Nagpur, Nashik, Siliguri, Solapur, Vatva, Vijayapura as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Manesar	Poor	231	PM _{2.5}	1
74	Meerut	Very Poor	344	PM _{2.5}	1
75	Moradabad	Very Poor	393	PM _{2.5}	1
76	Mumbai	Moderate	125	O ₃ , PM _{2.5}	9
77	Muzaffarnagar	Very Poor	348	PM _{2.5}	1
78	Muzaffarpur	Poor	252	PM _{2.5} , O ₃	2
79	Mysuru	Satisfactory	71	O ₃	1
80	Nandesari	Moderate	154	со	1
81	Narnaul	Moderate	121	PM ₁₀	1
82	Navi Mumbai	Moderate	154	O ₃ , PM _{2.5}	2
83	Noida	Poor	299	PM _{2.5}	3
84	Pali	Moderate	121	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Charkhi Dadri, Coimbatore, Ernakulam, Fatehabad, Jorapokhar, Nagpur, Nashik, Siliguri, Solapur, Vatva, Vijayapura as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Palwal	Moderate	125	PM ₁₀	1
86	Panchkula	Moderate	165	PM _{2.5}	1
87	Panipat	Very Poor	386	PM ₁₀	1
88	Patiala	Poor	267	PM _{2.5}	1
89	Patna	Poor	203	PM _{2.5} , O ₃	6
90	Pithampur	Moderate	190	PM _{2.5}	1
91	Pune	Moderate	119	PM _{2.5}	1
92	Rajamahendravaram	Moderate	161	03	1
93	Ramanagara	Moderate	141	PM _{2.5}	1
94	Ratlam	Moderate	194	PM ₁₀	1
95	Rohtak	Poor	279	PM _{2.5}	1
96	Rupnagar	Poor	263	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory Minor breathing discomfort to sensitive people			
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor Respiratory illness on prolonged exposure			
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Aizawl, Charkhi Dadri, Coimbatore, Ernakulam, Fatehabad, Jorapokhar, Nagpur, Nashik, Siliguri, Solapur, Vatva, Vijayapura as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Sagar	Poor	225	PM _{2.5}	1
98	Satna	Satisfactory	68	PM ₁₀	1
99	Shillong	Good	13	PM _{2.5}	1
100	Singrauli	Poor	294	PM _{2.5}	1
101	Sirsa	Poor	252	PM _{2.5}	1
102	Sonipat	Poor	283	PM ₁₀	1
103	Talcher	Moderate	113	NO ₂	1
104	Thane	Moderate	167	PM ₁₀	1
105	Thiruvananthapuram	Satisfactory	87	PM ₁₀ , PM _{2.5}	2
106	Thrissur	Satisfactory	94	PM _{2.5}	1
107	Tirupati	Moderate	129	PM _{2.5}	1
108	Udaipur	Moderate	110	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory Minor breathing discomfort to sensitive people			
Moderate	Moderate Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor Breathing discomfort to most people on prolonged exposure			
Very Poor Respiratory illness on prolonged exposure			
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Aizawl, Charkhi Dadri, Coimbatore, Ernakulam, Fatehabad, Jorapokhar, Nagpur, Nashik, Siliguri, Solapur, Vatva, Vijayapura as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Ujjain	Poor	219	O ₃	1
110	Vapi	Poor	252	PM _{2.5}	1
111	Varanasi	Very Poor	312	PM ₁₀	1
112	Visakhapatnam	Moderate	193	PM ₁₀	1
113	Yadgir	Moderate	118	O ₃	1
114	Yamunanagar	Moderate	122	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Poor Breathing discomfort to most people on prolonged exposure		
Very Poor Respiratory illness on prolonged exposure			
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Aizawl, Charkhi Dadri, Coimbatore, Ernakulam, Fatehabad, Jorapokhar, Nagpur, Nashik, Siliguri, Solapur, Vatva, Vijayapura as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.