



## Air Quality Index on Jul 13, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	41	PM <sub>10</sub>	1
2	Agra	Satisfactory	56	PM <sub>10</sub>	6
3	Ahmedabad	Moderate	102	PM <sub>10</sub>	6
4	Aizawl	Good	12	CO	1
5	Ajmer	Moderate	122	PM <sub>10</sub>	1
6	Akola	Good	47	PM <sub>10</sub>	1
7	Alwar	Satisfactory	79	PM <sub>10</sub>	1
8	Amaravati	Good	35	PM <sub>10</sub>	1
9	Amravati	Good	38	PM <sub>10</sub>	2
10	Amritsar	Satisfactory	55	PM <sub>2.5</sub>	1
11	Anantapur	Satisfactory	56	PM <sub>10</sub>	1
12	Ankleshwar	Moderate	115	CO	1

\* AQI is not calculated for today's bulletin for Ahmednagar, Ambala, Asansol, Begusarai, Bettiah, Bharatpur, Bidar, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chhapra, Darbhanga, Davanagere, Dehradun, Dharuhera, Durgapur, Eloor, Ernakulam, Gummidipoondi, Imphal, Jalandhar, Jorapokhar, Kalaburgi, Kannur, Kozhikode, Malegaon, Manguraha, Milupara, Mira-Bhayandar, Muzaffarnagar, Nagaon, Naharlagun, Nandesari, Narnaul, Raichur, Rajsamand, Rishikesh, Salem, Sasaram, Shillong, Shivamogga, Sirsa, Sonapat, Thoothukudi, Tirupur, Tumidih, Udupi, Ujjain, Vijayawada, Yadgir, Yamunanagar, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

### Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



## Air Quality Index on Jul 13, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Araria	Satisfactory	55	CO	1
14	Ariyalur	Good	36	PM <sub>10</sub>	1
15	Arrah	Poor	223	PM <sub>2.5</sub>	1
16	Aurangabad (Bihar)	Moderate	101	CO	1
17	Aurangabad (Maharashtra)	Satisfactory	67	PM <sub>10</sub>	2
18	Baddi	Satisfactory	58	PM <sub>10</sub>	1
19	Badlapur	Good	46	PM <sub>10</sub>	1
20	Bagalkot	Good	46	PM <sub>10</sub>	1
21	Baghpat	Good	47	NO <sub>2</sub>	1
22	Bahadurgarh	Satisfactory	65	PM <sub>10</sub>	1
23	Ballabgarh	Good	38	CO	1
24	Banswara	Moderate	141	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Ahmednagar, Ambala, Asansol, Begusarai, Bettiah, Bharatpur, Bidar, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chhapra, Darbhanga, Davanagere, Dehradun, Dharuhera, Durgapur, Eloor, Ernakulam, Gummidipoondi, Imphal, Jalandhar, Jorapokhar, Kalaburgi, Kannur, Kozhikode, Malegaon, Manguraha, Milupara, Mira-Bhayandar, Muzaffarnagar, Nagaon, Naharlagun, Nandesari, Narnaul, Raichur, Rajsamand, Rishikesh, Salem, Sasaram, Shillong, Shivamogga, Sirsa, Sonapat, Thoothukudi, Tirupur, Tumidih, Udupi, Ujjain, Vijayawada, Yadgir, Yamunanagar, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

### Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



## Air Quality Index on Jul 13, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Baran	Moderate	128	PM <sub>10</sub>	1
26	Bareilly	Good	27	CO	2
27	Baripada	Good	48	PM <sub>10</sub>	1
28	Barmer	Moderate	127	PM <sub>10</sub>	1
29	Bathinda	Satisfactory	57	PM <sub>10</sub>	1
30	Belapur	Good	50	PM <sub>10</sub>	1
31	Belgaum	Good	50	PM <sub>10</sub>	1
32	Bengaluru	Good	48	PM <sub>10</sub>	11
33	Bhagalpur	Satisfactory	72	PM <sub>10</sub>	2
34	Bhilai	Good	26	O <sub>3</sub>	3
35	Bhilwara	Moderate	143	PM <sub>2.5</sub>	1
36	Bhiwadi	Moderate	116	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Ahmednagar, Ambala, Asansol, Begusarai, Bettiah, Bharatpur, Bidar, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chhapra, Darbhanga, Davanagere, Dehradun, Dharuhera, Durgapur, Eloor, Ernakulam, Gummidipoondi, Imphal, Jalandhar, Jorapokhar, Kalaburgi, Kannur, Kozhikode, Malegaon, Manguraha, Milupara, Mira-Bhayandar, Muzaffarnagar, Nagaon, Naharlagun, Nandesari, Narnaul, Raichur, Rajsamand, Rishikesh, Salem, Sasaram, Shillong, Shivamogga, Sirsa, Sonapat, Thoothukudi, Tirupur, Tumidih, Udupi, Ujjain, Vijayawada, Yadgir, Yamunanagar, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Jul 13, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bhiwandi	Moderate	145	PM <sub>10</sub>	1
38	Bhiwani	Satisfactory	71	PM <sub>2.5</sub>	1
39	Bhopal	Satisfactory	89	PM <sub>2.5</sub> , PM <sub>10</sub>	3
40	Bihar Sharif	Good	20	O <sub>3</sub>	1
41	Bikaner	Moderate	108	PM <sub>10</sub>	1
42	Bilaspur	Satisfactory	59	PM <sub>10</sub>	1
43	Bileipada	Satisfactory	74	PM <sub>10</sub>	1
44	Bulandshahr	Good	38	CO	1
45	Bundi	Moderate	146	PM <sub>10</sub>	1
46	Byrnihat	Moderate	153	PM <sub>2.5</sub>	1
47	Chamarajanagar	Good	45	PM <sub>10</sub>	1
48	Chandigarh	Good	43	CO, PM <sub>2.5</sub>	3

\* AQI is not calculated for today's bulletin for Ahmednagar, Ambala, Asansol, Begusarai, Bettiah, Bharatpur, Bidar, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chhapra, Darbhanga, Davanagere, Dehradun, Dharuhera, Durgapur, Eloor, Ernakulam, Gummidipoondi, Imphal, Jalandhar, Jorapokhar, Kalaburgi, Kannur, Kozhikode, Malegaon, Manguraha, Milupara, Mira-Bhayandar, Muzaffarnagar, Nagaon, Naharlagun, Nandesari, Narnaul, Raichur, Rajsamand, Rishikesh, Salem, Sasaram, Shillong, Shivamogga, Sirsa, Sonapat, Thoothukudi, Tirupur, Tumidih, Udupi, Ujjain, Vijayawada, Yadgir, Yamunanagar, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Jul 13, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chandrapur	Satisfactory	64	CO	1
50	Charkhi Dadri	Satisfactory	58	PM <sub>10</sub>	1
51	Chennai	Satisfactory	69	NO <sub>2</sub> , CO	7
52	Chhal	Good	40	PM <sub>10</sub>	1
53	Chikkaballapur	Good	32	O <sub>3</sub>	1
54	Chikkamagaluru	Good	30	O <sub>3</sub>	1
55	Chittoor	Good	43	O <sub>3</sub>	1
56	Chittorgarh	Satisfactory	79	PM <sub>10</sub>	1
57	Churu	Satisfactory	81	PM <sub>10</sub>	1
58	Coimbatore	Satisfactory	70	PM <sub>10</sub>	1
59	Cuddalore	Moderate	168	NO <sub>2</sub>	1
60	Damoh	Good	21	CO	1

\* AQI is not calculated for today's bulletin for Ahmednagar, Ambala, Asansol, Begusarai, Bettiah, Bharatpur, Bidar, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chhapra, Darbhanga, Davanagere, Dehradun, Dharuhera, Durgapur, Eloor, Ernakulam, Gummidipoondi, Imphal, Jalandhar, Jorapokhar, Kalaburgi, Kannur, Kozhikode, Malegaon, Manguraha, Milupara, Mira-Bhayandar, Muzaffarnagar, Nagaon, Naharlagun, Nandesari, Narnaul, Raichur, Rajsamand, Rishikesh, Salem, Sasaram, Shillong, Shivamogga, Sirsa, Sonapat, Thoothukudi, Tirupur, Tumidih, Udupi, Ujjain, Vijayawada, Yadgir, Yamunanagar, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

### Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



## Air Quality Index on Jul 13, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Dausa	Moderate	137	PM <sub>10</sub>	1
62	Delhi	Satisfactory	77	CO, PM <sub>10</sub>	35
63	Dewas	Satisfactory	80	CO	1
64	Dhanbad	Moderate	188	CO	1
65	Dharwad	Good	48	PM <sub>10</sub>	1
66	Dholpur	Satisfactory	57	PM <sub>10</sub>	1
67	Dhule	Good	50	PM <sub>10</sub>	1
68	Dindigul	Good	41	SO <sub>2</sub>	1
69	Faridabad	Satisfactory	80	PM <sub>10</sub>	3
70	Fatehabad	Moderate	136	O <sub>3</sub>	1
71	Firozabad	Good	36	PM <sub>10</sub>	2
72	Gadag	Satisfactory	66	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Ahmednagar, Ambala, Asansol, Begusarai, Bettiah, Bharatpur, Bidar, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chhapra, Darbhanga, Davanagere, Dehradun, Dharuhera, Durgapur, Eloor, Ernakulam, Gummidipoondi, Imphal, Jalandhar, Jorapokhar, Kalaburgi, Kannur, Kozhikode, Malegaon, Manguraha, Milupara, Mira-Bhayandar, Muzaffarnagar, Nagaon, Naharlagun, Nandesari, Narnaul, Raichur, Rajsamand, Rishikesh, Salem, Sasaram, Shillong, Shivamogga, Sirsa, Sonapat, Thoothukudi, Tirupur, Tumidih, Udupi, Ujjain, Vijayawada, Yadgir, Yamunanagar, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Jul 13, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Gandhinagar	Moderate	139	PM <sub>2.5</sub> , PM <sub>10</sub>	3
74	Gangtok	Good	50	SO <sub>2</sub>	1
75	Gaya	Satisfactory	72	O <sub>3</sub>	3
76	Ghaziabad	Satisfactory	55	PM <sub>10</sub>	4
77	Gorakhpur	Satisfactory	60	PM <sub>2.5</sub>	1
78	Greater Noida	Satisfactory	84	PM <sub>10</sub>	2
79	Gurugram	Satisfactory	93	PM <sub>2.5</sub> , CO	4
80	Guwahati	Moderate	104	PM <sub>10</sub>	4
81	Gwalior	Good	50	O <sub>3</sub> , PM <sub>2.5</sub>	4
82	Hajipur	Satisfactory	83	PM <sub>10</sub>	1
83	Haldia	Good	36	O <sub>3</sub>	1
84	Hanumangarh	Very Poor	306	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Ahmednagar, Ambala, Asansol, Begusarai, Bettiah, Bharatpur, Bidar, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chhapra, Darbhanga, Davanagere, Dehradun, Dharuhera, Durgapur, Eloor, Ernakulam, Gummidipoondi, Imphal, Jalandhar, Jorapokhar, Kalaburgi, Kannur, Kozhikode, Malegaon, Manguraha, Milupara, Mira-Bhayandar, Muzaffarnagar, Nagaon, Naharlagun, Nandesari, Narnaul, Raichur, Rajsamand, Rishikesh, Salem, Sasaram, Shillong, Shivamogga, Sirsa, Sonapat, Thoothukudi, Tirupur, Tumidih, Udupi, Ujjain, Vijayawada, Yadgir, Yamunanagar, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Jul 13, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Hapur	Good	41	O <sub>3</sub>	1
86	Hassan	Good	46	PM <sub>10</sub>	1
87	Haveri	Good	36	NO <sub>2</sub>	1
88	Hisar	Satisfactory	70	O <sub>3</sub>	1
89	Hosur	Good	41	PM <sub>10</sub>	1
90	Howrah	Good	44	NO <sub>2</sub> , PM <sub>10</sub>	3
91	Hubballi	Satisfactory	79	PM <sub>10</sub>	2
92	Hyderabad	Satisfactory	63	PM <sub>10</sub>	13
93	Indore	Satisfactory	76	PM <sub>10</sub>	1
94	Jabalpur	Satisfactory	56	O <sub>3</sub>	3
95	Jaipur	Moderate	123	PM <sub>10</sub>	4
96	Jaisalmer	Moderate	153	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Ahmednagar, Ambala, Asansol, Begusarai, Bettiah, Bharatpur, Bidar, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chhapra, Darbhanga, Davanagere, Dehradun, Dharuhera, Durgapur, Eloor, Ernakulam, Gummidipoondi, Imphal, Jalandhar, Jorapokhar, Kalaburgi, Kannur, Kozhikode, Malegaon, Manguraha, Milupara, Mira-Bhayandar, Muzaffarnagar, Nagaon, Naharlagun, Nandesari, Narnaul, Raichur, Rajsamand, Rishikesh, Salem, Sasaram, Shillong, Shivamogga, Sirsa, Sonapat, Thoothukudi, Tirupur, Tumidih, Udupi, Ujjain, Vijayawada, Yadgir, Yamunanagar, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:





## Air Quality Index on Jul 13, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Jalgaon	Satisfactory	63	PM <sub>10</sub>	1
98	Jalna	Moderate	105	PM <sub>10</sub>	1
99	Jhalawar	Satisfactory	73	PM <sub>10</sub>	1
100	Jhansi	Satisfactory	56	PM <sub>2.5</sub>	1
101	Jhunjhunu	Moderate	117	PM <sub>2.5</sub>	1
102	Jind	Satisfactory	59	CO	1
103	Jodhpur	Moderate	132	PM <sub>10</sub>	5
104	Kadapa	Good	36	PM <sub>2.5</sub>	1
105	Kaithal	Good	48	PM <sub>2.5</sub>	1
106	Kalyan	Satisfactory	80	CO	1
107	Kanchipuram	Good	31	SO <sub>2</sub>	1
108	Kanpur	Good	45	CO	3

\* AQI is not calculated for today's bulletin for Ahmednagar, Ambala, Asansol, Begusarai, Bettiah, Bharatpur, Bidar, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chhapra, Darbhanga, Davanagere, Dehradun, Dharuhera, Durgapur, Eloor, Ernakulam, Gummidipoondi, Imphal, Jalandhar, Jorapokhar, Kalaburgi, Kannur, Kozhikode, Malegaon, Manguraha, Milupara, Mira-Bhayandar, Muzaffarnagar, Nagaon, Naharlagun, Nandesari, Narnaul, Raichur, Rajsamand, Rishikesh, Salem, Sasaram, Shillong, Shivamogga, Sirsa, Sonapat, Thoothukudi, Tirupur, Tumidih, Udupi, Ujjain, Vijayawada, Yadgir, Yamunanagar, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Jul 13, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Karauli	Satisfactory	71	O <sub>3</sub>	1
110	Karnal	Good	33	PM <sub>2.5</sub>	1
111	Kashipur	Good	41	PM <sub>10</sub>	1
112	Katihar	Satisfactory	89	PM <sub>10</sub>	1
113	Katni	Satisfactory	64	PM <sub>10</sub>	1
114	Keonjhar	Good	46	PM <sub>10</sub>	1
115	Khanna	Good	34	NO <sub>2</sub>	1
116	Khurja	Good	43	SO <sub>2</sub>	1
117	Kishanganj	Good	34	CO	1
118	Kochi	Satisfactory	70	CO	1
119	Kohima	Good	49	SO <sub>2</sub>	1
120	Kolar	Good	31	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Ahmednagar, Ambala, Asansol, Begusarai, Bettiah, Bharatpur, Bidar, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chhapra, Darbhanga, Davanagere, Dehradun, Dharuhera, Durgapur, Eloor, Ernakulam, Gummidipoondi, Imphal, Jalandhar, Jorapokhar, Kalaburgi, Kannur, Kozhikode, Malegaon, Manguraha, Milupara, Mira-Bhayandar, Muzaffarnagar, Nagaon, Naharlagun, Nandesari, Narnaul, Raichur, Rajsamand, Rishikesh, Salem, Sasaram, Shillong, Shivamogga, Sirsa, Sonapat, Thoothukudi, Tirupur, Tumidih, Udupi, Ujjain, Vijayawada, Yadgir, Yamunanagar, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Jul 13, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Kolhapur	Satisfactory	61	PM <sub>10</sub>	1
122	Kolkata	Good	35	O <sub>3</sub> , PM <sub>10</sub>	7
123	Kollam	Satisfactory	60	PM <sub>10</sub>	1
124	Koppal	Good	25	SO <sub>2</sub>	1
125	Korba	Good	34	PM <sub>10</sub>	2
126	Kota	Moderate	117	PM <sub>2.5</sub>	3
127	Kunjemura	Good	50	PM <sub>10</sub>	1
128	Kurukshetra	Good	47	O <sub>3</sub>	1
129	Latur	Satisfactory	81	PM <sub>10</sub>	1
130	Lucknow	Good	44	PM <sub>2.5</sub> , PM <sub>10</sub>	6
131	Ludhiana	Good	49	PM <sub>10</sub>	1
132	Madikeri	Good	18	PM <sub>2.5</sub>	1

\* AQI is not calculated for today's bulletin for Ahmednagar, Ambala, Asansol, Begusarai, Bettiah, Bharatpur, Bidar, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chhapra, Darbhanga, Davanagere, Dehradun, Dharuhera, Durgapur, Eloor, Ernakulam, Gummidipoondi, Imphal, Jalandhar, Jorapokhar, Kalaburgi, Kannur, Kozhikode, Malegaon, Manguraha, Milupara, Mira-Bhayandar, Muzaffarnagar, Nagaon, Naharlagun, Nandesari, Narnaul, Raichur, Rajsamand, Rishikesh, Salem, Sasaram, Shillong, Shivamogga, Sirsa, Sonapat, Thoothukudi, Tirupur, Tumidih, Udupi, Ujjain, Vijayawada, Yadgir, Yamunanagar, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

### Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



## Air Quality Index on Jul 13, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Mahad	Good	46	PM <sub>10</sub>	1
134	Maihar	Good	33	PM <sub>10</sub>	1
135	Mandi Gobindgarh	Good	50	PM <sub>2.5</sub>	1
136	Mandideep	Satisfactory	93	O <sub>3</sub>	1
137	Mandikhera	Satisfactory	61	PM <sub>10</sub>	1
138	Manesar	Satisfactory	84	PM <sub>10</sub>	1
139	Mangalore	Good	48	CO	1
140	Meerut	Good	48	CO	3
141	Moradabad	Satisfactory	55	PM <sub>10</sub>	6
142	Motihari	Satisfactory	62	CO	1
143	Mumbai	Moderate	108	PM <sub>2.5</sub> , PM <sub>10</sub>	19
144	Munger	Moderate	150	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Ahmednagar, Ambala, Asansol, Begusarai, Bettiah, Bharatpur, Bidar, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chhapra, Darbhanga, Davanagere, Dehradun, Dharuhera, Durgapur, Eloor, Ernakulam, Gummidipoondi, Imphal, Jalandhar, Jorapokhar, Kalaburgi, Kannur, Kozhikode, Malegaon, Manguraha, Milupara, Mira-Bhayandar, Muzaffarnagar, Nagaon, Naharlagun, Nandesari, Narnaul, Raichur, Rajsamand, Rishikesh, Salem, Sasaram, Shillong, Shivamogga, Sirsa, Sonapat, Thoothukudi, Tirupur, Tumidih, Udupi, Ujjain, Vijayawada, Yadgir, Yamunanagar, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Jul 13, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Muzaffarpur	Moderate	111	PM <sub>2.5</sub> , O <sub>3</sub>	3
146	Mysuru	Good	44	PM <sub>10</sub>	1
147	Nagaur	Satisfactory	84	PM <sub>10</sub>	1
148	Nagpur	Good	43	PM <sub>10</sub>	4
149	Nalbari	Good	31	PM <sub>10</sub>	1
150	Nanded	Good	42	PM <sub>10</sub>	1
151	Nashik	Satisfactory	57	PM <sub>10</sub>	4
152	Navi Mumbai	Satisfactory	68	CO, NO <sub>2</sub>	5
153	Nayagarh	Satisfactory	82	PM <sub>10</sub>	1
154	Noida	Satisfactory	66	CO	3
155	Ooty	Good	50	SO <sub>2</sub>	1
156	Pali	Moderate	190	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Ahmednagar, Ambala, Asansol, Begusarai, Bettiah, Bharatpur, Bidar, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chhapra, Darbhanga, Davanagere, Dehradun, Dharuhera, Durgapur, Eloor, Ernakulam, Gummidipoondi, Imphal, Jalandhar, Jorapokhar, Kalaburgi, Kannur, Kozhikode, Malegaon, Manguraha, Milupara, Mira-Bhayandar, Muzaffarnagar, Nagaon, Naharlagun, Nandesari, Narnaul, Raichur, Rajsamand, Rishikesh, Salem, Sasaram, Shillong, Shivamogga, Sirsa, Sonapat, Thoothukudi, Tirupur, Tumidih, Udupi, Ujjain, Vijayawada, Yadgir, Yamunanagar, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

### Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



## Air Quality Index on Jul 13, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Palkalaiperur	Satisfactory	64	SO <sub>2</sub>	1
158	Palwal	Good	39	O <sub>3</sub>	1
159	Panchkula	Moderate	102	PM <sub>2.5</sub>	1
160	Panipat	Moderate	121	PM <sub>2.5</sub>	1
161	Parbhani	Satisfactory	58	O <sub>3</sub>	1
162	Patiala	Good	31	CO	1
163	Patna	Moderate	130	PM <sub>2.5</sub>	6
164	Pimpri Chinchwad	Satisfactory	60	PM <sub>10</sub>	3
165	Pithampur	Satisfactory	98	PM <sub>10</sub>	1
166	Pratapgarh	Moderate	121	PM <sub>10</sub>	1
167	Prayagraj	Satisfactory	56	PM <sub>2.5</sub> , PM <sub>10</sub>	3
168	Puducherry	Good	48	CO	1

\* AQI is not calculated for today's bulletin for Ahmednagar, Ambala, Asansol, Begusarai, Bettiah, Bharatpur, Bidar, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chhapra, Darbhanga, Davanagere, Dehradun, Dharuhera, Durgapur, Eloor, Ernakulam, Gummidipoondi, Imphal, Jalandhar, Jorapokhar, Kalaburgi, Kannur, Kozhikode, Malegaon, Manguraha, Milupara, Mira-Bhayandar, Muzaffarnagar, Nagaon, Naharlagun, Nandesari, Narnaul, Raichur, Rajsamand, Rishikesh, Salem, Sasaram, Shillong, Shivamogga, Sirsa, Sonapat, Thoothukudi, Tirupur, Tumidih, Udupi, Ujjain, Vijayawada, Yadgir, Yamunanagar, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

### Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



## Air Quality Index on Jul 13, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Pune	Moderate	122	NO <sub>2</sub>	5
170	Purnia	Moderate	124	CO	1
171	Raipur	Good	40	CO, NO <sub>2</sub>	3
172	Rairangpur	Good	41	PM <sub>10</sub>	1
173	Rajamahendravaram	Good	27	PM <sub>10</sub>	1
174	Rajgir	Satisfactory	61	PM <sub>10</sub>	1
175	Ramanagara	Good	38	NO <sub>2</sub>	1
176	Ramanathapuram	Good	43	PM <sub>10</sub>	1
177	Ratlam	Satisfactory	73	PM <sub>10</sub>	1
178	Rohtak	Satisfactory	61	PM <sub>2.5</sub>	1
179	Rourkela	Satisfactory	68	PM <sub>10</sub>	2
180	Rupnagar	Satisfactory	55	CO	1

\* AQI is not calculated for today's bulletin for Ahmednagar, Ambala, Asansol, Begusarai, Bettiah, Bharatpur, Bidar, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chhapra, Darbhanga, Davanagere, Dehradun, Dharuhera, Durgapur, Eloor, Ernakulam, Gummidipoondi, Imphal, Jalandhar, Jorapokhar, Kalaburgi, Kannur, Kozhikode, Malegaon, Manguraha, Milupara, Mira-Bhayandar, Muzaffarnagar, Nagaon, Naharlagun, Nandesari, Narnaul, Raichur, Rajsamand, Rishikesh, Salem, Sasaram, Shillong, Shivamogga, Sirsa, Sonapat, Thoothukudi, Tirupur, Tumidih, Udupi, Ujjain, Vijayawada, Yadgir, Yamunanagar, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

### Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



## Air Quality Index on Jul 13, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Sagar	Good	45	O <sub>3</sub>	1
182	Saharsa	Satisfactory	63	PM <sub>10</sub>	1
183	Samastipur	Satisfactory	97	PM <sub>10</sub>	1
184	Sangli	Good	40	PM <sub>10</sub>	1
185	Satna	Satisfactory	82	PM <sub>10</sub>	1
186	Sawai Madhopur	Moderate	135	PM <sub>2.5</sub>	1
187	Sikar	Satisfactory	86	PM <sub>10</sub>	1
188	Silchar	Good	25	CO	1
189	Siliguri	Good	38	PM <sub>10</sub>	1
190	Singrauli	Satisfactory	56	O <sub>3</sub>	1
191	Sirohi	Satisfactory	90	PM <sub>10</sub>	1
192	Sivasagar	Good	22	SO <sub>2</sub>	1

\* AQI is not calculated for today's bulletin for Ahmednagar, Ambala, Asansol, Begusarai, Bettiah, Bharatpur, Bidar, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chhapra, Darbhanga, Davanagere, Dehradun, Dharuhera, Durgapur, Eloor, Ernakulam, Gummidipoondi, Imphal, Jalandhar, Jorapokhar, Kalaburgi, Kannur, Kozhikode, Malegaon, Manguraha, Milupara, Mira-Bhayandar, Muzaffarnagar, Nagaon, Naharlagun, Nandesari, Narnaul, Raichur, Rajsamand, Rishikesh, Salem, Sasaram, Shillong, Shivamogga, Sirsa, Sonapat, Thoothukudi, Tirupur, Tumidih, Udupi, Ujjain, Vijayawada, Yadgir, Yamunanagar, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

### Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases





## Air Quality Index on Jul 13, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Siwan	Satisfactory	98	PM <sub>10</sub>	1
194	Solapur	Satisfactory	84	PM <sub>10</sub>	3
195	Sri Ganganagar	Poor	224	PM <sub>10</sub>	1
196	Srinagar	Satisfactory	83	PM <sub>10</sub>	1
197	Suakati	Satisfactory	65	PM <sub>10</sub>	1
198	Surat	Good	45	PM <sub>2.5</sub>	1
199	Talcher	Moderate	112	CO	1
200	Tensa	Good	40	PM <sub>10</sub>	1
201	Thane	Satisfactory	58	PM <sub>10</sub>	2
202	Thiruvananthapuram	Good	16	PM <sub>10</sub>	2
203	Thrissur	Good	48	PM <sub>2.5</sub>	1
204	Tirupati	Satisfactory	68	PM <sub>10</sub> , CO	2

\* AQI is not calculated for today's bulletin for Ahmednagar, Ambala, Asansol, Begusarai, Bettiah, Bharatpur, Bidar, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chhapra, Darbhanga, Davanagere, Dehradun, Dharuhera, Durgapur, Eloor, Ernakulam, Gummidipoondi, Imphal, Jalandhar, Jorapokhar, Kalaburgi, Kannur, Kozhikode, Malegaon, Manguraha, Milupara, Mira-Bhayandar, Muzaffarnagar, Nagaon, Naharlagun, Nandesari, Narnaul, Raichur, Rajsamand, Rishikesh, Salem, Sasaram, Shillong, Shivamogga, Sirsa, Sonapat, Thoothukudi, Tirupur, Tumidih, Udupi, Ujjain, Vijayawada, Yadgir, Yamunanagar, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Jul 13, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
205	Tonk	Moderate	144	PM <sub>10</sub>	1
206	Tumakuru	Satisfactory	83	CO	1
207	Udaipur	Moderate	109	PM <sub>10</sub>	1
208	Vapi	Satisfactory	64	CO	1
209	Varanasi	Good	44	PM <sub>10</sub>	4
210	Vatva	Satisfactory	96	PM <sub>10</sub>	1
211	Vijayapura	Good	48	PM <sub>10</sub>	1
212	Visakhapatnam	Satisfactory	85	PM <sub>10</sub>	1
213	Vrindavan	Good	27	SO <sub>2</sub>	1

\* AQI is not calculated for today's bulletin for Ahmednagar, Ambala, Asansol, Begusarai, Bettiah, Bharatpur, Bidar, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chhapra, Darbhanga, Davanagere, Dehradun, Dharuhera, Durgapur, Eloor, Ernakulam, Gummidipoondi, Imphal, Jalandhar, Jorapokhar, Kalaburgi, Kannur, Kozhikode, Malegaon, Manguraha, Milupara, Mira-Bhayandar, Muzaffarnagar, Nagaon, Naharlagun, Nandesari, Narnaul, Raichur, Rajsamand, Rishikesh, Salem, Sasaram, Shillong, Shivamogga, Sirsa, Sonapat, Thoothukudi, Tirupur, Tumidih, Udupi, Ujjain, Vijayawada, Yadgir, Yamunanagar, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

### Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases