

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	109	PM _{2.5}	2
2	Agra	Satisfactory	88	PM ₁₀ , PM _{2.5}	5
3	Ahmedabad	Moderate	160	PM _{2.5}	1
4	Aizawl	Good	24	PM ₁₀	1
5	Ajmer	Moderate	106	PM ₁₀	1
6	Alwar	Moderate	102	PM ₁₀	1
7	Amaravati	Satisfactory	52	03	1
8	Amritsar	Moderate	165	PM _{2.5}	1
9	Anantapur	Satisfactory	69	PM ₁₀	1
10	Ankleshwar	Moderate	161	PM _{2.5}	1
11	Araria	Poor	222	PM _{2.5}	1
12	Arrah	Moderate	141	03	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases

Poor Breathing discomfort to most people on prolonged exposure

Very Poor Respiratory illness on prolonged exposure

Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Bathinda, Bhilai, Bidar, Bihar Sharif, Brajrajnagar, Dehradun, Dewas, Dindigul, Gummidipoondi, Jorapokhar, Katihar, Manguraha, Naharlagun, Nandesari, Salem, Thane, Thrissur, Tiruppur, Vapi, vellore as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Moderate	168	PM _{2.5}	1
14	Aurangabad (Bihar)	Moderate	167	PM ₁₀	1
15	Aurangabad (Maharashtra)	Moderate	104	PM _{2.5}	1
16	Baddi	Poor	210	O ₃	1
17	Bagalkot	Good	43	PM ₁₀	1
18	Baghpat	Moderate	163	PM _{2.5}	1
19	Bahadurgarh	Poor	226	PM _{2.5}	1
20	Ballabgarh	Satisfactory	73	СО	1
21	Bareilly	Moderate	186	PM ₁₀ , PM _{2.5}	2
22	Begusarai	Very Poor	316	PM _{2.5}	1
23	Belgaum	Good	48	PM _{2.5}	1
24	Bengaluru	Satisfactory	90	O ₃ , PM ₁₀ , PM _{2.5}	9

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Bathinda, Bhilai, Bidar, Bihar Sharif, Brajrajnagar, Dehradun, Dewas, Dindigul, Gummidipoondi, Jorapokhar, Katihar, Manguraha, Naharlagun, Nandesari, Salem, Thane, Thrissur, Tiruppur, Vapi, vellore as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bettiah	Poor	211	PM _{2.5}	1
26	Bhagalpur	Poor	203	PM _{2.5}	2
27	Bhiwadi	Moderate	154	PM _{2.5}	1
28	Bhiwani	Moderate	173	PM _{2.5}	1
29	Bhopal	Moderate	148	PM _{2.5} , PM ₁₀	2
30	Bilaspur	Satisfactory	62	PM ₁₀	1
31	Bulandshahr	Moderate	200	PM ₁₀	1
32	Buxar	Poor	232	PM ₁₀	1
33	Chamarajanagar	Good	44	PM ₁₀	1
34	Chandigarh	Moderate	140	O ₃ , PM _{2.5} , PM ₁₀	3
35	Chandrapur	Satisfactory	86	PM _{2.5}	1
36	Charkhi Dadri	Moderate	153	PM ₁₀	1

Possible Health Impacts

Severe

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Bathinda, Bhilai, Bidar, Bihar Sharif, Brajrajnagar, Dehradun, Dewas, Dindigul, Gummidipoondi, Jorapokhar, Katihar, Manguraha, Naharlagun, Nandesari, Salem, Thane, Thrissur, Tiruppur, Vapi, vellore as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chengalpattu	Satisfactory	100	PM ₁₀	1
38	Chennai	Satisfactory	73	PM _{2.5} , CO, PM ₁₀	8
39	Chhapra	Poor	226	PM ₁₀	1
40	Chikkaballapur	Satisfactory	56	PM ₁₀	1
41	Chikkamagaluru	Satisfactory	57	PM ₁₀	1
42	Coimbatore	Good	50	со	1
43	Damoh	Satisfactory	85	PM _{2.5}	1
44	Darbhanga	Poor	294	PM _{2.5}	1
45	Davanagere	Good	18	PM ₁₀	1
46	Delhi	Poor	232	PM ₁₀ , PM _{2.5}	33
47	Dharuhera	Moderate	165	PM ₁₀	1
48	Durgapur	Moderate	110	PM ₁₀	1

Possible Health Impacts

Moderate

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people

Breathing discomfort to the people with lungs, asthma and heart diseases

Poor Breathing discomfort to most people on prolonged exposure

Very Poor Respiratory illness on prolonged exposure

Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Bathinda, Bhilai, Bidar, Bihar Sharif, Brajrajnagar, Dehradun, Dewas, Dindigul, Gummidipoondi, Jorapokhar, Katihar, Manguraha, Naharlagun, Nandesari, Salem, Thane, Thrissur, Tiruppur, Vapi, vellore as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Eloor	Satisfactory	65	PM ₁₀	1
50	Ernakulam	Good	35	СО	1
51	Faridabad	Poor	296	PM ₁₀ , PM _{2.5}	4
52	Fatehabad	Moderate	186	PM _{2.5}	1
53	Firozabad	Satisfactory	66	PM _{2.5} , NO ₂	2
54	Gadag	Good	36	PM ₁₀	1
55	Gandhinagar	Moderate	101	PM ₁₀	1
56	Gangtok	Good	33	O ₃	1
57	Gaya	Moderate	153	PM ₁₀ , PM _{2.5}	3
58	Ghaziabad	Poor	252	PM ₁₀ , PM _{2.5}	3
59	Gorakhpur	Poor	240	PM _{2.5}	1
60	Greater Noida	Poor	216	PM ₁₀	2

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Bathinda, Bhilai, Bidar, Bihar Sharif, Brajrajnagar, Dehradun, Dewas, Dindigul, Gummidipoondi, Jorapokhar, Katihar, Manguraha, Naharlagun, Nandesari, Salem, Thane, Thrissur, Tiruppur, Vapi, vellore as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Gurugram	Moderate	189	PM _{2.5} , PM ₁₀	3
62	Guwahati	Moderate	106	PM _{2.5} , PM ₁₀	3
63	Gwalior	Moderate	115	PM ₁₀	1
64	Hajipur	Moderate	191	PM _{2.5}	1
65	Haldia	Satisfactory	94	PM ₁₀	1
66	Hapur	Moderate	126	PM _{2.5}	1
67	Hassan	Good	34	NO ₂	1
68	Haveri	Good	35	СО	1
69	Hisar	Moderate	176	PM _{2.5}	1
70	Hosur	Satisfactory	87	со	1
71	Howrah	Moderate	137	PM _{2.5} , PM ₁₀	3
72	Hubballi	Satisfactory	62	СО	1

Possible Health Impacts

· ·

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Bathinda, Bhilai, Bidar, Bihar Sharif, Brajrajnagar, Dehradun, Dewas, Dindigul, Gummidipoondi, Jorapokhar, Katihar, Manguraha, Naharlagun, Nandesari, Salem, Thane, Thrissur, Tiruppur, Vapi, vellore as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Hyderabad	Satisfactory	61	PM _{2.5} , PM ₁₀	13
74	Imphal	Moderate	116	O ₃ , PM ₁₀	2
75	Indore	Satisfactory	99	PM ₁₀	1
76	Jabalpur	Satisfactory	84	PM ₁₀	1
77	Jaipur	Satisfactory	99	PM ₁₀ , PM _{2.5}	2
78	Jalandhar	Moderate	140	PM _{2.5}	1
79	Jhansi	Moderate	149	PM ₁₀	1
80	Jind	Moderate	185	PM _{2.5}	1
81	Jodhpur	Poor	222	PM _{2.5}	1
82	Kaithal	Poor	226	PM _{2.5}	1
83	Kalaburgi	Good	41	PM _{2.5}	1
84	Kalyan	Satisfactory	90	PM ₁₀	1

Possible Health Impacts

Moderate

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people

Breathing discomfort to the people with lungs, asthma and heart diseases

Poor Breathing discomfort to most people on prolonged exposure

Very Poor Respiratory illness on prolonged exposure

Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Bathinda, Bhilai, Bidar, Bihar Sharif, Brajrajnagar, Dehradun, Dewas, Dindigul, Gummidipoondi, Jorapokhar, Katihar, Manguraha, Naharlagun, Nandesari, Salem, Thane, Thrissur, Tiruppur, Vapi, vellore as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kannur	Satisfactory	66	PM ₁₀	1
86	Kanpur	Moderate	130	PM _{2.5} , PM ₁₀ , CO	4
87	Karnal	Satisfactory	98	PM ₁₀	1
88	Katni	Moderate	125	PM ₁₀	1
89	Khanna	Moderate	123	PM _{2.5}	1
90	Khurja	Moderate	137	PM ₁₀	1
91	Kishanganj	Moderate	111	PM ₁₀	1
92	Kochi	Satisfactory	78	PM _{2.5}	1
93	Kohima	Good	49	PM ₁₀	1
94	Kolar	Satisfactory	83	PM ₁₀	1
95	Kolkata	Moderate	107	PM _{2.5} , O ₃ , PM ₁₀	6
96	Kollam	Satisfactory	96	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Bathinda, Bhilai, Bidar, Bihar Sharif, Brajrajnagar, Dehradun, Dewas, Dindigul, Gummidipoondi, Jorapokhar, Katihar, Manguraha, Naharlagun, Nandesari, Salem, Thane, Thrissur, Tiruppur, Vapi, vellore as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Koppal	Moderate	168	PM _{2.5}	1
98	Kota	Moderate	145	PM ₁₀	1
99	Kozhikode	Satisfactory	77	PM ₁₀	1
100	Kurukshetra	Moderate	130	PM _{2.5}	1
101	Lucknow	Moderate	172	PM _{2.5} , PM ₁₀	6
102	Ludhiana	Moderate	134	PM _{2.5}	1
103	Madikeri	Good	24	O ₃	1
104	Maihar	Satisfactory	61	со	1
105	Mandi Gobindgarh	Satisfactory	86	PM ₁₀	1
106	Mandideep	Moderate	159	PM ₁₀	1
107	Mandikhera	Moderate	102	PM ₁₀	1
108	Manesar	Moderate	179	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Bathinda, Bhilai, Bidar, Bihar Sharif, Brajrajnagar, Dehradun, Dewas, Dindigul, Gummidipoondi, Jorapokhar, Katihar, Manguraha, Naharlagun, Nandesari, Salem, Thane, Thrissur, Tiruppur, Vapi, vellore as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Manglore	Good	48	со	1
110	Meerut	Moderate	173	O ₃ , PM ₁₀ , PM _{2.5}	3
111	Moradabad	Moderate	126	PM _{2.5} , PM ₁₀	6
112	Motihari	Moderate	158	PM ₁₀	1
113	Mumbai	Satisfactory	84	PM ₁₀ , NO ₂	14
114	Munger	Moderate	148	PM _{2.5}	1
115	Muzaffarnagar	Moderate	192	PM _{2.5}	1
116	Muzaffarpur	Poor	223	PM _{2.5} , PM ₁₀	3
117	Mysuru	Good	47	PM ₁₀	1
118	Nagpur	Moderate	143	PM _{2.5}	1
119	Narnaul	Moderate	123	PM ₁₀	1
120	Nashik	Good	35	СО	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Bathinda, Bhilai, Bidar, Bihar Sharif, Brajrajnagar, Dehradun, Dewas, Dindigul, Gummidipoondi, Jorapokhar, Katihar, Manguraha, Naharlagun, Nandesari, Salem, Thane, Thrissur, Tiruppur, Vapi, vellore as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Navi Mumbai	Moderate	120	PM _{2.5}	1
122	Noida	Poor	231	PM ₁₀ , O ₃	4
123	Ooty	Satisfactory	60	со	1
124	Pali	Moderate	106	PM ₁₀	1
125	Palwal	Moderate	115	PM ₁₀	1
126	Panchkula	Satisfactory	95	PM _{2.5}	1
127	Panipat	Poor	232	PM _{2.5}	1
128	Patiala	Moderate	146	PM _{2.5}	1
129	Patna	Poor	210	PM _{2.5} , PM ₁₀	5
130	Pithampur	Moderate	117	PM ₁₀	1
131	Prayagraj	Moderate	140	O ₃ , PM _{2.5}	3
132	Puducherry	Good	47	СО	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Bathinda, Bhilai, Bidar, Bihar Sharif, Brajrajnagar, Dehradun, Dewas, Dindigul, Gummidipoondi, Jorapokhar, Katihar, Manguraha, Naharlagun, Nandesari, Salem, Thane, Thrissur, Tiruppur, Vapi, vellore as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Pune	Satisfactory	52	PM _{2.5}	1
134	Purnia	Moderate	173	PM _{2.5}	1
135	Raichur	Satisfactory	78	со	1
136	Rajamahendravaram	Satisfactory	56	PM ₁₀	1
137	Rajgir	Moderate	115	PM ₁₀	1
138	Ramanagara	Satisfactory	54	03	1
139	Ramanathapuram	Good	22	PM ₁₀	1
140	Ratlam	Moderate	123	PM ₁₀	1
141	Rohtak	Moderate	198	PM _{2.5}	1
142	Rupnagar	Moderate	156	PM _{2.5}	1
143	Sagar	Satisfactory	57	со	1
144	Saharsa	Poor	251	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Bathinda, Bhilai, Bidar, Bihar Sharif, Brajrajnagar, Dehradun, Dewas, Dindigul, Gummidipoondi, Jorapokhar, Katihar, Manguraha, Naharlagun, Nandesari, Salem, Thane, Thrissur, Tiruppur, Vapi, vellore as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Samastipur	Poor	233	PM ₁₀	1
146	Sasaram	Moderate	117	O ₃	1
147	Satna	Satisfactory	68	PM ₁₀	1
148	Shillong	Good	26	PM _{2.5}	1
149	Shivamogga	Good	44	PM ₁₀	1
150	Siliguri	Satisfactory	87	PM ₁₀	1
151	Singrauli	Poor	216	PM _{2.5}	1
152	Sirsa	Moderate	134	PM ₁₀	1
153	Sivasagar	Good	24	PM ₁₀	1
154	Siwan	Poor	300	PM _{2.5}	1
155	Solapur	Satisfactory	64	PM ₁₀	1
156	Sonipat	Moderate	181	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Bathinda, Bhilai, Bidar, Bihar Sharif, Brajrajnagar, Dehradun, Dewas, Dindigul, Gummidipoondi, Jorapokhar, Katihar, Manguraha, Naharlagun, Nandesari, Salem, Thane, Thrissur, Tiruppur, Vapi, vellore as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Srinagar	Good	38	PM ₁₀	1
158	Talcher	Satisfactory	91	PM ₁₀	1
159	Thiruvananthapuram	Good	36	PM _{2.5}	1
160	Thoothukudi	Good	37	PM ₁₀	1
161	Tirupati	Good	50	PM _{2.5}	1
162	Udaipur	Moderate	156	PM ₁₀	1
163	Udupi	Satisfactory	80	СО	1
164	Ujjain	Moderate	126	PM ₁₀	1
165	Varanasi	Moderate	174	PM _{2.5} , PM ₁₀	4
166	Vatva	Moderate	194	PM _{2.5}	1
167	Vijayapura	Good	36	PM ₁₀	1
168	Visakhapatnam	Satisfactory	95	PM ₁₀	1

Possible Health Impacts

Severe

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Bathinda, Bhilai, Bidar, Bihar Sharif, Brajrajnagar, Dehradun, Dewas, Dindigul, Gummidipoondi, Jorapokhar, Katihar, Manguraha, Naharlagun, Nandesari, Salem, Thane, Thrissur, Tiruppur, Vapi, vellore as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Vrindavan	Satisfactory	85	O ₃	1
170	Yadgir	Good	29	со	1
171	Yamunanagar	Moderate	155	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Bathinda, Bhilai, Bidar, Bihar Sharif, Brajrajnagar, Dehradun, Dewas, Dindigul, Gummidipoondi, Jorapokhar, Katihar, Manguraha, Naharlagun, Nandesari, Salem, Thane, Thrissur, Tiruppur, Vapi, vellore as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.