

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	284	PM _{2.5}	1
2	Agra	Satisfactory	54	PM ₁₀	6
3	Ahmedabad	Satisfactory	79	PM ₁₀	1
4	Aizawl	Satisfactory	73	PM ₁₀	1
5	Ajmer	Moderate	111	PM _{2.5}	1
6	Alwar	Satisfactory	76	PM ₁₀	1
7	Amaravati	Satisfactory	56	03	1
8	Ambala	Satisfactory	63	PM ₁₀	1
9	Amritsar	Moderate	172	PM _{2.5}	1
10	Anantapur	Good	25	NO ₂	1
11	Ankleshwar	Moderate	151	PM _{2.5}	1
12	Araria	Very Poor	373	PM _{2.5}	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Bhilai, Buxar, Charkhi Dadri, Chittoor, Coimbatore, Dharwad, Dindigul, Eloor, Ernakulam, Gummidipoondi, Jorapokhar, Katni, Khurja, Kolar, Kollam, Korba, Madikeri, Manguraha, Naharlagun, Pune, Raichur, Raipur, Rupnagar, Saharsa, Singrauli, Thrissur, Tumakuru, Udupi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Arrah	Poor	288	PM _{2.5}	1
14	Asansol	Poor	247	PM _{2.5}	1
15	Aurangabad (Bihar)	Moderate	140	PM ₁₀	1
16	Aurangabad (Maharashtra)	Satisfactory	51	PM ₁₀	1
17	Baddi	Moderate	168	O ₃	1
18	Bagalkot	Good	43	PM ₁₀	1
19	Baghpat	Moderate	139	PM ₁₀	1
20	Bahadurgarh	Satisfactory	90	PM _{2.5}	1
21	Ballabgarh	Moderate	174	PM _{2.5}	1
22	Bareilly	Moderate	108	PM ₁₀	2
23	Baripada	Moderate	143	PM ₁₀	1
24	Bathinda	Poor	210	PM ₁₀	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Bhilai, Buxar, Charkhi Dadri, Chittoor, Coimbatore, Dharwad, Dindigul, Eloor, Ernakulam, Gummidipoondi, Jorapokhar, Katni, Khurja, Kolar, Kollam, Korba, Madikeri, Manguraha, Naharlagun, Pune, Raichur, Raipur, Rupnagar, Saharsa, Singrauli, Thrissur, Tumakuru, Udupi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Begusarai	Severe	421	PM _{2.5}	1
26	Belgaum	Good	50	PM _{2.5}	1
27	Bengaluru	Good	43	PM ₁₀	8
28	Bettiah	Severe	439	PM _{2.5}	1
29	Bhagalpur	Very Poor	390	PM _{2.5}	2
30	Bhiwadi	Moderate	150	PM ₁₀	1
31	Bhiwani	Satisfactory	92	PM _{2.5}	1
32	Bhopal	Moderate	106	PM ₁₀ , PM _{2.5}	2
33	Bidar	Satisfactory	72	SO ₂	1
34	Bihar Sharif	Very Poor	314	PM _{2.5}	1
35	Bilaspur	Satisfactory	72	PM ₁₀	1
36	Bileipada	Moderate	144	PM ₁₀	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Bhilai, Buxar, Charkhi Dadri, Chittoor, Coimbatore, Dharwad, Dindigul, Eloor, Ernakulam, Gummidipoondi, Jorapokhar, Katni, Khurja, Kolar, Kollam, Korba, Madikeri, Manguraha, Naharlagun, Pune, Raichur, Raipur, Rupnagar, Saharsa, Singrauli, Thrissur, Tumakuru, Udupi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Brajrajnagar	Satisfactory	78	PM ₁₀	1
38	Bulandshahr	Moderate	134	PM ₁₀	1
39	Chamarajanagar	Good	43	PM ₁₀	1
40	Chandigarh	Moderate	104	PM _{2.5} , PM ₁₀	3
41	Chandrapur	Poor	236	PM _{2.5}	2
42	Chengalpattu	Satisfactory	75	PM ₁₀	1
43	Chennai	Satisfactory	58	PM _{2.5} , CO	8
44	Chhapra	Very Poor	340	PM _{2.5}	1
45	Chikkaballapur	Good	28	со	1
46	Chikkamagaluru	Good	28	PM ₁₀	1
47	Damoh	Good	39	PM _{2.5}	1
48	Darbhanga	Severe	446	PM _{2.5}	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Bhilai, Buxar, Charkhi Dadri, Chittoor, Coimbatore, Dharwad, Dindigul, Eloor, Ernakulam, Gummidipoondi, Jorapokhar, Katni, Khurja, Kolar, Kollam, Korba, Madikeri, Manguraha, Naharlagun, Pune, Raichur, Raipur, Rupnagar, Saharsa, Singrauli, Thrissur, Tumakuru, Udupi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Davanagere	Good	31	PM ₁₀	1
50	Dehradun	Satisfactory	86	PM ₁₀	1
51	Delhi	Moderate	163	PM _{2.5}	37
52	Dewas	Satisfactory	79	PM ₁₀	1
53	Dharuhera	Moderate	163	PM ₁₀	1
54	Durgapur	Moderate	148	PM ₁₀	1
55	Faridabad	Moderate	157	PM _{2.5} , PM ₁₀	4
56	Fatehabad	Satisfactory	90	PM ₁₀	1
57	Firozabad	Satisfactory	87	PM ₁₀	2
58	Gadag	Moderate	142	PM ₁₀	1
59	Gandhinagar	Satisfactory	57	PM ₁₀	1
60	Gangtok	Satisfactory	100	PM _{2.5}	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Bhilai, Buxar, Charkhi Dadri, Chittoor, Coimbatore, Dharwad, Dindigul, Eloor, Ernakulam, Gummidipoondi, Jorapokhar, Katni, Khurja, Kolar, Kollam, Korba, Madikeri, Manguraha, Naharlagun, Pune, Raichur, Raipur, Rupnagar, Saharsa, Singrauli, Thrissur, Tumakuru, Udupi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Gaya	Poor	262	PM ₁₀ , PM _{2.5}	3
62	Ghaziabad	Moderate	133	PM ₁₀	4
63	Gorakhpur	Moderate	111	PM ₁₀	1
64	Greater Noida	Moderate	157	PM ₁₀	2
65	Gurugram	Moderate	155	PM ₁₀ , PM _{2.5}	4
66	Guwahati	Poor	230	PM _{2.5}	3
67	Gwalior	Moderate	122	PM _{2.5} , PM ₁₀	3
68	Hajipur	Poor	277	PM ₁₀	1
69	Haldia	Moderate	158	PM ₁₀	1
70	Hapur	Satisfactory	60	PM ₁₀	1
71	Hassan	Good	29	PM _{2.5}	1
72	Haveri	Good	43	PM ₁₀	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Bhilai, Buxar, Charkhi Dadri, Chittoor, Coimbatore, Dharwad, Dindigul, Eloor, Ernakulam, Gummidipoondi, Jorapokhar, Katni, Khurja, Kolar, Kollam, Korba, Madikeri, Manguraha, Naharlagun, Pune, Raichur, Raipur, Rupnagar, Saharsa, Singrauli, Thrissur, Tumakuru, Udupi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Hisar	Satisfactory	84	PM ₁₀	1
74	Hosur	Satisfactory	99	СО	1
75	Howrah	Very Poor	324	PM _{2.5}	3
76	Hubballi	Satisfactory	68	со	2
77	Hyderabad	Satisfactory	58	PM ₁₀ , CO	13
78	Imphal	Satisfactory	84	PM ₁₀	1
79	Indore	Satisfactory	67	PM ₁₀	1
80	Jabalpur	Moderate	162	PM ₁₀	1
81	Jaipur	Moderate	114	PM _{2.5} , NO ₂	3
82	Jalandhar	Satisfactory	91	PM ₁₀	1
83	Jhansi	Satisfactory	77	PM ₁₀	1
84	Jind	Satisfactory	90	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Bhilai, Buxar, Charkhi Dadri, Chittoor, Coimbatore, Dharwad, Dindigul, Eloor, Ernakulam, Gummidipoondi, Jorapokhar, Katni, Khurja, Kolar, Kollam, Korba, Madikeri, Manguraha, Naharlagun, Pune, Raichur, Raipur, Rupnagar, Saharsa, Singrauli, Thrissur, Tumakuru, Udupi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Jodhpur	Moderate	112	PM ₁₀	1
86	Kaithal	Moderate	109	PM ₁₀	1
87	Kalaburgi	Good	26	PM _{2.5}	1
88	Kalyan	Moderate	132	PM ₁₀	1
89	Kanchipuram	Satisfactory	58	SO ₂	1
90	Kannur	Satisfactory	76	PM _{2.5}	1
91	Kanpur	Moderate	115	PM _{2.5}	3
92	Karnal	Satisfactory	79	PM ₁₀	1
93	Katihar	Severe	420	PM ₁₀	1
94	Keonjhar	Moderate	159	PM _{2.5}	1
95	Khanna	Satisfactory	84	PM ₁₀	1
96	Kishanganj	Very Poor	351	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Bhilai, Buxar, Charkhi Dadri, Chittoor, Coimbatore, Dharwad, Dindigul, Eloor, Ernakulam, Gummidipoondi, Jorapokhar, Katni, Khurja, Kolar, Kollam, Korba, Madikeri, Manguraha, Naharlagun, Pune, Raichur, Raipur, Rupnagar, Saharsa, Singrauli, Thrissur, Tumakuru, Udupi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Kochi	Satisfactory	99	PM _{2.5}	1
98	Kohima	Satisfactory	100	PM _{2.5}	1
99	Kolkata	Very Poor	305	PM _{2.5}	7
100	Koppal	Moderate	105	03	1
101	Kota	Moderate	149	PM ₁₀	1
102	Kozhikode	Good	37	со	1
103	Kurukshetra	Satisfactory	72	PM _{2.5}	1
104	Lucknow	Moderate	105	PM ₁₀	6
105	Ludhiana	Moderate	127	PM _{2.5}	1
106	Maihar	Good	30	PM ₁₀	1
107	Mandi Gobindgarh	Moderate	157	PM _{2.5}	1
108	Mandideep	Moderate	105	SO ₂	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Bhilai, Buxar, Charkhi Dadri, Chittoor, Coimbatore, Dharwad, Dindigul, Eloor, Ernakulam, Gummidipoondi, Jorapokhar, Katni, Khurja, Kolar, Kollam, Korba, Madikeri, Manguraha, Naharlagun, Pune, Raichur, Raipur, Rupnagar, Saharsa, Singrauli, Thrissur, Tumakuru, Udupi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Mandikhera	Satisfactory	67	PM ₁₀	1
110	Manesar	Moderate	115	PM ₁₀	1
111	Mangalore	Good	45	PM ₁₀	1
112	Meerut	Moderate	153	PM _{2.5}	3
113	Moradabad	Satisfactory	69	PM ₁₀	6
114	Motihari	Very Poor	371	PM ₁₀	1
115	Mumbai	Moderate	127	PM _{2.5} , PM ₁₀	16
116	Munger	Very Poor	318	PM _{2.5}	1
117	Muzaffarnagar	Moderate	119	PM ₁₀	1
118	Muzaffarpur	Very Poor	377	PM _{2.5}	3
119	Mysuru	Good	28	PM ₁₀	1
120	Nagpur	Moderate	153	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Bhilai, Buxar, Charkhi Dadri, Chittoor, Coimbatore, Dharwad, Dindigul, Eloor, Ernakulam, Gummidipoondi, Jorapokhar, Katni, Khurja, Kolar, Kollam, Korba, Madikeri, Manguraha, Naharlagun, Pune, Raichur, Raipur, Rupnagar, Saharsa, Singrauli, Thrissur, Tumakuru, Udupi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Nalbari	Poor	277	PM _{2.5}	1
122	Nandesari	Poor	274	PM _{2.5}	1
123	Narnaul	Satisfactory	99	PM ₁₀	1
124	Nashik	Satisfactory	57	PM _{2.5}	1
125	Navi Mumbai	Moderate	165	PM _{2.5}	2
126	Nayagarh	Moderate	121	PM ₁₀	1
127	Noida	Moderate	125	PM ₁₀	4
128	Ooty	Good	49	SO ₂	1
129	Pali	Moderate	105	PM ₁₀	1
130	Palwal	Satisfactory	72	PM ₁₀	1
131	Panchkula	Satisfactory	83	PM _{2.5}	1
132	Panipat	Moderate	104	СО	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Bhilai, Buxar, Charkhi Dadri, Chittoor, Coimbatore, Dharwad, Dindigul, Eloor, Ernakulam, Gummidipoondi, Jorapokhar, Katni, Khurja, Kolar, Kollam, Korba, Madikeri, Manguraha, Naharlagun, Pune, Raichur, Raipur, Rupnagar, Saharsa, Singrauli, Thrissur, Tumakuru, Udupi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Patiala	Satisfactory	61	PM ₁₀	1
134	Patna	Very Poor	347	PM ₁₀ , PM _{2.5}	6
135	Pithampur	Satisfactory	89	PM ₁₀	1
136	Prayagraj	Satisfactory	71	PM ₁₀	3
137	Puducherry	Good	26	PM ₁₀	1
138	Purnia	Severe	450	PM _{2.5}	1
139	Rairangpur	Moderate	117	PM ₁₀	1
140	Rajamahendravaram	Satisfactory	83	PM _{2.5}	1
141	Rajgir	Poor	245	PM _{2.5}	1
142	Ramanagara	Good	33	PM ₁₀	1
143	Ramanathapuram	Good	39	PM ₁₀	1
144	Ratlam	Satisfactory	76	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Bhilai, Buxar, Charkhi Dadri, Chittoor, Coimbatore, Dharwad, Dindigul, Eloor, Ernakulam, Gummidipoondi, Jorapokhar, Katni, Khurja, Kolar, Kollam, Korba, Madikeri, Manguraha, Naharlagun, Pune, Raichur, Raipur, Rupnagar, Saharsa, Singrauli, Thrissur, Tumakuru, Udupi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Rohtak	Satisfactory	90	PM _{2.5}	1
146	Rourkela	Poor	234	PM ₁₀	1
147	Sagar	Satisfactory	76	O ₃ , CO	2
148	Salem	Good	25	PM ₁₀	1
149	Samastipur	Very Poor	381	PM _{2.5}	1
150	Sasaram	Moderate	137	PM ₁₀	1
151	Satna	Satisfactory	60	PM ₁₀	1
152	Shillong	Satisfactory	83	PM _{2.5}	1
153	Shivamogga	Satisfactory	55	PM ₁₀	1
154	Siliguri	Moderate	180	PM _{2.5}	1
155	Sirsa	Satisfactory	93	PM ₁₀	1
156	Sivasagar	Good	50	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Bhilai, Buxar, Charkhi Dadri, Chittoor, Coimbatore, Dharwad, Dindigul, Eloor, Ernakulam, Gummidipoondi, Jorapokhar, Katni, Khurja, Kolar, Kollam, Korba, Madikeri, Manguraha, Naharlagun, Pune, Raichur, Raipur, Rupnagar, Saharsa, Singrauli, Thrissur, Tumakuru, Udupi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Siwan	Very Poor	378	PM _{2.5}	1
158	Solapur	Satisfactory	70	PM ₁₀	1
159	Sonipat	Moderate	119	PM ₁₀	1
160	Srinagar	Satisfactory	94	PM _{2.5}	1
161	Suakati	Moderate	137	PM _{2.5}	1
162	Surat	Moderate	184	PM _{2.5}	1
163	Talcher	Moderate	178	PM _{2.5}	1
164	Tensa	Satisfactory	79	PM ₁₀	1
165	Thane	Moderate	117	PM ₁₀	1
166	Thiruvananthapuram	Satisfactory	64	PM _{2.5}	2
167	Thoothukudi	Satisfactory	62	03	1
168	Tirupati	Satisfactory	61	NO ₂	2

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Bhilai, Buxar, Charkhi Dadri, Chittoor, Coimbatore, Dharwad, Dindigul, Eloor, Ernakulam, Gummidipoondi, Jorapokhar, Katni, Khurja, Kolar, Kollam, Korba, Madikeri, Manguraha, Naharlagun, Pune, Raichur, Raipur, Rupnagar, Saharsa, Singrauli, Thrissur, Tumakuru, Udupi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Tirupur	Satisfactory	55	PM ₁₀	1
170	Udaipur	Satisfactory	96	PM ₁₀	1
171	Ujjain	Satisfactory	87	PM ₁₀	1
172	Vapi	Poor	209	PM _{2.5}	1
173	Varanasi	Satisfactory	60	O ₃ , NO ₂	4
174	Vatva	Satisfactory	93	PM ₁₀	1
175	Vijayapura	Satisfactory	58	PM ₁₀	1
176	Visakhapatnam	Moderate	119	PM ₁₀	1
177	Vrindavan	Satisfactory	89	PM ₁₀	1
178	Yadgir	Good	31	со	1
179	Yamunanagar	Moderate	106	PM ₁₀	1
180	vellore	Good	49	PM ₁₀	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Bhilai, Buxar, Charkhi Dadri, Chittoor, Coimbatore, Dharwad, Dindigul, Eloor, Ernakulam, Gummidipoondi, Jorapokhar, Katni, Khurja, Kolar, Kollam, Korba, Madikeri, Manguraha, Naharlagun, Pune, Raichur, Raipur, Rupnagar, Saharsa, Singrauli, Thrissur, Tumakuru, Udupi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.