

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	32	PM ₁₀	2
2	Agra	Good	25	PM ₁₀ , SO ₂	6
3	Ahmedabad	Good	48	SO ₂ , PM ₁₀	2
4	Aizawl	Good	20	SO ₂	1
5	Ajmer	Satisfactory	60	PM ₁₀	1
6	Alwar	Satisfactory	67	PM ₁₀	1
7	Ambala	Moderate	129	PM _{2.5}	1
8	Amritsar	Satisfactory	72	03	1
9	Ankleshwar	Good	46	PM ₁₀	1
10	Arrah	Satisfactory	82	O ₃	1
11	Asansol	Satisfactory	86	PM ₁₀	1
12	Aurangabad (Bihar)	Satisfactory	91	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amaravati, Anantapur, Notes: Araria, Bareilly, Bathinda, Bhilai, Bhopal, Bidar, Bihar Sharif, Durgapur, Gummidipoondi, Haldia, Jhansi, Jorapokhar, Kaithal, Khurja, Kishanganj, Kohima, Kolar, Kollam, Madikeri, Mandideep, Manguraha, Munger, Naharlagun, Nandesari, Nashik, Pune, Rajgir, Rohtak, Sasaram, Siwan, Sonipat, Udupi, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Aurangabad (Maharashtra)	Satisfactory	91	PM ₁₀	1
14	Baddi	Satisfactory	75	PM ₁₀	1
15	Bagalkot	Good	43	PM ₁₀	1
16	Baghpat	Good	41	O ₃	1
17	Bahadurgarh	Good	44	PM ₁₀	1
18	Ballabgarh	Satisfactory	88	PM ₁₀	1
19	Begusarai	Good	35	03	1
20	Belgaum	Good	46	со	1
21	Bengaluru	Good	48	PM ₁₀ , SO ₂	7
22	Bettiah	Good	39	PM ₁₀	1
23	Bhagalpur	Satisfactory	83	NO ₂ , CO	2
24	Bhiwadi	Satisfactory	54	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Amaravati, Anantapur, Notes: Araria, Bareilly, Bathinda, Bhilai, Bhopal, Bidar, Bihar Sharif, Durgapur, Gummidipoondi, Haldia, Jhansi, Jorapokhar, Kaithal, Khurja, Kishanganj, Kohima, Kolar, Kollam, Madikeri, Mandideep, Manguraha, Munger, Naharlagun, Nandesari, Nashik, Pune, Rajgir, Rohtak, Sasaram, Siwan, Sonipat, Udupi, Vapi as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhiwani	Satisfactory	74	PM ₁₀	1
26	Bilaspur	Satisfactory	63	со	1
27	Brajrajnagar	Satisfactory	54	PM ₁₀	1
28	Bulandshahr	Good	48	PM ₁₀	1
29	Buxar	Satisfactory	72	со	1
30	Chamarajanagar	Good	37	PM ₁₀	1
31	Chandigarh	Satisfactory	52	O ₃ , PM ₁₀	3
32	Chandrapur	Satisfactory	52	PM ₁₀ , NO ₂	2
33	Charkhi Dadri	Satisfactory	51	PM ₁₀	1
34	Chengalpattu	Satisfactory	57	SO ₂	1
35	Chennai	Good	49	CO, PM ₁₀ , SO ₂	9
36	Chhapra	Satisfactory	92	СО	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amaravati, Anantapur, Notes: Araria, Bareilly, Bathinda, Bhilai, Bhopal, Bidar, Bihar Sharif, Durgapur, Gummidipoondi, Haldia, Jhansi, Jorapokhar, Kaithal, Khurja, Kishanganj, Kohima, Kolar, Kollam, Madikeri, Mandideep, Manguraha, Munger, Naharlagun, Nandesari, Nashik, Pune, Rajgir, Rohtak, Sasaram, Siwan, Sonipat, Udupi, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chikkaballapur	Good	31	PM ₁₀	1
38	Chikkamagaluru	Good	41	PM ₁₀	1
39	Coimbatore	Good	24	со	1
40	Damoh	Good	23	со	1
41	Darbhanga	Satisfactory	58	PM ₁₀	1
42	Davanagere	Good	17	PM ₁₀	1
43	Dehradun	Good	29	PM ₁₀	1
44	Delhi	Satisfactory	63	CO, NO ₂ , PM ₁₀	35
45	Dewas	Good	47	PM ₁₀	1
46	Dharuhera	Good	47	PM ₁₀	1
47	Eloor	Satisfactory	63	PM ₁₀	1
48	Ernakulam	Satisfactory	55	СО	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amaravati, Anantapur, Notes: Araria, Bareilly, Bathinda, Bhilai, Bhopal, Bidar, Bihar Sharif, Durgapur, Gummidipoondi, Haldia, Jhansi, Jorapokhar, Kaithal, Khurja, Kishanganj, Kohima, Kolar, Kollam, Madikeri, Mandideep, Manguraha, Munger, Naharlagun, Nandesari, Nashik, Pune, Rajgir, Rohtak, Sasaram, Siwan, Sonipat, Udupi, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Faridabad	Moderate	132	O ₃ , PM ₁₀	3
50	Fatehabad	Good	49	PM ₁₀	1
51	Firozabad	Satisfactory	54	PM ₁₀ , O ₃	2
52	Gadag	Good	40	PM _{2.5}	1
53	Gandhinagar	Good	32	PM ₁₀	1
54	Gangtok	Good	24	03	1
55	Gaya	Satisfactory	72	PM ₁₀ , CO	3
56	Ghaziabad	Satisfactory	63	CO, PM ₁₀	4
57	Gorakhpur	Good	44	SO ₂	1
58	Greater Noida	Satisfactory	64	CO, PM ₁₀	2
59	Gurugram	Satisfactory	56	PM ₁₀ , O ₃	3
60	Guwahati	Satisfactory	51	PM ₁₀	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Amaravati, Anantapur, Notes: Araria, Bareilly, Bathinda, Bhilai, Bhopal, Bidar, Bihar Sharif, Durgapur, Gummidipoondi, Haldia, Jhansi, Jorapokhar, Kaithal, Khurja, Kishanganj, Kohima, Kolar, Kollam, Madikeri, Mandideep, Manguraha, Munger, Naharlagun, Nandesari, Nashik, Pune, Rajgir, Rohtak, Sasaram, Siwan, Sonipat, Udupi, Vapi as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Gwalior	Satisfactory	51	PM ₁₀	1
62	Hajipur	Good	48	PM ₁₀	1
63	Hapur	Good	47	со	1
64	Hassan	Good	27	NO ₂	1
65	Haveri	Satisfactory	52	со	1
66	Hisar	Satisfactory	77	PM ₁₀	1
67	Hosur	Satisfactory	74	со	1
68	Howrah	Satisfactory	58	PM _{2.5} , CO, PM ₁₀	3
69	Hubballi	Satisfactory	51	со	1
70	Hyderabad	Satisfactory	52	CO, PM ₁₀	13
71	Imphal	Satisfactory	74	O ₃ , PM ₁₀	2
72	Indore	Satisfactory	78	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amaravati, Anantapur, Notes: Araria, Bareilly, Bathinda, Bhilai, Bhopal, Bidar, Bihar Sharif, Durgapur, Gummidipoondi, Haldia, Jhansi, Jorapokhar, Kaithal, Khurja, Kishanganj, Kohima, Kolar, Kollam, Madikeri, Mandideep, Manguraha, Munger, Naharlagun, Nandesari, Nashik, Pune, Rajgir, Rohtak, Sasaram, Siwan, Sonipat, Udupi, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Jabalpur	Satisfactory	60	СО	1
74	Jaipur	Good	46	PM ₁₀ , O ₃	3
75	Jalandhar	Good	39	PM ₁₀	1
76	Jind	Good	42	со	1
77	Jodhpur	Satisfactory	69	PM ₁₀	1
78	Kalaburgi	Good	26	SO ₂	1
79	Kalyan	Satisfactory	59	PM ₁₀	1
80	Kannur	Satisfactory	53	PM _{2.5}	1
81	Kanpur	Good	37	PM ₁₀ , PM _{2.5}	4
82	Karnal	Satisfactory	66	PM ₁₀	1
83	Katihar	Satisfactory	96	со	1
84	Katni	Satisfactory	70	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Amaravati, Anantapur, Notes: Araria, Bareilly, Bathinda, Bhilai, Bhopal, Bidar, Bihar Sharif, Durgapur, Gummidipoondi, Haldia, Jhansi, Jorapokhar, Kaithal, Khurja, Kishanganj, Kohima, Kolar, Kollam, Madikeri, Mandideep, Manguraha, Munger, Naharlagun, Nandesari, Nashik, Pune, Rajgir, Rohtak, Sasaram, Siwan, Sonipat, Udupi, Vapi as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Khanna	Good	46	PM ₁₀	1
86	Kochi	Moderate	140	PM _{2.5}	1
87	Kolkata	Good	42	PM ₁₀ , O ₃ , PM _{2.5}	7
88	Koppal	Satisfactory	92	O ₃	1
89	Kota	Satisfactory	58	PM ₁₀	1
90	Kozhikode	Satisfactory	64	PM ₁₀	1
91	Kurukshetra	Good	50	PM _{2.5}	1
92	Lucknow	Good	48	CO, PM ₁₀ , PM _{2.5}	6
93	Ludhiana	Satisfactory	88	PM ₁₀	1
94	Maihar	Good	44	со	1
95	Mandi Gobindgarh	Satisfactory	67	PM _{2.5}	1
96	Mandikhera	Good	26	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Amaravati, Anantapur,

Notes: Araria, Bareilly, Bathinda, Bhilai, Bhopal, Bidar, Bihar Sharif, Durgapur, Gummidipoondi, Haldia, Jhansi, Jorapokhar, Kaithal, Khurja, Kishanganj, Kohima, Kolar, Kollam, Madikeri, Mandideep, Manguraha, Munger, Naharlagun, Nandesari, Nashik, Pune, Rajgir, Rohtak, Sasaram, Siwan, Sonipat, Udupi, Vapi as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Manesar	Satisfactory	60	PM ₁₀	1
98	Manglore	Satisfactory	55	со	1
99	Meerut	Satisfactory	55	PM ₁₀	3
100	Moradabad	Satisfactory	64	PM ₁₀ , CO	6
101	Motihari	Satisfactory	68	03	1
102	Mumbai	Satisfactory	53	PM ₁₀ , CO, NO ₂	18
103	Muzaffarnagar	Satisfactory	74	PM _{2.5}	1
104	Muzaffarpur	Satisfactory	64	PM ₁₀ , O ₃ , CO	3
105	Mysuru	Good	38	PM ₁₀	1
106	Nagpur	Satisfactory	62	PM ₁₀	1
107	Narnaul	Good	28	NO ₂	1
108	Navi Mumbai	Satisfactory	54	CO, NO ₂ , PM ₁₀	3

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amaravati, Anantapur, Notes: Araria, Bareilly, Bathinda, Bhilai, Bhopal, Bidar, Bihar Sharif, Durgapur, Gummidipoondi, Haldia, Jhansi, Jorapokhar, Kaithal, Khurja, Kishanganj, Kohima, Kolar, Kollam, Madikeri, Mandideep, Manguraha, Munger, Naharlagun, Nandesari, Nashik, Pune, Rajgir, Rohtak, Sasaram, Siwan, Sonipat, Udupi, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Noida	Good	40	CO, PM ₁₀	3
110	Pali	Good	42	PM ₁₀	1
111	Palwal	Satisfactory	55	PM ₁₀	1
112	Panchkula	Good	40	PM _{2.5}	1
113	Panipat	Satisfactory	66	PM ₁₀	1
114	Patiala	Good	37	PM ₁₀	1
115	Patna	Satisfactory	68	PM ₁₀ , O ₃ , PM _{2.5}	5
116	Pithampur	Satisfactory	63	PM ₁₀	1
117	Prayagraj	Satisfactory	82	PM _{2.5} , SO ₂ , PM ₁₀	3
118	Puducherry	Good	50	со	1
119	Purnia	Satisfactory	74	PM ₁₀	1
120	Raichur	Satisfactory	63	со	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amaravati, Anantapur, Notes: Araria, Bareilly, Bathinda, Bhilai, Bhopal, Bidar, Bihar Sharif, Durgapur, Gummidipoondi, Haldia, Jhansi, Jorapokhar, Kaithal, Khurja, Kishanganj, Kohima, Kolar, Kollam, Madikeri, Mandideep, Manguraha, Munger, Naharlagun, Nandesari, Nashik, Pune, Rajgir, Rohtak, Sasaram, Siwan, Sonipat, Udupi, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Rajamahendravaram	Satisfactory	63	PM ₁₀	1
122	Ramanagara	Good	35	03	1
123	Ramanathapuram	Moderate	140	со	1
124	Ratlam	Satisfactory	58	PM ₁₀	1
125	Rupnagar	Satisfactory	76	PM ₁₀	1
126	Sagar	Satisfactory	80	PM _{2.5}	1
127	Saharsa	Moderate	163	PM ₁₀	1
128	Samastipur	Moderate	134	PM ₁₀	1
129	Satna	Good	42	PM ₁₀	1
130	Shillong	Good	19	SO ₂	1
131	Shivamogga	Good	45	NO ₂	1
132	Siliguri	Good	40	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amaravati, Anantapur, Notes: Araria, Bareilly, Bathinda, Bhilai, Bhopal, Bidar, Bihar Sharif, Durgapur, Gummidipoondi, Haldia, Jhansi, Jorapokhar, Kaithal, Khurja, Kishanganj, Kohima, Kolar, Kollam, Madikeri, Mandideep, Manguraha, Munger, Naharlagun, Nandesari, Nashik, Pune, Rajgir, Rohtak, Sasaram, Siwan, Sonipat, Udupi, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Singrauli	Satisfactory	96	NO ₂	1
134	Sirsa	Satisfactory	69	03	1
135	Solapur	Satisfactory	77	PM ₁₀	1
136	Srinagar	Satisfactory	53	SO ₂	1
137	Talcher	Satisfactory	79	со	1
138	Thane	Satisfactory	55	PM ₁₀	1
139	Thiruvananthapuram	Good	33	со	1
140	Thoothukudi	Good	31	PM ₁₀	1
141	Thrissur	Good	28	03	1
142	Tirupati	Good	43	со	1
143	Udaipur	Good	34	PM _{2.5}	1
144	Ujjain	Satisfactory	73	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amaravati, Anantapur, Notes: Araria, Bareilly, Bathinda, Bhilai, Bhopal, Bidar, Bihar Sharif, Durgapur, Gummidipoondi, Haldia, Jhansi, Jorapokhar, Kaithal, Khurja, Kishanganj, Kohima, Kolar, Kollam, Madikeri, Mandideep, Manguraha, Munger, Naharlagun, Nandesari, Nashik, Pune, Rajgir, Rohtak, Sasaram, Siwan, Sonipat, Udupi, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Varanasi	Good	42	PM ₁₀ , NO ₂	4
146	Vatva	Good	48	PM _{2.5}	1
147	Vijayapura	Good	40	PM ₁₀	1
148	Visakhapatnam	Satisfactory	88	PM ₁₀	1
149	Vrindavan	Good	50	SO ₂	1
150	Yadgir	Good	33	со	1
151	Yamunanagar	Satisfactory	75	PM ₁₀	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Amaravati, Anantapur, Notes: Araria, Bareilly, Bathinda, Bhilai, Bhopal, Bidar, Bihar Sharif, Durgapur, Gummidipoondi, Haldia, Jhansi, Jorapokhar, Kaithal, Khurja, Kishanganj, Kohima, Kolar, Kollam, Madikeri, Mandideep, Manguraha, Munger, Naharlagun, Nandesari, Nashik, Pune, Rajgir, Rohtak, Sasaram, Siwan, Sonipat, Udupi, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.