

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	82	SO <sub>2</sub>	1
2	Agra	Satisfactory	89	03	6
3	Ahmedabad	Moderate	109	PM <sub>10</sub>	6
4	Aizawl	Good	32	PM <sub>10</sub>	1
5	Ajmer	Moderate	119	PM <sub>2.5</sub>	1
6	Alwar	Satisfactory	72	PM <sub>10</sub>	1
7	Amaravati	Satisfactory	76	PM <sub>10</sub>	1
8	Ambala	Satisfactory	69	PM <sub>2.5</sub>	1
9	Amritsar	Satisfactory	52	03	1
10	Anantapur	Satisfactory	70	O <sub>3</sub>	1
11	Ankleshwar	Satisfactory	56	PM <sub>10</sub>	1
12	Ariyalur	Satisfactory	59	PM <sub>10</sub>	1

Notes:

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

## \* AQI is not calculated for today's bulletin for Araria, Bahadurgarh,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Arrah	Moderate	142	PM <sub>10</sub>	1
14	Asansol	Satisfactory	92	PM <sub>10</sub>	1
15	Aurangabad (Bihar)	Moderate	149	PM <sub>10</sub>	1
16	Aurangabad (Maharashtra)	Satisfactory	87	PM <sub>10</sub>	1
17	Baddi	Moderate	196	O <sub>3</sub>	1
18	Bagalkot	Good	46	PM <sub>10</sub>	1
19	Baghpat	Moderate	163	O <sub>3</sub>	1
20	Ballabgarh	Moderate	106	PM <sub>10</sub>	1
21	Banswara	Moderate	103	PM <sub>10</sub>	1
22	Bareilly	Satisfactory	53	PM <sub>10</sub>	2
23	Baripada	Moderate	104	PM <sub>10</sub>	1
24	Barmer	Satisfactory	87	PM <sub>10</sub>	1

Notes:

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

## \* AQI is not calculated for today's bulletin for Araria, Bahadurgarh,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bathinda	Good	48	PM <sub>10</sub>	1
26	Begusarai	Moderate	150	PM <sub>10</sub>	1
27	Belgaum	Good	46	PM <sub>10</sub>	1
28	Bengaluru	Satisfactory	76	CO, SO <sub>2</sub>	9
29	Bettiah	Moderate	118	PM <sub>10</sub>	1
30	Bhagalpur	Moderate	107	PM <sub>10</sub>	2
31	Bharatpur	Moderate	125	PM <sub>10</sub>	1
32	Bhilai	Satisfactory	60	PM <sub>10</sub>	2
33	Bhilwara	Satisfactory	75	PM <sub>10</sub>	1
34	Bhiwadi	Moderate	136	PM <sub>10</sub>	1
35	Bhiwani	Moderate	152	PM <sub>2.5</sub>	1
36	Bhopal	Satisfactory	94	PM <sub>10</sub>	3

Notes:

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

## \* AQI is not calculated for today's bulletin for Araria, Bahadurgarh,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bidar	Good	37	NH <sub>3</sub>	1
38	Bihar Sharif	Moderate	120	PM <sub>10</sub>	1
39	Bikaner	Poor	250	PM <sub>10</sub>	1
40	Bileipada	Moderate	137	PM <sub>10</sub>	1
41	Bulandshahr	Moderate	186	03	1
42	Bundi	Moderate	113	PM <sub>10</sub>	1
43	Chamarajanagar	Good	43	PM <sub>10</sub>	1
44	Chandigarh	Moderate	137	O <sub>3</sub> , PM <sub>10</sub>	3
45	Chandrapur	Moderate	116	PM <sub>10</sub>	1
46	Charkhi Dadri	Moderate	155	PM <sub>2.5</sub>	1
47	Chennai	Satisfactory	83	NO <sub>2</sub> , CO	8
48	Chhal	Satisfactory	78	PM <sub>10</sub>	1

Notes:

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

## \* AQI is not calculated for today's bulletin for Araria, Bahadurgarh,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chhapra	Moderate	162	PM <sub>10</sub>	1
50	Chikkaballapur	Satisfactory	76	PM <sub>10</sub>	1
51	Chikkamagaluru	Good	50	03	1
52	Chittorgarh	Satisfactory	76	PM <sub>10</sub>	1
53	Dausa	Poor	206	PM <sub>10</sub>	1
54	Davanagere	Good	42	PM <sub>2.5</sub>	1
55	Dehradun	Satisfactory	72	PM <sub>10</sub>	1
56	Delhi	Moderate	152	O <sub>3</sub> , PM <sub>2.5</sub>	36
57	Dewas	Moderate	106	PM <sub>10</sub>	1
58	Dhanbad	Moderate	178	PM <sub>2.5</sub>	1
59	Dharwad	Satisfactory	57	PM <sub>10</sub>	1
60	Dholpur	Moderate	126	PM <sub>2.5</sub>	1

Notes:

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

## \* AQI is not calculated for today's bulletin for Araria, Bahadurgarh,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Durgapur	Moderate	136	PM <sub>10</sub>	1
62	Eloor	Satisfactory	79	PM <sub>10</sub>	1
63	Faridabad	Satisfactory	99	PM <sub>10</sub>	3
64	Firozabad	Moderate	118	PM <sub>10</sub>	1
65	Gadag	Good	44	SO <sub>2</sub>	1
66	Gandhinagar	Satisfactory	93	PM <sub>2.5</sub> , PM <sub>10</sub>	3
67	Gangtok	Good	37	O <sub>3</sub>	1
68	Gaya	Moderate	113	PM <sub>10</sub> , PM <sub>2.5</sub>	3
69	Ghaziabad	Moderate	142	O <sub>3</sub> , PM <sub>10</sub>	4
70	Gorakhpur	Moderate	104	PM <sub>10</sub>	1
71	Greater Noida	Moderate	154	03	2
72	Gummidipoondi	Moderate	114	PM <sub>10</sub>	1

Notes:

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

## \* AQI is not calculated for today's bulletin for Araria, Bahadurgarh,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Gurugram	Moderate	162	PM <sub>2.5</sub> , O <sub>3</sub>	4
74	Guwahati	Satisfactory	70	PM <sub>10</sub> , PM <sub>2.5</sub>	4
75	Gwalior	Moderate	150	PM <sub>10</sub> , O <sub>3</sub>	3
76	Hajipur	Satisfactory	70	PM <sub>10</sub>	1
77	Haldia	Good	38	PM <sub>10</sub>	1
78	Hapur	Moderate	153	03	1
79	Hassan	Satisfactory	80	PM <sub>10</sub>	1
80	Haveri	Good	42	PM <sub>10</sub>	1
81	Hisar	Satisfactory	82	PM <sub>2.5</sub>	1
82	Hosur	Satisfactory	83	PM <sub>10</sub>	1
83	Howrah	Satisfactory	62	PM <sub>10</sub>	3
84	Hubballi	Moderate	101	PM <sub>10</sub>	2

Notes:

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

## \* AQI is not calculated for today's bulletin for Araria, Bahadurgarh,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Hyderabad	Satisfactory	91	PM <sub>10</sub> , PM <sub>2.5</sub>	13
86	Indore	Satisfactory	61	PM <sub>10</sub> , NO <sub>2</sub>	2
87	Jabalpur	Moderate	117	PM <sub>10</sub>	1
88	Jaipur	Moderate	172	PM <sub>10</sub>	6
89	Jaisalmer	Moderate	154	PM <sub>10</sub>	1
90	Jalandhar	Satisfactory	100	PM <sub>10</sub>	1
91	Jhalawar	Satisfactory	86	PM <sub>10</sub>	1
92	Jhansi	Moderate	158	PM <sub>10</sub>	1
93	Jhunjhunu	Poor	256	03	1
94	Jind	Satisfactory	68	PM <sub>2.5</sub>	1
95	Jodhpur	Moderate	122	PM <sub>10</sub>	3
96	Jorapokhar	Moderate	123	PM <sub>10</sub>	1

Notes:

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

## \* AQI is not calculated for today's bulletin for Araria, Bahadurgarh,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Kadapa	Satisfactory	83	O <sub>3</sub>	1
98	Kaithal	Satisfactory	79	PM <sub>10</sub>	1
99	Kalaburgi	Moderate	101	PM <sub>10</sub>	2
100	Kalyan	Satisfactory	76	PM <sub>10</sub>	1
101	Kannur	Satisfactory	77	PM <sub>10</sub>	1
102	Kanpur	Satisfactory	91	со	3
103	Karauli	Moderate	135	03	1
104	Karnal	Satisfactory	56	PM <sub>10</sub>	1
105	Katihar	Satisfactory	81	со	1
106	Katni	Moderate	184	PM <sub>10</sub>	1
107	Keonjhar	Satisfactory	88	PM <sub>10</sub>	1
108	Khanna	Satisfactory	79	PM <sub>10</sub>	1

Notes:

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

## \* AQL is not coloulated for today's bulletin for Argria. Rehadurgerh

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Khurja	Moderate	107	PM <sub>2.5</sub>	1
110	Kishanganj	Satisfactory	55	со	1
111	Kochi	Satisfactory	85	PM <sub>10</sub>	1
112	Kohima	Satisfactory	57	PM <sub>10</sub>	1
113	Kolhapur	Moderate	130	03	2
114	Kolkata	Satisfactory	52	O <sub>3</sub> , PM <sub>10</sub>	7
115	Kollam	Satisfactory	98	PM <sub>10</sub>	1
116	Korba	Moderate	136	PM <sub>2.5</sub> , PM <sub>10</sub>	2
117	Kota	Moderate	123	PM <sub>2.5</sub>	3
118	Kunjemura	Moderate	109	PM <sub>10</sub>	1
119	Kurukshetra	Satisfactory	88	O <sub>3</sub>	1
120	Lucknow	Moderate	108	PM <sub>2.5</sub>	6

Notes:

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

## \* AQI is not calculated for today's bulletin for Araria, Bahadurgarh,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Ludhiana	Satisfactory	95	PM <sub>10</sub>	1
122	Madikeri	Good	30	PM <sub>10</sub>	1
123	Maihar	Satisfactory	51	PM <sub>10</sub>	1
124	Mandi Gobindgarh	Satisfactory	98	PM <sub>10</sub>	1
125	Mandikhera	Satisfactory	58	PM <sub>10</sub>	1
126	Manesar	Moderate	161	PM <sub>2.5</sub>	1
127	Mangalore	Satisfactory	56	PM <sub>10</sub>	1
128	Manguraha	Satisfactory	77	O <sub>3</sub>	1
129	Meerut	Moderate	149	O <sub>3</sub>	3
130	Milupara	Satisfactory	71	PM <sub>10</sub>	1
131	Moradabad	Satisfactory	88	PM <sub>2.5</sub>	6
132	Motihari	Satisfactory	79	NO <sub>2</sub>	1

Notes:

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

## \* AQI is not calculated for today's bulletin for Araria, Bahadurgarh,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Mumbai	Satisfactory	76	PM <sub>10</sub>	18
134	Munger	Moderate	132	PM <sub>10</sub>	1
135	Muzaffarnagar	Moderate	115	PM <sub>10</sub>	1
136	Muzaffarpur	Moderate	199	03	3
137	Mysuru	Satisfactory	66	03	1
138	Nagaon	Satisfactory	79	03	1
139	Nagpur	Satisfactory	85	PM <sub>10</sub>	1
140	Naharlagun	Good	38	PM <sub>2.5</sub>	1
141	Nalbari	Moderate	144	PM <sub>10</sub>	1
142	Narnaul	Satisfactory	80	PM <sub>10</sub>	1
143	Nashik	Satisfactory	57	PM <sub>10</sub>	1
144	Navi Mumbai	Satisfactory	75	PM <sub>10</sub>	3

Notes:

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

## \* AQI is not calculated for today's bulletin for Araria, Bahadurgarh,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Nayagarh	Moderate	120	PM <sub>10</sub>	1
146	Noida	Moderate	146	NO <sub>2</sub> , PM <sub>10</sub>	4
147	Pali	Moderate	114	PM <sub>10</sub>	1
148	Panchkula	Moderate	128	PM <sub>2.5</sub>	1
149	Panipat	Satisfactory	77	PM <sub>10</sub>	1
150	Patiala	Satisfactory	88	03	1
151	Patna	Moderate	139	PM <sub>2.5</sub>	6
152	Pimpri Chinchwad	Moderate	124	PM <sub>2.5</sub>	2
153	Pithampur	Satisfactory	76	PM <sub>10</sub>	1
154	Pratapgarh	Satisfactory	95	PM <sub>10</sub>	1
155	Prayagraj	Satisfactory	79	PM <sub>10</sub>	3
156	Puducherry	Satisfactory	67	PM <sub>10</sub>	1

Notes:

# Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

## \* AQI is not calculated for today's bulletin for Araria, Bahadurgarh,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Pune	Moderate	125	PM <sub>10</sub>	3
158	Purnia	Satisfactory	100	PM <sub>10</sub>	1
159	Raichur	Good	50	PM <sub>2.5</sub>	1
160	Raipur	Satisfactory	76	PM <sub>10</sub> , NO <sub>2</sub>	4
161	Rairangpur	Satisfactory	76	03	1
162	Rajamahendravaram	Satisfactory	57	PM <sub>10</sub>	1
163	Rajgir	Poor	214	03	1
164	Rajsamand	Satisfactory	75	PM <sub>10</sub>	1
165	Ramanagara	Satisfactory	78	03	1
166	Ratlam	Satisfactory	91	PM <sub>10</sub>	1
167	Rishikesh	Satisfactory	58	O <sub>3</sub>	1
168	Rohtak	Satisfactory	69	PM <sub>2.5</sub>	1

Notes:

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

## \* AQI is not calculated for today's bulletin for Araria, Bahadurgarh,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Rourkela	Moderate	146	PM <sub>10</sub>	1
170	Rupnagar	Moderate	144	PM <sub>10</sub>	1
171	Sagar	Satisfactory	86	PM <sub>10</sub>	1
172	Saharsa	Satisfactory	80	PM <sub>10</sub>	1
173	Salem	Satisfactory	71	SO <sub>2</sub>	1
174	Samastipur	Moderate	151	PM <sub>10</sub>	1
175	Satna	Moderate	151	PM <sub>10</sub>	1
176	Shillong	Good	43	PM <sub>10</sub>	1
177	Shivamogga	Satisfactory	82	O <sub>3</sub>	1
178	Sikar	Moderate	162	PM <sub>10</sub>	1
179	Silchar	Good	43	со	1
180	Siliguri	Good	47	O <sub>3</sub>	1

Notes:

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

## \* AQI is not calculated for today's bulletin for Araria, Bahadurgarh,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Singrauli	Poor	215	PM <sub>10</sub>	1
182	Sirsa	Satisfactory	81	PM <sub>10</sub>	1
183	Sivasagar	Good	23	PM <sub>10</sub>	1
184	Siwan	Moderate	118	PM <sub>10</sub>	1
185	Solapur	Moderate	128	PM <sub>10</sub>	2
186	Sonipat	Moderate	102	PM <sub>10</sub>	1
187	Sri Ganganagar	Moderate	139	PM <sub>2.5</sub>	1
188	Suakati	Moderate	101	PM <sub>10</sub>	1
189	Surat	Satisfactory	74	СО	1
190	Talcher	Satisfactory	77	PM <sub>2.5</sub>	1
191	Tensa	Moderate	107	PM <sub>2.5</sub>	1
192	Thiruvananthapuram	Good	45	PM <sub>10</sub> , CO	2

Notes:

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

## AQI is not calculated for today's bulletin for Araria, Bahadurgarh,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Thoothukudi	Moderate	104	03	1
194	Thrissur	Satisfactory	95	PM <sub>10</sub>	1
195	Tirupati	Satisfactory	72	PM <sub>2.5</sub>	2
196	Tonk	Moderate	174	PM <sub>10</sub>	1
197	Tumakuru	Moderate	142	PM <sub>10</sub>	1
198	Tumidih	Poor	206	PM <sub>10</sub>	1
199	Udaipur	Moderate	103	PM <sub>10</sub>	1
200	Ujjain	Moderate	104	PM <sub>2.5</sub>	1
201	Vapi	Good	48	PM <sub>2.5</sub>	1
202	Varanasi	Satisfactory	73	PM <sub>10</sub>	4
203	Vatva	Moderate	105	PM <sub>10</sub>	1
204	Vijayapura	Good	49	PM <sub>10</sub>	1

Notes:

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

## \* AQI is not calculated for today's bulletin for Araria, Bahadurgarh,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
205	Vijayawada	Satisfactory	85	PM <sub>2.5</sub>	1
206	Visakhapatnam	Moderate	111	PM <sub>10</sub>	1
207	Vrindavan	Moderate	165	PM <sub>10</sub>	1
208	Yadgir	Satisfactory	67	PM <sub>10</sub>	1
209	Yamunanagar	Moderate	110	PM <sub>10</sub>	1

## \* AQI is not calculated for today's bulletin for Araria, Bahadurgarh

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Baran, Bilaspur, Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Chittoor,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.