

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	237	PM _{2.5}	1
2	Agra	Satisfactory	80	PM ₁₀	6
3	Ahmedabad	Moderate	113	PM ₁₀	6
4	Aizawl	Moderate	118	PM ₁₀	1
5	Ajmer	Satisfactory	90	O ₃	1
6	Alwar	Satisfactory	74	PM ₁₀	1
7	Amaravati	Satisfactory	89	PM ₁₀	1
8	Amritsar	Moderate	157	PM _{2.5}	1
9	Anantapur	Satisfactory	62	PM ₁₀	1
10	Ankleshwar	Moderate	105	PM ₁₀	1
11	Araria	Poor	204	PM ₁₀	1
12	Ariyalur	Satisfactory	58	NO ₂	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

* AQI is not calculated for today's bulletin for Ambala, Bidar,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Arrah	Moderate	174	PM ₁₀	1
14	Asansol	Moderate	177	O ₃	1
15	Aurangabad (Bihar)	Moderate	150	PM ₁₀	1
16	Aurangabad (Maharashtra)	Satisfactory	100	PM ₁₀	1
17	Baddi	Moderate	178	PM ₁₀	1
18	Bagalkot	Good	46	PM ₁₀	1
19	Baghpat	Poor	273	PM ₁₀	1
20	Bahadurgarh	Moderate	163	PM ₁₀	1
21	Ballabgarh	Poor	222	PM _{2.5}	1
22	Banswara	Poor	206	O ₃	1
23	Bareilly	Moderate	125	PM ₁₀	2
24	Baripada	Moderate	126	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ambala, Bidar,

- $\ensuremath{\text{\#}}$ Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Barmer	Moderate	111	PM ₁₀	1
26	Bathinda	Poor	225	PM _{2.5}	1
27	Begusarai	Very Poor	324	PM ₁₀	1
28	Belgaum	Satisfactory	61	PM ₁₀	1
29	Bengaluru	Moderate	110	O ₃ , PM _{2.5}	8
30	Bettiah	Moderate	181	PM _{2.5}	1
31	Bhagalpur	Moderate	198	PM ₁₀	2
32	Bharatpur	Moderate	178	PM ₁₀	1
33	Bhilai	Satisfactory	72	PM ₁₀	3
34	Bhiwadi	Poor	243	PM ₁₀	1
35	Bhiwani	Moderate	147	PM _{2.5}	1
36	Bhopal	Satisfactory	98	PM ₁₀	3

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

* AQI is not calculated for today's bulletin for Ambala, Bidar,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bihar Sharif	Moderate	174	PM ₁₀	1
38	Bikaner	Moderate	195	PM ₁₀	1
39	Bilaspur	Satisfactory	82	PM ₁₀	1
40	Bileipada	Poor	260	PM ₁₀	1
41	Bulandshahr	Moderate	155	PM _{2.5}	1
42	Byrnihat	Very Poor	396	PM _{2.5}	1
43	Chamarajanagar	Good	44	PM ₁₀	1
44	Chandigarh	Moderate	124	PM ₁₀	3
45	Chandrapur	Moderate	134	PM _{2.5}	1
46	Charkhi Dadri	Poor	270	PM _{2.5}	1
47	Chennai	Satisfactory	98	PM _{2.5} , PM ₁₀	7
48	Chhal	Moderate	125	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ambala, Bidar,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chhapra	Poor	266	PM ₁₀	1
50	Chikkaballapur	Moderate	109	PM ₁₀	1
51	Chikkamagaluru	Satisfactory	56	PM ₁₀	1
52	Coimbatore	Satisfactory	53	PM _{2.5}	1
53	Damoh	Good	31	PM _{2.5}	1
54	Dausa	Moderate	181	PM ₁₀	1
55	Davanagere	Satisfactory	85	PM ₁₀	1
56	Dehradun	Moderate	102	PM ₁₀	1
57	Delhi	Poor	246	PM ₁₀	36
58	Dewas	Moderate	143	PM ₁₀	1
59	Dharuhera	Poor	243	PM ₁₀	1
60	Dharwad	Moderate	140	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ambala, Bidar,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Dholpur	Satisfactory	84	PM ₁₀	1
62	Dindigul	Satisfactory	55	PM ₁₀	1
63	Durgapur	Moderate	169	PM ₁₀	1
64	Eloor	Satisfactory	70	PM ₁₀	1
65	Faridabad	Moderate	138	PM ₁₀ , PM _{2.5}	4
66	Firozabad	Satisfactory	71	PM ₁₀	1
67	Gadag	Good	38	со	1
68	Gandhinagar	Moderate	140	PM _{2.5} , PM ₁₀	3
69	Gangtok	Satisfactory	84	03	1
70	Gaya	Moderate	149	PM ₁₀ , PM _{2.5}	3
71	Ghaziabad	Poor	252	PM ₁₀	4
72	Gorakhpur	Moderate	103	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ambala, Bidar,

website(http://cpcb.nic.in) website may be referred.

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations,
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Greater Noida	Poor	263	PM ₁₀	2
74	Gummidipoondi	Moderate	138	PM ₁₀	1
75	Gurugram	Moderate	193	PM _{2.5}	4
76	Guwahati	Poor	256	PM _{2.5}	3
77	Gwalior	Moderate	194	03	2
78	Hajipur	Poor	252	PM ₁₀	1
79	Haldia	Moderate	113	PM ₁₀	1
80	Hanumangarh	Moderate	147	PM _{2.5}	1
81	Hapur	Satisfactory	87	PM ₁₀	1
82	Hassan	Satisfactory	99	PM ₁₀	1
83	Haveri	Satisfactory	79	PM ₁₀	1
84	Hosur	Moderate	168	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ambala, Bidar,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Howrah	Moderate	131	PM ₁₀	3
86	Hubballi	Moderate	113	PM ₁₀	1
87	Hyderabad	Moderate	104	PM ₁₀	13
88	Imphal	Moderate	146	PM _{2.5} , SO ₂	2
89	Indore	Satisfactory	96	PM ₁₀ , NO ₂	2
90	Jabalpur	Moderate	159	PM ₁₀	1
91	Jaipur	Moderate	165	PM ₁₀ , PM _{2.5}	5
92	Jalandhar	Moderate	118	PM ₁₀	1
93	Jhalawar	Moderate	112	PM ₁₀	1
94	Jhansi	Satisfactory	88	PM ₁₀	1
95	Jhunjhunu	Moderate	200	O ₃	1
96	Jind	Satisfactory	100	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ambala, Bidar,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Jodhpur	Moderate	149	PM ₁₀	3
98	Jorapokhar	Moderate	153	PM ₁₀	1
99	Kaithal	Moderate	128	PM ₁₀	1
100	Kalaburgi	Satisfactory	90	PM _{2.5}	2
101	Kalyan	Moderate	163	PM ₁₀	1
102	Kanpur	Moderate	158	PM ₁₀	3
103	Karauli	Satisfactory	61	PM _{2.5}	1
104	Karnal	Satisfactory	99	PM ₁₀	1
105	Katni	Moderate	185	PM ₁₀	1
106	Keonjhar	Moderate	129	PM ₁₀	1
107	Khanna	Moderate	120	PM ₁₀	1
108	Kishanganj	Moderate	170	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ambala, Bidar,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Kochi	Satisfactory	61	PM _{2.5}	1
110	Kohima	Moderate	110	PM _{2.5}	1
111	Kolkata	Moderate	122	PM _{2.5} , PM ₁₀	7
112	Koppal	Satisfactory	64	со	1
113	Korba	Poor	216	PM _{2.5}	2
114	Kota	Satisfactory	76	PM ₁₀ , O ₃	3
115	Kurukshetra	Moderate	144	PM ₁₀	1
116	Lucknow	Moderate	167	PM _{2.5}	6
117	Ludhiana	Moderate	122	PM ₁₀	1
118	Madikeri	Satisfactory	53	O ₃	1
119	Maihar	Good	47	со	1
120	Mandi Gobindgarh	Moderate	175	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ambala, Bidar,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Mandideep	Moderate	103	PM ₁₀	1
122	Mandikhera	Moderate	117	PM ₁₀	1
123	Manesar	Poor	219	PM _{2.5}	1
124	Mangalore	Satisfactory	94	PM ₁₀	1
125	Meerut	Moderate	198	PM ₁₀	3
126	Milupara	Satisfactory	81	PM ₁₀	1
127	Moradabad	Moderate	141	PM _{2.5} , PM ₁₀	6
128	Motihari	Moderate	121	PM ₁₀	1
129	Mumbai	Moderate	126	PM ₁₀ , PM _{2.5}	18
130	Munger	Poor	281	PM ₁₀	1
131	Muzaffarnagar	Poor	208	PM _{2.5}	1
132	Muzaffarpur	Poor	255	PM _{2.5}	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ambala, Bidar,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Mysuru	Satisfactory	72	O ₃	1
134	Nagaon	Poor	262	PM _{2.5}	1
135	Nagpur	Moderate	130	PM _{2.5}	1
136	Naharlagun	Good	47	PM ₁₀	1
137	Nandesari	Good	47	со	1
138	Narnaul	Moderate	138	PM _{2.5}	1
139	Nashik	Satisfactory	58	PM ₁₀	1
140	Navi Mumbai	Poor	232	PM _{2.5} , PM ₁₀	3
141	Nayagarh	Very Poor	314	PM _{2.5}	1
142	Noida	Poor	252	PM ₁₀ , PM _{2.5}	4
143	Ooty	Satisfactory	67	PM _{2.5}	1
144	Pali	Satisfactory	87	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ambala, Bidar,

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Palkalaiperur	Satisfactory	51	SO ₂	1
146	Palwal	Satisfactory	98	PM ₁₀	1
147	Panchkula	Moderate	148	PM _{2.5}	1
148	Panipat	Moderate	155	PM ₁₀	1
149	Patiala	Moderate	114	PM ₁₀	1
150	Patna	Poor	260	PM ₁₀ , PM _{2.5}	6
151	Pithampur	Moderate	191	PM ₁₀	1
152	Pratapgarh	Satisfactory	88	PM ₁₀	1
153	Prayagraj	Moderate	105	O ₃ , PM ₁₀	3
154	Puducherry	Satisfactory	75	PM ₁₀	1
155	Pune	Moderate	116	NO ₂ , PM ₁₀	2
156	Raipur	Satisfactory	73	PM ₁₀ , NO ₂	4

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ambala, Bidar,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Rairangpur	Poor	208	PM _{2.5}	1
158	Rajamahendravaram	Satisfactory	84	PM ₁₀	1
159	Rajgir	Moderate	143	PM ₁₀	1
160	Rajsamand	Satisfactory	53	PM ₁₀	1
161	Ramanagara	Moderate	102	PM ₁₀	1
162	Ramanathapuram	Satisfactory	67	PM ₁₀	1
163	Rishikesh	Satisfactory	70	PM ₁₀	1
164	Rohtak	Moderate	145	PM _{2.5}	1
165	Rourkela	Very Poor	314	PM _{2.5}	3
166	Rupnagar	Moderate	182	PM ₁₀	1
167	Sagar	Moderate	168	O ₃	1
168	Saharsa	Poor	229	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ambala, Bidar,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Salem	Satisfactory	94	SO ₂	1
170	Samastipur	Poor	299	PM ₁₀	1
171	Sasaram	Moderate	172	03	1
172	Satna	Poor	201	PM ₁₀	1
173	Sawai Madhopur	Moderate	114	PM ₁₀	1
174	Shillong	Moderate	126	PM _{2.5}	1
175	Shivamogga	Satisfactory	60	O ₃	1
176	Sikar	Poor	212	PM ₁₀	1
177	Silchar	Satisfactory	70	PM ₁₀	1
178	Siliguri	Moderate	117	PM ₁₀	1
179	Singrauli	Poor	235	PM _{2.5}	1
180	Sirsa	Satisfactory	80	03	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ambala, Bidar,

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Sivasagar	Satisfactory	79	PM ₁₀	1
182	Siwan	Poor	219	PM ₁₀	1
183	Solapur	Moderate	107	PM ₁₀	1
184	Sonipat	Moderate	190	PM ₁₀	1
185	Sri Ganganagar	Poor	282	PM ₁₀	1
186	Srinagar	Moderate	114	PM ₁₀	1
187	Suakati	Poor	208	PM _{2.5}	1
188	Surat	Satisfactory	96	PM ₁₀	1
189	Talcher	Moderate	181	PM _{2.5}	1
190	Thane	Moderate	188	O ₃	1
191	Thiruvananthapuram	Satisfactory	61	PM ₁₀	2
192	Thoothukudi	Satisfactory	76	O ₃	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ambala, Bidar,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Thrissur	Moderate	105	PM ₁₀	1
194	Tirupati	Satisfactory	75	PM ₁₀	1
195	Tonk	Moderate	179	PM ₁₀	1
196	Tumidih	Poor	208	PM ₁₀	1
197	Udaipur	Satisfactory	78	PM ₁₀	1
198	Ujjain	Moderate	135	PM ₁₀	1
199	Vapi	Moderate	143	PM _{2.5}	1
200	Varanasi	Satisfactory	98	PM ₁₀ , PM _{2.5}	4
201	Vatva	Moderate	136	PM ₁₀	1
202	Vijayapura	Good	42	PM ₁₀	1
203	Visakhapatnam	Moderate	132	PM ₁₀	1
204	Vrindavan	Moderate	155	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ambala, Bidar,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
205	Yadgir	Satisfactory	92	PM ₁₀	1
206	Yamunanagar	Moderate	155	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Bidar, Notes: Brajrajnagar, Buxar, Chengalpattu, Chittoor, Chittorgarh, Churu, Cuddalore, Darbhanga, Dhanbad, Ernakulam, Fatehabad, Hisar, Kadapa, Kanchipuram, Kannur, Kashipur, Katihar, Khurja, Kolar, Kollam, Kozhikode, Kunjemura, Manguraha, Nalbari, Purnia, Raichur, Ratlam, Sirohi, Tensa, Tirupur, Tumakuru, Udupi, Vijayawada, vellore as data was not available. # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.