

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Moderate	161	PM <sub>2.5</sub>	1
2	Ahmedabad	Poor	222	PM <sub>2.5</sub>	1
3	Aizawl	Satisfactory	76	PM <sub>10</sub>	1
4	Ajmer	Moderate	108	PM <sub>10</sub>	1
5	Alwar	Moderate	132	PM <sub>10</sub>	1
6	Amaravati	Good	28	PM <sub>10</sub>	1
7	Ambala	Satisfactory	76	PM <sub>10</sub>	1
8	Amritsar	Satisfactory	64	PM <sub>10</sub>	1
9	Asansol	Moderate	173	PM <sub>2.5</sub>	1
10	Aurangabad	Satisfactory	96	PM <sub>10</sub>	1
11	Bagalkot	Good	39	O <sub>3</sub>	1
12	Baghpat	Poor	235	PM <sub>2.5</sub>	1

#### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Agartala, Ankleshwar, Bidar, Coimbatore, Gadag, Haldia, Hubballi, Kochi, Maihar, Medikeri, Muzaffarnagar, Nagpur, Ramanagara, Ratlam, Rupnagar, Shillong, Udupi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bahadurgarh	Moderate	168	PM <sub>2.5</sub>	1
14	Ballabgarh	Moderate	108	PM <sub>10</sub>	1
15	Bathinda	Poor	237	PM <sub>10</sub>	1
16	Bengaluru	Satisfactory	58	PM <sub>10</sub> , PM <sub>2.5</sub>	8
17	Bhiwadi	Poor	223	PM <sub>2.5</sub>	1
18	Bhiwani	Moderate	141	PM <sub>10</sub>	1
19	Bhopal	Moderate	117	PM <sub>10</sub>	1
20	Brajrajnagar	Very Poor	312	PM <sub>2.5</sub>	1
21	Bulandshahr	Poor	236	PM <sub>2.5</sub>	1
22	Chamarajanagar	Satisfactory	91	PM <sub>10</sub>	1
23	Chandigarh	Satisfactory	66	PM <sub>10</sub>	1
24	Chandrapur	Moderate	174	O <sub>3</sub> , PM <sub>10</sub>	2

#### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Agartala, Ankleshwar, Bidar, Coimbatore, Gadag, Haldia, Hubballi, Kochi, Maihar, Medikeri, Muzaffarnagar, Nagpur, Ramanagara, Ratlam, Rupnagar, Shillong, Udupi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Charkhi Dadri	Moderate	140	PM <sub>10</sub>	1
26	Chennai	Good	49	PM <sub>10</sub> , O <sub>3</sub> , PM <sub>2.5</sub>	7
27	Chikkaballapur	Satisfactory	79	PM <sub>10</sub>	1
28	Chikkamagaluru	Satisfactory	73	PM <sub>2.5</sub>	1
29	Damoh	Satisfactory	64	PM <sub>10</sub>	1
30	Davanagere	Moderate	108	PM <sub>10</sub>	1
31	Delhi	Poor	207	PM <sub>10</sub> , PM <sub>2.5</sub>	37
32	Dewas	Moderate	122	PM <sub>10</sub>	1
33	Dharuhera	Poor	217	PM <sub>10</sub>	1
34	Durgapur	Moderate	186	PM <sub>10</sub>	1
35	Eloor	Good	47	со	1
36	Ernakulam	Satisfactory	76	PM <sub>10</sub>	1

#### Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Agartala, Ankleshwar, Bidar, Coimbatore, Gadag, Haldia, Hubballi, Kochi, Maihar, Medikeri, Muzaffarnagar, Nagpur, Ramanagara, Ratlam, Rupnagar, Shillong, Udupi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Faridabad	Moderate	174	PM <sub>2.5</sub> , PM <sub>10</sub>	4
38	Fatehabad	Moderate	121	PM <sub>10</sub>	1
39	Gandhinagar	Satisfactory	74	PM <sub>10</sub>	1
40	Gaya	Moderate	154	03	1
41	Ghaziabad	Poor	230	PM <sub>10</sub> , PM <sub>2.5</sub>	3
42	Greater Noida	Moderate	196	PM <sub>2.5</sub>	2
43	Gummidipoondi	Satisfactory	82	PM <sub>10</sub>	1
44	Gurugram	Poor	204	PM <sub>2.5</sub> , PM <sub>10</sub>	4
45	Guwahati	Moderate	101	PM <sub>10</sub>	2
46	Gwalior	Moderate	142	PM <sub>10</sub>	1
47	Hajipur	Moderate	165	PM <sub>10</sub>	1
48	Hapur	Moderate	172	PM <sub>10</sub>	1

#### Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Agartala, Ankleshwar, Bidar, Coimbatore, Gadag, Haldia, Hubballi, Kochi, Maihar, Medikeri, Muzaffarnagar, Nagpur, Ramanagara, Ratlam, Rupnagar, Shillong, Udupi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hisar	Poor	253	PM <sub>2.5</sub>	1
50	Howrah	Moderate	134	PM <sub>2.5</sub> , PM <sub>10</sub>	3
51	Hyderabad	Moderate	115	PM <sub>10</sub>	4
52	Indore	Moderate	132	PM <sub>10</sub>	1
53	Jabalpur	Moderate	125	PM <sub>10</sub>	1
54	Jaipur	Moderate	139	PM <sub>2.5</sub> , PM <sub>10</sub>	3
55	Jalandhar	Good	48	PM <sub>10</sub>	1
56	Jind	Poor	223	PM <sub>2.5</sub>	1
57	Jodhpur	Moderate	176	PM <sub>10</sub>	1
58	Jorapokhar	Moderate	128	PM <sub>10</sub>	1
59	Kaithal	Moderate	136	PM <sub>10</sub>	1
60	Kalaburgi	Moderate	102	PM <sub>10</sub>	1

#### Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Agartala, Ankleshwar, Bidar, Coimbatore, Gadag, Haldia, Hubballi, Kochi, Maihar, Medikeri, Muzaffarnagar, Nagpur, Ramanagara, Ratlam, Rupnagar, Shillong, Udupi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kalyan	Moderate	180	PM <sub>10</sub>	1
62	Kannur	Satisfactory	98	PM <sub>10</sub>	1
63	Kanpur	Moderate	176	PM <sub>2.5</sub>	2
64	Karnal	Moderate	158	PM <sub>2.5</sub>	1
65	Katni	Moderate	186	PM <sub>10</sub>	1
66	Khanna	Satisfactory	57	PM <sub>10</sub>	1
67	Kohima	Satisfactory	99	PM <sub>10</sub>	1
68	Kolar	Satisfactory	60	СО	1
69	Kolkata	Moderate	133	PM <sub>2.5</sub> , PM <sub>10</sub>	5
70	Kollam	Moderate	127	PM <sub>2.5</sub>	1
71	Koppal	Moderate	109	PM <sub>10</sub>	1
72	Kota	Satisfactory	82	PM <sub>10</sub>	1

#### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Agartala, Ankleshwar, Bidar, Coimbatore, Gadag, Haldia, Hubballi, Kochi, Maihar, Medikeri, Muzaffarnagar, Nagpur, Ramanagara, Ratlam, Rupnagar, Shillong, Udupi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kozhikode	Satisfactory	80	PM <sub>10</sub>	1
74	Kurukshetra	Moderate	117	PM <sub>10</sub>	1
75	Lucknow	Poor	216	PM <sub>2.5</sub> , PM <sub>10</sub>	4
76	Ludhiana	Moderate	105	PM <sub>10</sub>	1
77	Mandi Gobindgarh	Good	46	PM <sub>10</sub>	1
78	Mandideep	Satisfactory	62	NO <sub>2</sub>	1
79	Mandikhera	Moderate	112	PM <sub>2.5</sub>	1
80	Manesar	Poor	253	PM <sub>2.5</sub>	1
81	Manglore	Moderate	143	NO <sub>2</sub>	1
82	Meerut	Poor	244	PM <sub>2.5</sub>	2
83	Moradabad	Poor	260	PM <sub>2.5</sub>	1
84	Mumbai	Moderate	110	PM <sub>2.5</sub> , PM <sub>10</sub>	19

#### Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Agartala, Ankleshwar, Bidar, Coimbatore, Gadag, Haldia, Hubballi, Kochi, Maihar, Medikeri, Muzaffarnagar, Nagpur, Ramanagara, Ratlam, Rupnagar, Shillong, Udupi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Muzaffarpur	Moderate	185	PM <sub>2.5</sub>	1
86	Mysuru	Satisfactory	72	PM <sub>10</sub>	1
87	Nandesari	Moderate	106	со	1
88	Narnaul	Moderate	116	PM <sub>10</sub>	1
89	Nashik	Satisfactory	66	PM <sub>2.5</sub>	1
90	Navi Mumbai	Moderate	176	PM <sub>2.5</sub> , PM <sub>10</sub>	3
91	Noida	Moderate	192	PM <sub>2.5</sub> , PM <sub>10</sub>	4
92	Pali	Moderate	186	PM <sub>2.5</sub>	1
93	Palwal	Satisfactory	52	СО	1
94	Panchkula	Moderate	164	03	1
95	Panipat	Severe	415	PM <sub>10</sub>	1
96	Patiala	Satisfactory	82	PM <sub>10</sub>	1

#### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Agartala, Ankleshwar, Bidar, Coimbatore, Gadag, Haldia, Hubballi, Kochi, Maihar, Medikeri, Muzaffarnagar, Nagpur, Ramanagara, Ratlam, Rupnagar, Shillong, Udupi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Patna	Moderate	194	PM <sub>2.5</sub> , PM <sub>10</sub>	5
98	Pithampur	Moderate	117	PM <sub>10</sub>	1
99	Puducherry	Good	27	PM <sub>10</sub>	1
100	Pune	Satisfactory	96	CO, PM <sub>2.5</sub> , PM <sub>10</sub>	6
101	Raichur	Moderate	133	PM <sub>10</sub>	1
102	Rajamahendravaram	Good	42	PM <sub>10</sub>	1
103	Rohtak	Moderate	140	PM <sub>2.5</sub>	1
104	Sagar	Moderate	145	PM <sub>10</sub>	1
105	Satna	Satisfactory	90	PM <sub>10</sub>	1
106	Shivamogga	Satisfactory	56	O <sub>3</sub>	1
107	Siliguri	Moderate	165	PM <sub>2.5</sub>	1
108	Singrauli	Poor	252	PM <sub>2.5</sub>	1

#### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Agartala, Ankleshwar, Bidar, Coimbatore, Gadag, Haldia, Hubballi, Kochi, Maihar, Medikeri, Muzaffarnagar, Nagpur, Ramanagara, Ratlam, Rupnagar, Shillong, Udupi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Sirsa	Moderate	122	PM <sub>10</sub>	1
110	Solapur	Moderate	146	PM <sub>10</sub>	1
111	Sonipat	Poor	220	PM <sub>10</sub>	1
112	Srinagar	Good	44	PM <sub>2.5</sub>	1
113	Talcher	Moderate	167	PM <sub>2.5</sub>	1
114	Thane	Moderate	199	03	1
115	Thiruvananthapuram	Satisfactory	88	PM <sub>10</sub>	2
116	Thoothukudi	Good	45	PM <sub>10</sub>	1
117	Thrissur	Satisfactory	89	PM <sub>2.5</sub>	1
118	Tirupati	Satisfactory	58	PM <sub>10</sub>	1
119	Udaipur	Moderate	110	PM <sub>10</sub>	1
120	Ujjain	Moderate	127	PM <sub>10</sub>	1

#### Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Agartala, Ankleshwar, Bidar, Coimbatore, Gadag, Haldia, Hubballi, Kochi, Maihar, Medikeri, Muzaffarnagar, Nagpur, Ramanagara, Ratlam, Rupnagar, Shillong, Udupi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Vapi	Satisfactory	98	PM <sub>10</sub>	1
122	Varanasi	Poor	231	PM <sub>2.5</sub>	1
123	Vatva	Moderate	177	PM <sub>10</sub>	1
124	Visakhapatnam	Satisfactory	78	PM <sub>10</sub>	1
125	Yadgir	Moderate	108	O <sub>3</sub>	1
126	Yamunanagar	Moderate	130	PM <sub>2.5</sub>	1

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Agartala, Ankleshwar, Bidar, Coimbatore, Gadag, Haldia, Hubballi, Kochi, Maihar, Medikeri, Muzaffarnagar, Nagpur, Ramanagara, Ratlam, Rupnagar, Shillong, Udupi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.