

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	278	PM <sub>2.5</sub>	1
2	Agra	Poor	299	PM <sub>10</sub> , PM <sub>2.5</sub>	5
3	Ahmedabad	Moderate	196	NO <sub>2</sub> , PM <sub>2.5</sub> , PM <sub>10</sub>	9
4	Aizawl	Good	37	PM <sub>10</sub>	1
5	Ajmer	Moderate	144	PM <sub>2.5</sub>	1
6	Alwar	Moderate	108	PM <sub>10</sub>	1
7	Amaravati	Moderate	163	PM <sub>2.5</sub>	1
8	Ambala	Very Poor	309	PM <sub>2.5</sub>	1
9	Amritsar	Poor	207	PM <sub>2.5</sub>	1
10	Ankleshwar	Poor	259	PM <sub>2.5</sub>	1
11	Araria	Poor	253	PM <sub>2.5</sub>	1
12	Arrah	Severe	414	PM <sub>2.5</sub>	1

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Asansol, Bathinda, Bettiah, Buxar, Chamarajanagar, Gadag, Gummidipoondi, Jorapokhar, Kolar, Manguraha, Rajgir, Satna, Solapur, Srinagar, Thrissur, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Aurangabad	Moderate	128	PM <sub>10</sub>	1
14	Bagalkot	Satisfactory	57	PM <sub>2.5</sub>	1
15	Baghpat	Very Poor	344	PM <sub>2.5</sub>	1
16	Bahadurgarh	Very Poor	350	PM <sub>2.5</sub>	1
17	Ballabgarh	Very Poor	370	PM <sub>2.5</sub>	1
18	Bengaluru	Moderate	152	PM <sub>2.5</sub> , PM <sub>10</sub>	9
19	Bhagalpur	Very Poor	341	PM <sub>2.5</sub>	2
20	Bhilai	Satisfactory	60	PM <sub>10</sub>	1
21	Bhiwadi	Very Poor	326	PM <sub>10</sub>	1
22	Bhiwani	Very Poor	318	PM <sub>2.5</sub>	1
23	Bhopal	Moderate	159	PM <sub>2.5</sub>	1
24	Bidar	Moderate	114	PM <sub>10</sub>	1

## Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Asansol, Bathinda, Bettiah, Buxar, Chamarajanagar, Gadag, Gummidipoondi, Jorapokhar, Kolar, Manguraha, Rajgir, Satna, Solapur, Srinagar, Thrissur, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bihar Sharif	Very Poor	383	PM <sub>10</sub>	1
26	Bilaspur	Satisfactory	86	PM <sub>10</sub>	1
27	Brajrajnagar	Satisfactory	91	PM <sub>10</sub>	1
28	Bulandshahr	Very Poor	377	PM <sub>2.5</sub>	1
29	Chandigarh	Moderate	158	PM <sub>2.5</sub> , PM <sub>10</sub>	2
30	Chandrapur	Moderate	174	PM <sub>10</sub> , PM <sub>2.5</sub>	2
31	Charkhi Dadri	Poor	293	PM <sub>2.5</sub>	1
32	Chennai	Moderate	149	PM <sub>2.5</sub> , O <sub>3</sub> , PM <sub>10</sub>	8
33	Chhapra	Very Poor	389	PM <sub>2.5</sub>	1
34	Chikkaballapur	Moderate	112	PM <sub>2.5</sub>	1
35	Chikkamagaluru	Satisfactory	87	PM <sub>2.5</sub>	1
36	Coimbatore	Moderate	134	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Asansol, Bathinda, Bettiah, Buxar, Chamarajanagar, Gadag, Gummidipoondi, Jorapokhar, Kolar, Manguraha, Rajgir, Satna, Solapur, Srinagar, Thrissur, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Damoh	Moderate	171	PM <sub>2.5</sub>	1
38	Darbhanga	Very Poor	389	PM <sub>2.5</sub>	1
39	Davanagere	Moderate	109	PM <sub>10</sub>	1
40	Delhi	Severe	407	PM <sub>2.5</sub>	36
41	Dewas	Satisfactory	83	PM <sub>10</sub>	1
42	Dharuhera	Very Poor	344	PM <sub>2.5</sub>	1
43	Durgapur	Very Poor	325	PM <sub>10</sub>	1
44	Eloor	Satisfactory	70	PM <sub>10</sub>	1
45	Ernakulam	Moderate	181	PM <sub>2.5</sub>	1
46	Faridabad	Severe	406	PM <sub>2.5</sub> , PM <sub>10</sub>	4
47	Fatehabad	Poor	214	PM <sub>2.5</sub>	1
48	Firozabad	Very Poor	320	PM <sub>2.5</sub>	1

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Asansol, Bathinda, Bettiah, Buxar, Chamarajanagar, Gadag, Gummidipoondi, Jorapokhar, Kolar, Manguraha, Rajgir, Satna, Solapur, Srinagar, Thrissur, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Gandhinagar	Moderate	133	PM <sub>2.5</sub> , PM <sub>10</sub>	3
50	Gaya	Poor	240	PM <sub>2.5</sub>	3
51	Ghaziabad	Very Poor	382	PM <sub>2.5</sub>	4
52	Gorakhpur	Poor	235	PM <sub>2.5</sub>	1
53	Greater Noida	Very Poor	383	PM <sub>2.5</sub>	2
54	Gurugram	Very Poor	357	PM <sub>2.5</sub>	4
55	Guwahati	Poor	245	PM <sub>2.5</sub>	2
56	Gwalior	Poor	282	PM <sub>2.5</sub>	1
57	Hajipur	Poor	244	PM <sub>2.5</sub>	1
58	Haldia	Moderate	130	PM <sub>10</sub>	1
59	Hapur	Very Poor	361	PM <sub>2.5</sub>	1
60	Hassan	Satisfactory	99	PM <sub>10</sub>	1

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Asansol, Bathinda, Bettiah, Buxar, Chamarajanagar, Gadag, Gummidipoondi, Jorapokhar, Kolar, Manguraha, Rajgir, Satna, Solapur, Srinagar, Thrissur, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hisar	Very Poor	349	PM <sub>2.5</sub>	1
62	Howrah	Poor	273	PM <sub>2.5</sub>	3
63	Hubballi	Poor	232	PM <sub>2.5</sub>	1
64	Hyderabad	Moderate	143	PM <sub>2.5</sub>	4
65	Indore	Poor	240	PM <sub>2.5</sub>	1
66	Jabalpur	Moderate	186	PM <sub>10</sub>	1
67	Jaipur	Poor	237	PM <sub>2.5</sub> , PM <sub>10</sub>	3
68	Jalandhar	Poor	233	PM <sub>2.5</sub>	1
69	Jind	Very Poor	319	PM <sub>2.5</sub>	1
70	Jodhpur	Very Poor	304	PM <sub>2.5</sub>	1
71	Kaithal	Very Poor	318	PM <sub>2.5</sub>	1
72	Kalaburgi	Poor	221	PM <sub>2.5</sub>	1

## Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Asansol, Bathinda, Bettiah, Buxar, Chamarajanagar, Gadag, Gummidipoondi, Jorapokhar, Kolar, Manguraha, Rajgir, Satna, Solapur, Srinagar, Thrissur, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kalyan	Very Poor	301	PM <sub>2.5</sub>	1
74	Kannur	Moderate	120	PM <sub>2.5</sub>	1
75	Kanpur	Poor	263	PM <sub>2.5</sub>	3
76	Karnal	Poor	245	PM <sub>2.5</sub>	1
77	Katihar	Very Poor	337	PM <sub>2.5</sub>	1
78	Katni	Poor	269	PM <sub>2.5</sub>	1
79	Khanna	Poor	231	PM <sub>2.5</sub>	1
80	Kishanganj	Very Poor	361	PM <sub>2.5</sub>	1
81	Kochi	Satisfactory	59	со	1
82	Kohima	Satisfactory	78	PM <sub>10</sub>	1
83	Kolkata	Poor	246	PM <sub>2.5</sub>	7
84	Kollam	Moderate	172	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Asansol, Bathinda, Bettiah, Buxar, Chamarajanagar, Gadag, Gummidipoondi, Jorapokhar, Kolar, Manguraha, Rajgir, Satna, Solapur, Srinagar, Thrissur, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Koppal	Satisfactory	69	PM <sub>10</sub>	1
86	Kota	Poor	205	PM <sub>2.5</sub>	1
87	Kozhikode	Good	50	PM <sub>10</sub>	1
88	Kurukshetra	Very Poor	314	PM <sub>2.5</sub>	1
89	Lucknow	Poor	239	PM <sub>2.5</sub> , PM <sub>10</sub>	6
90	Ludhiana	Poor	254	PM <sub>2.5</sub>	1
91	Madikeri	Satisfactory	69	PM <sub>10</sub>	1
92	Maihar	Satisfactory	71	со	1
93	Mandi Gobindgarh	Poor	254	PM <sub>2.5</sub>	1
94	Mandideep	Poor	229	PM <sub>10</sub>	1
95	Mandikhera	Poor	209	PM <sub>2.5</sub>	1
96	Manesar	Very Poor	367	PM <sub>2.5</sub>	1

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Asansol, Bathinda, Bettiah, Buxar, Chamarajanagar, Gadag, Gummidipoondi, Jorapokhar, Kolar, Manguraha, Rajgir, Satna, Solapur, Srinagar, Thrissur, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Manglore	Good	49	PM <sub>2.5</sub>	1
98	Meerut	Very Poor	378	PM <sub>2.5</sub>	2
99	Moradabad	Poor	220	PM <sub>2.5</sub>	3
100	Motihari	Very Poor	310	PM <sub>2.5</sub>	1
101	Mumbai	Poor	230	PM <sub>2.5</sub>	20
102	Munger	Very Poor	305	PM <sub>2.5</sub>	1
103	Muzaffarnagar	Very Poor	315	PM <sub>2.5</sub>	1
104	Muzaffarpur	Very Poor	363	PM <sub>2.5</sub>	3
105	Mysuru	Satisfactory	74	PM <sub>10</sub>	1
106	Nagpur	Moderate	104	со	1
107	Naharlagun	Poor	237	03	1
108	Nandesari	Satisfactory	100	СО	1

## Possible Health Impacts

Severe

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Asansol, Bathinda, Bettiah, Buxar, Chamarajanagar, Gadag, Gummidipoondi, Jorapokhar, Kolar, Manguraha, Rajgir, Satna, Solapur, Srinagar, Thrissur, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Narnaul	Poor	278	PM <sub>2.5</sub>	1
110	Nashik	Moderate	137	PM <sub>2.5</sub>	1
111	Navi Mumbai	Very Poor	302	PM <sub>2.5</sub>	3
112	Noida	Very Poor	395	PM <sub>10</sub> , PM <sub>2.5</sub>	4
113	Pali	Moderate	161	PM <sub>2.5</sub>	1
114	Palwal	Poor	278	PM <sub>10</sub>	1
115	Panchkula	Moderate	140	PM <sub>2.5</sub>	1
116	Panipat	Very Poor	344	PM <sub>2.5</sub>	1
117	Patiala	Poor	274	PM <sub>2.5</sub>	1
118	Patna	Very Poor	311	PM <sub>2.5</sub> , PM <sub>10</sub>	6
119	Pithampur	Moderate	131	PM <sub>2.5</sub>	1
120	Prayagraj	Poor	209	PM <sub>2.5</sub>	3

## Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Asansol, Bathinda, Bettiah, Buxar, Chamarajanagar, Gadag, Gummidipoondi, Jorapokhar, Kolar, Manguraha, Rajgir, Satna, Solapur, Srinagar, Thrissur, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Puducherry	Moderate	137	PM <sub>2.5</sub>	1
122	Pune	Moderate	197	PM <sub>2.5</sub>	3
123	Purnia	Very Poor	326	PM <sub>2.5</sub>	1
124	Raichur	Poor	246	PM <sub>2.5</sub>	1
125	Rajamahendravaram	Poor	232	PM <sub>2.5</sub>	1
126	Ramanagara	Moderate	105	PM <sub>2.5</sub>	1
127	Ratlam	Moderate	154	PM <sub>10</sub>	1
128	Rohtak	Poor	281	PM <sub>2.5</sub>	1
129	Rupnagar	Poor	266	PM <sub>10</sub>	1
130	Sagar	Moderate	108	PM <sub>10</sub>	1
131	Saharsa	Poor	222	PM <sub>2.5</sub>	1
132	Sasaram	Very Poor	309	PM <sub>2.5</sub>	1

## Possible Health Impacts

Severe

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Asansol, Bathinda, Bettiah, Buxar, Chamarajanagar, Gadag, Gummidipoondi, Jorapokhar, Kolar, Manguraha, Rajgir, Satna, Solapur, Srinagar, Thrissur, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Shillong	Good	19	PM <sub>2.5</sub>	1
134	Shivamogga	Good	48	PM <sub>10</sub>	1
135	Siliguri	Moderate	119	PM <sub>10</sub>	1
136	Singrauli	Poor	288	PM <sub>2.5</sub>	1
137	Sirsa	Moderate	182	PM <sub>2.5</sub>	1
138	Siwan	Very Poor	366	PM <sub>2.5</sub>	1
139	Sonipat	Moderate	197	PM <sub>10</sub>	1
140	Talcher	Moderate	145	PM <sub>2.5</sub>	1
141	Thane	Poor	271	PM <sub>10</sub>	1
142	Thiruvananthapuram	Moderate	128	PM <sub>2.5</sub> , PM <sub>10</sub>	2
143	Thoothukudi	Satisfactory	79	PM <sub>10</sub>	1
144	Tirupati	Moderate	166	PM <sub>2.5</sub>	1

## Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Asansol, Bathinda, Bettiah, Buxar, Chamarajanagar, Gadag, Gummidipoondi, Jorapokhar, Kolar, Manguraha, Rajgir, Satna, Solapur, Srinagar, Thrissur, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Udaipur	Moderate	175	PM <sub>2.5</sub>	1
146	Udupi	Good	49	O <sub>3</sub>	1
147	Ujjain	Poor	231	PM <sub>10</sub>	1
148	Varanasi	Moderate	166	PM <sub>2.5</sub>	4
149	Vatva	Poor	277	PM <sub>2.5</sub>	1
150	Vijayapura	Satisfactory	75	PM <sub>2.5</sub>	1
151	Visakhapatnam	Moderate	195	PM <sub>2.5</sub>	1
152	Vrindavan	Poor	272	PM <sub>2.5</sub>	1
153	Yadgir	Moderate	139	PM <sub>2.5</sub>	1
154	Yamunanagar	Very Poor	346	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Asansol, Bathinda, Bettiah, Buxar, Chamarajanagar, Gadag, Gummidipoondi, Jorapokhar, Kolar, Manguraha, Rajgir, Satna, Solapur, Srinagar, Thrissur, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.