



Air Quality Index on Jan 17, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	170	PM ₁₀ , PM _{2.5}	2
2	Agra	Satisfactory	72	PM ₁₀	6
3	Ahmedabad	Moderate	132	PM _{2.5} , PM ₁₀	5
4	Aizawl	Moderate	102	PM ₁₀	1
5	Ajmer	Moderate	107	PM _{2.5}	1
6	Alwar	Satisfactory	92	PM _{2.5}	1
7	Amaravati	Satisfactory	68	PM _{2.5}	1
8	Ambala	Satisfactory	98	PM ₁₀	1
9	Amritsar	Moderate	150	PM _{2.5}	1
10	Anantapur	Satisfactory	62	O ₃	1
11	Araria	Very Poor	348	PM _{2.5}	1
12	Ariyalur	Moderate	110	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ankleshwar, Bathinda, Bihar Sharif, Bilaspur, Buxar, Chengalpattu, Chhal, Chikkamagaluru, Darbhanga, Dehradun, Dharwad, Ernakulam, Hisar, Jorapokhar, Kanchipuram, Katni, Kolar, Ooty, Pune, Sasaram, Silchar, Solapur, Srinagar, Tumakuru, Udupi, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jan 17, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Arrah	Poor	282	PM _{2.5}	1
14	Asansol	Poor	207	PM _{2.5}	1
15	Aurangabad (Bihar)	Very Poor	315	PM _{2.5}	1
16	Aurangabad (Maharashtra)	Moderate	162	PM _{2.5}	1
17	Baddi	Poor	289	PM _{2.5}	1
18	Bagalkot	Satisfactory	62	O ₃	1
19	Baghpat	Poor	259	PM _{2.5}	1
20	Bahadurgarh	Moderate	163	PM _{2.5}	1
21	Ballabgarh	Poor	201	PM _{2.5}	1
22	Bareilly	Moderate	133	PM _{2.5}	2
23	Baripada	Poor	264	PM _{2.5}	1
24	Begusarai	Severe	406	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ankleshwar, Bathinda, Bihar Sharif, Bilaspur, Buxar, Chengalpattu, Chhal, Chikkamagaluru, Darbhanga, Dehradun, Dharwad, Ernakulam, Hisar, Jorapokhar, Kanchipuram, Katni, Kolar, Ooty, Pune, Sasaram, Silchar, Solapur, Srinagar, Tumakuru, Udupi, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jan 17, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Belgaum	Moderate	198	PM _{2.5}	1
26	Bengaluru	Satisfactory	90	PM ₁₀ , CO	8
27	Bettiah	Very Poor	389	PM _{2.5}	1
28	Bhagalpur	Very Poor	316	PM _{2.5}	2
29	Bhilai	Moderate	104	PM ₁₀	2
30	Bhiwadi	Poor	217	PM _{2.5}	1
31	Bhiwani	Moderate	165	PM _{2.5}	1
32	Bhopal	Moderate	123	PM ₁₀	2
33	Bidar	Satisfactory	80	CO	1
34	Bileipada	Poor	281	PM _{2.5}	1
35	Brajrajnagar	Moderate	102	PM ₁₀	1
36	Bulandshahr	Poor	208	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ankleshwar, Bathinda, Bihar Sharif, Bilaspur, Buxar, Chengalpattu, Chhal, Chikkamagaluru, Darbhanga, Dehradun, Dharwad, Ernakulam, Hisar, Jorapokhar, Kanchipuram, Katni, Kolar, Ooty, Pune, Sasaram, Silchar, Solapur, Srinagar, Tumakuru, Udupi, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jan 17, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Byrnihat	Severe	410	PM _{2.5}	1
38	Chamarajanagar	Good	44	PM ₁₀	1
39	Chandigarh	Poor	234	PM _{2.5}	2
40	Chandrapur	Moderate	130	O ₃	2
41	Charkhi Dadri	Moderate	196	PM _{2.5}	1
42	Chennai	Satisfactory	71	PM _{2.5}	8
43	Chhapra	Very Poor	313	PM _{2.5}	1
44	Chikkaballapur	Moderate	101	PM ₁₀	1
45	Chittoor	Satisfactory	58	PM ₁₀	1
46	Coimbatore	Satisfactory	68	PM ₁₀	1
47	Damoh	Good	30	PM ₁₀	1
48	Davanagere	Satisfactory	85	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ankleshwar, Bathinda, Bihar Sharif, Bilaspur, Buxar, Chengalpattu, Chhal, Chikkamagaluru, Darbhanga, Dehradun, Dharwad, Ernakulam, Hisar, Jorapokhar, Kanchipuram, Katni, Kolar, Ooty, Pune, Sasaram, Silchar, Solapur, Srinagar, Tumakuru, Udupi, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jan 17, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Delhi	Poor	288	PM ₁₀ , PM _{2.5}	37
50	Dewas	Moderate	155	PM _{2.5}	1
51	Dharuhera	Poor	287	PM _{2.5}	1
52	Dindigul	Poor	252	NO ₂	1
53	Durgapur	Moderate	153	PM ₁₀	1
54	Eloor	Satisfactory	78	PM ₁₀	1
55	Faridabad	Very Poor	305	PM _{2.5}	4
56	Fatehabad	Moderate	132	PM ₁₀	1
57	Firozabad	Satisfactory	80	PM ₁₀	2
58	Gadag	Satisfactory	55	O ₃	1
59	Gandhinagar	Moderate	136	PM _{2.5} , PM ₁₀	3
60	Gangtok	Moderate	194	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ankleshwar, Bathinda, Bihar Sharif, Bilaspur, Buxar, Chengalpattu, Chhal, Chikkamagaluru, Darbhanga, Dehradun, Dharwad, Ernakulam, Hisar, Jorapokhar, Kanchipuram, Katni, Kolar, Ooty, Pune, Sasaram, Silchar, Solapur, Srinagar, Tumakuru, Udupi, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jan 17, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Gaya	Poor	268	PM _{2.5}	3
62	Ghaziabad	Poor	223	PM ₁₀	4
63	Gorakhpur	Moderate	133	PM ₁₀	1
64	Greater Noida	Poor	281	PM _{2.5}	2
65	Gummidipoondi	Moderate	152	PM _{2.5}	1
66	Gurugram	Poor	254	PM _{2.5}	4
67	Guwahati	Very Poor	344	PM _{2.5}	4
68	Gwalior	Poor	292	PM _{2.5}	2
69	Hajipur	Poor	238	PM _{2.5}	1
70	Haldia	Moderate	158	PM ₁₀	1
71	Hapur	Satisfactory	83	PM _{2.5}	1
72	Hassan	Satisfactory	64	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ankleshwar, Bathinda, Bihar Sharif, Bilaspur, Buxar, Chengalpattu, Chhal, Chikkamagaluru, Darbhanga, Dehradun, Dharwad, Ernakulam, Hisar, Jorapokhar, Kanchipuram, Katni, Kolar, Ooty, Pune, Sasaram, Silchar, Solapur, Srinagar, Tumakuru, Udupi, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jan 17, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Haveri	Moderate	131	PM _{2.5}	1
74	Hosur	Satisfactory	93	CO	1
75	Howrah	Poor	226	PM _{2.5}	3
76	Hubballi	Moderate	141	PM ₁₀	2
77	Hyderabad	Satisfactory	74	PM ₁₀ , CO	14
78	Imphal	Moderate	136	PM _{2.5} , SO ₂	2
79	Indore	Moderate	116	PM ₁₀	1
80	Jabalpur	Moderate	177	PM _{2.5}	1
81	Jaipur	Moderate	132	PM _{2.5} , PM ₁₀	3
82	Jalandhar	Moderate	155	PM ₁₀	1
83	Jhansi	Moderate	106	PM ₁₀	1
84	Jind	Moderate	148	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ankleshwar, Bathinda, Bihar Sharif, Bilaspur, Buxar, Chengalpattu, Chhal, Chikkamagaluru, Darbhanga, Dehradun, Dharwad, Ernakulam, Hisar, Jorapokhar, Kanchipuram, Katni, Kolar, Ooty, Pune, Sasaram, Silchar, Solapur, Srinagar, Tumakuru, Udupi, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jan 17, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Jodhpur	Moderate	130	PM ₁₀	1
86	Kaithal	Moderate	117	PM _{2.5}	1
87	Kalaburgi	Satisfactory	65	PM _{2.5}	1
88	Kalyan	Poor	209	PM ₁₀	1
89	Kannur	Satisfactory	94	PM _{2.5}	1
90	Kanpur	Moderate	137	PM _{2.5}	3
91	Karnal	Satisfactory	81	PM ₁₀	1
92	Katihar	Very Poor	373	PM _{2.5}	1
93	Keonjhar	Poor	253	PM ₁₀	1
94	Khanna	Moderate	122	PM _{2.5}	1
95	Khurja	Poor	204	PM _{2.5}	1
96	Kishanganj	Very Poor	307	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ankleshwar, Bathinda, Bihar Sharif, Bilaspur, Buxar, Chengalpattu, Chhal, Chikkamagaluru, Darbhanga, Dehradun, Dharwad, Ernakulam, Hisar, Jorapokhar, Kanchipuram, Katni, Kolar, Ooty, Pune, Sasaram, Silchar, Solapur, Srinagar, Tumakuru, Udupi, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jan 17, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Kochi	Moderate	152	PM _{2.5}	1
98	Kohima	Moderate	113	PM ₁₀	1
99	Kolkata	Moderate	182	PM _{2.5}	7
100	Kollam	Satisfactory	83	PM ₁₀	1
101	Koppal	Satisfactory	94	CO	1
102	Korba	Moderate	106	PM ₁₀	2
103	Kota	Moderate	126	PM ₁₀	1
104	Kozhikode	Satisfactory	75	PM _{2.5}	1
105	Kurukshetra	Moderate	121	PM _{2.5}	1
106	Lucknow	Moderate	176	PM _{2.5}	6
107	Ludhiana	Moderate	104	PM _{2.5}	1
108	Madikeri	Good	48	O ₃	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ankleshwar, Bathinda, Bihar Sharif, Bilaspur, Buxar, Chengalpattu, Chhal, Chikkamagaluru, Darbhanga, Dehradun, Dharwad, Ernakulam, Hisar, Jorapokhar, Kanchipuram, Katni, Kolar, Ooty, Pune, Sasaram, Silchar, Solapur, Srinagar, Tumakuru, Udupi, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jan 17, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Maihar	Good	47	PM ₁₀	1
110	Mandi Gobindgarh	Moderate	198	PM _{2.5}	1
111	Mandideep	Moderate	104	SO ₂	1
112	Mandikhera	Moderate	112	PM ₁₀	1
113	Manesar	Poor	210	PM _{2.5}	1
114	Mangalore	Moderate	114	PM ₁₀	1
115	Manguraha	Moderate	170	PM _{2.5}	1
116	Meerut	Poor	222	PM _{2.5}	3
117	Moradabad	Moderate	112	PM _{2.5}	6
118	Motihari	Poor	259	PM ₁₀	1
119	Mumbai	Poor	236	PM _{2.5} , PM ₁₀	18
120	Munger	Poor	263	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ankleshwar, Bathinda, Bihar Sharif, Bilaspur, Buxar, Chengalpattu, Chhal, Chikkamagaluru, Darbhanga, Dehradun, Dharwad, Ernakulam, Hisar, Jorapokhar, Kanchipuram, Katni, Kolar, Ooty, Pune, Sasaram, Silchar, Solapur, Srinagar, Tumakuru, Udupi, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jan 17, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Muzaffarnagar	Poor	220	PM _{2.5}	1
122	Muzaffarpur	Poor	277	PM ₁₀ , PM _{2.5}	2
123	Mysuru	Good	43	O ₃	1
124	Nagpur	Poor	221	PM _{2.5}	1
125	Naharlagun	Satisfactory	57	PM ₁₀	1
126	Nalbari	Poor	257	PM ₁₀	1
127	Nandesari	Good	35	PM _{2.5}	1
128	Narnaul	Poor	249	PM _{2.5}	1
129	Nashik	Satisfactory	99	PM _{2.5}	1
130	Navi Mumbai	Very Poor	309	PM _{2.5}	3
131	Nayagarh	Moderate	186	PM _{2.5}	1
132	Noida	Poor	250	PM _{2.5}	4

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ankleshwar, Bathinda, Bihar Sharif, Bilaspur, Buxar, Chengalpattu, Chhal, Chikkamagaluru, Darbhanga, Dehradun, Dharwad, Ernakulam, Hisar, Jorapokhar, Kanchipuram, Katni, Kolar, Ooty, Pune, Sasaram, Silchar, Solapur, Srinagar, Tumakuru, Udupi, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jan 17, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Pali	Satisfactory	100	PM ₁₀	1
134	Palwal	Satisfactory	73	PM ₁₀	1
135	Panchkula	Moderate	153	PM _{2.5}	1
136	Panipat	Moderate	126	PM ₁₀	1
137	Patiala	Satisfactory	100	PM ₁₀	1
138	Patna	Very Poor	318	PM _{2.5}	6
139	Pithampur	Moderate	155	PM _{2.5}	1
140	Prayagraj	Moderate	113	PM ₁₀	3
141	Puducherry	Good	40	O ₃	1
142	Purnia	Very Poor	367	PM _{2.5}	1
143	Raichur	Satisfactory	80	PM ₁₀	1
144	Raipur	Moderate	112	PM ₁₀	4

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ankleshwar, Bathinda, Bihar Sharif, Bilaspur, Buxar, Chengalpattu, Chhal, Chikkamagaluru, Darbhanga, Dehradun, Dharwad, Ernakulam, Hisar, Jorapokhar, Kanchipuram, Katni, Kolar, Ooty, Pune, Sasaram, Silchar, Solapur, Srinagar, Tumakuru, Udupi, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jan 17, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Rairangpur	Moderate	192	PM _{2.5}	1
146	Rajamahendravaram	Satisfactory	95	PM _{2.5}	1
147	Rajgir	Poor	295	PM _{2.5}	1
148	Ramanagara	Satisfactory	81	PM ₁₀	1
149	Ramanathapuram	Good	32	PM ₁₀	1
150	Ratlam	Satisfactory	100	PM ₁₀	1
151	Rohtak	Moderate	156	PM _{2.5}	1
152	Rourkela	Moderate	190	PM _{2.5}	3
153	Rupnagar	Poor	230	PM ₁₀	1
154	Sagar	Satisfactory	82	PM ₁₀ , CO	2
155	Saharsa	Very Poor	346	PM _{2.5}	1
156	Salem	Satisfactory	90	SO ₂	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ankleshwar, Bathinda, Bihar Sharif, Bilaspur, Buxar, Chengalpattu, Chhal, Chikkamagaluru, Darbhanga, Dehradun, Dharwad, Ernakulam, Hisar, Jorapokhar, Kanchipuram, Katni, Kolar, Ooty, Pune, Sasaram, Silchar, Solapur, Srinagar, Tumakuru, Udupi, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jan 17, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Samastipur	Very Poor	316	PM _{2.5}	1
158	Satna	Satisfactory	64	PM ₁₀	1
159	Shillong	Moderate	187	PM _{2.5}	1
160	Shivamogga	Good	39	O ₃	1
161	Siliguri	Moderate	197	PM _{2.5}	1
162	Singrauli	Poor	226	PM _{2.5}	1
163	Sirsa	Moderate	118	PM _{2.5}	1
164	Sivasagar	Good	44	PM _{2.5}	1
165	Siwan	Very Poor	346	PM _{2.5}	1
166	Sonipat	Moderate	192	PM ₁₀	1
167	Suakati	Poor	228	PM _{2.5}	1
168	Surat	Poor	248	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ankleshwar, Bathinda, Bihar Sharif, Bilaspur, Buxar, Chengalpattu, Chhal, Chikkamagaluru, Darbhanga, Dehradun, Dharwad, Ernakulam, Hisar, Jorapokhar, Kanchipuram, Katni, Kolar, Ooty, Pune, Sasaram, Silchar, Solapur, Srinagar, Tumakuru, Udupi, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jan 17, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Talcher	Moderate	103	PM _{2.5}	1
170	Tensa	Moderate	192	PM _{2.5}	1
171	Thane	Poor	258	O ₃	1
172	Thiruvananthapuram	Satisfactory	84	PM _{2.5}	2
173	Thoothukudi	Moderate	108	O ₃	1
174	Thrissur	Moderate	117	PM _{2.5}	1
175	Tirupati	Satisfactory	68	NO ₂ , PM _{2.5}	2
176	Tirupur	Good	38	O ₃	1
177	Udaipur	Moderate	164	PM _{2.5}	1
178	Ujjain	Moderate	120	PM ₁₀	1
179	Vapi	Very Poor	307	PM _{2.5}	1
180	Varanasi	Moderate	101	PM _{2.5} , PM ₁₀	4

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ankleshwar, Bathinda, Bihar Sharif, Bilaspur, Buxar, Chengalpattu, Chhal, Chikkamagaluru, Darbhanga, Dehradun, Dharwad, Ernakulam, Hisar, Jorapokhar, Kanchipuram, Katni, Kolar, Ooty, Pune, Sasaram, Silchar, Solapur, Srinagar, Tumakuru, Udupi, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jan 17, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Vatva	Moderate	109	PM ₁₀	1
182	Vijayapura	Good	46	PM ₁₀	1
183	Visakhapatnam	Moderate	117	PM _{2.5}	1
184	Vrindavan	Moderate	153	O ₃	1
185	Yadgir	Satisfactory	65	PM ₁₀	1
186	Yamunanagar	Moderate	189	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ankleshwar, Bathinda, Bihar Sharif, Bilaspur, Buxar, Chengalpattu, Chhal, Chikkamagaluru, Darbhanga, Dehradun, Dharwad, Ernakulam, Hisar, Jorapokhar, Kanchipuram, Katni, Kolar, Ooty, Pune, Sasaram, Silchar, Solapur, Srinagar, Tumakuru, Udupi, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.