

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	121	PM _{2.5}	1
2	Agra	Very Poor	364	PM _{2.5}	5
3	Ahmedabad	Moderate	181	PM _{2.5} , PM ₁₀	9
4	Aizawl	Good	31	PM ₁₀	1
5	Ajmer	Poor	203	PM _{2.5}	1
6	Alwar	Poor	232	PM _{2.5}	1
7	Amaravati	Moderate	166	PM _{2.5}	1
8	Ambala	Very Poor	324	PM _{2.5}	1
9	Amritsar	Poor	222	PM _{2.5}	1
10	Ankleshwar	Poor	270	PM _{2.5}	1
11	Araria	Poor	274	PM _{2.5}	1
12	Arrah	Very Poor	353	PM _{2.5}	1

Possible Health Impacts

Severe

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bathinda, Bidar, Chhapra, Coimbatore, Gadag, Gummidipoondi, Hajipur, Jorapokhar, Kannur, Kolar, Manguraha, Naharlagun, Narnaul, Raichur, Sirsa, Solapur, Sonipat as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Poor	289	PM _{2.5}	1
14	Aurangabad	Moderate	121	PM ₁₀	1
15	Bagalkot	Good	42	PM ₁₀	1
16	Baghpat	Very Poor	359	PM _{2.5}	1
17	Bahadurgarh	Severe	433	PM _{2.5}	1
18	Ballabgarh	Very Poor	362	PM _{2.5}	1
19	Bengaluru	Moderate	112	PM _{2.5} , PM ₁₀	7
20	Bettiah	Poor	279	PM ₁₀	1
21	Bhagalpur	Very Poor	302	PM ₁₀ , PM _{2.5}	2
22	Bhilai	Satisfactory	60	PM ₁₀	1
23	Bhiwadi	Very Poor	362	PM _{2.5}	1
24	Bhiwani	Very Poor	383	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bathinda, Bidar, Chhapra, Coimbatore, Gadag, Gummidipoondi, Hajipur, Jorapokhar, Kannur, Kolar, Manguraha, Naharlagun, Narnaul, Raichur, Sirsa, Solapur, Sonipat as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhopal	Poor	201	PM _{2.5}	1
26	Bihar Sharif	Very Poor	315	PM _{2.5}	1
27	Bilaspur	Moderate	106	PM ₁₀	1
28	Brajrajnagar	Satisfactory	92	PM ₁₀	1
29	Bulandshahr	Very Poor	397	PM _{2.5}	1
30	Buxar	Severe	414	PM ₁₀	1
31	Chamarajanagar	Satisfactory	55	PM _{2.5}	1
32	Chandigarh	Poor	212	PM _{2.5}	2
33	Chandrapur	Poor	201	PM _{2.5}	2
34	Charkhi Dadri	Very Poor	381	PM _{2.5}	1
35	Chennai	Satisfactory	87	PM _{2.5} , PM ₁₀	7
36	Chikkaballapur	Satisfactory	96	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bathinda, Bidar, Chhapra, Coimbatore, Gadag, Gummidipoondi, Hajipur, Jorapokhar, Kannur, Kolar, Manguraha, Naharlagun, Narnaul, Raichur, Sirsa, Solapur, Sonipat as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chikkamagaluru	Satisfactory	64	PM _{2.5}	1
38	Damoh	Moderate	196	PM _{2.5}	1
39	Darbhanga	Poor	238	PM _{2.5}	1
40	Davanagere	Moderate	122	PM ₁₀	1
41	Delhi	Severe	459	PM _{2.5}	35
42	Dewas	Moderate	110	PM _{2.5}	1
43	Dharuhera	Very Poor	372	PM _{2.5}	1
44	Durgapur	Poor	299	PM ₁₀	1
45	Eloor	Satisfactory	70	PM ₁₀	1
46	Ernakulam	Moderate	190	PM _{2.5}	1
47	Faridabad	Severe	447	PM _{2.5} , PM ₁₀	3
48	Fatehabad	Very Poor	310	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bathinda, Bidar, Chhapra, Coimbatore, Gadag, Gummidipoondi, Hajipur, Jorapokhar, Kannur, Kolar, Manguraha, Naharlagun, Narnaul, Raichur, Sirsa, Solapur, Sonipat as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Firozabad	Very Poor	359	PM _{2.5}	1
50	Gandhinagar	Moderate	157	PM _{2.5}	3
51	Gaya	Poor	286	PM _{2.5}	2
52	Ghaziabad	Severe	429	PM _{2.5}	4
53	Gorakhpur	Moderate	131	PM _{2.5}	1
54	Greater Noida	Severe	426	PM _{2.5}	2
55	Gurugram	Very Poor	375	PM _{2.5}	3
56	Guwahati	Moderate	174	PM _{2.5}	2
57	Gwalior	Poor	244	PM _{2.5} , PM ₁₀	2
58	Haldia	Moderate	164	PM _{2.5}	1
59	Hapur	Very Poor	384	PM _{2.5}	1
60	Hassan	Satisfactory	84	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bathinda, Bidar, Chhapra, Coimbatore, Gadag, Gummidipoondi, Hajipur, Jorapokhar, Kannur, Kolar, Manguraha, Naharlagun, Narnaul, Raichur, Sirsa, Solapur, Sonipat as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hisar	Severe	401	PM _{2.5}	1
62	Howrah	Poor	285	PM _{2.5}	3
63	Hubballi	Poor	222	PM _{2.5}	1
64	Hyderabad	Moderate	174	PM _{2.5} , PM ₁₀	6
65	Indore	Moderate	122	PM ₁₀	1
66	Jabalpur	Poor	258	PM _{2.5}	1
67	Jaipur	Poor	220	PM _{2.5}	2
68	Jalandhar	Poor	243	PM _{2.5}	1
69	Jind	Severe	424	PM _{2.5}	1
70	Jodhpur	Moderate	170	PM _{2.5}	1
71	Kaithal	Very Poor	341	PM _{2.5}	1
72	Kalaburgi	Poor	253	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bathinda, Bidar, Chhapra, Coimbatore, Gadag, Gummidipoondi, Hajipur, Jorapokhar, Kannur, Kolar, Manguraha, Naharlagun, Narnaul, Raichur, Sirsa, Solapur, Sonipat as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kalyan	Poor	208	PM _{2.5}	1
74	Kanpur	Moderate	167	PM _{2.5} , NO ₂	3
75	Karnal	Poor	272	PM _{2.5}	1
76	Katihar	Moderate	158	PM ₁₀	1
77	Katni	Poor	242	PM _{2.5}	1
78	Khanna	Poor	259	PM _{2.5}	1
79	Kishanganj	Very Poor	341	PM _{2.5}	1
80	Kochi	Satisfactory	93	PM _{2.5}	1
81	Kohima	Good	45	PM ₁₀	1
82	Kolkata	Poor	253	PM _{2.5} , PM ₁₀	7
83	Kollam	Moderate	136	PM ₁₀	1
84	Koppal	Satisfactory	85	03	1

Possible Health Impacts

Severe

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bathinda, Bidar, Chhapra, Coimbatore, Gadag, Gummidipoondi, Hajipur, Jorapokhar, Kannur, Kolar, Manguraha, Naharlagun, Narnaul, Raichur, Sirsa, Solapur, Sonipat as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kota	Poor	271	PM _{2.5}	1
86	Kozhikode	Good	40	PM ₁₀	1
87	Kurukshetra	Very Poor	334	PM _{2.5}	1
88	Lucknow	Poor	298	PM _{2.5} , PM ₁₀	6
89	Ludhiana	Very Poor	306	PM _{2.5}	1
90	Madikeri	Satisfactory	77	PM ₁₀	1
91	Maihar	Satisfactory	90	PM _{2.5}	1
92	Mandi Gobindgarh	Poor	266	PM _{2.5}	1
93	Mandideep	Moderate	150	PM _{2.5}	1
94	Mandikhera	Poor	230	PM _{2.5}	1
95	Manesar	Severe	414	PM _{2.5}	1
96	Manglore	Good	49	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bathinda, Bidar, Chhapra, Coimbatore, Gadag, Gummidipoondi, Hajipur, Jorapokhar, Kannur, Kolar, Manguraha, Naharlagun, Narnaul, Raichur, Sirsa, Solapur, Sonipat as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Meerut	Very Poor	389	PM ₁₀ , PM _{2.5}	3
98	Moradabad	Poor	267	PM _{2.5}	3
99	Motihari	Poor	227	PM _{2.5}	1
100	Mumbai	Moderate	182	PM _{2.5}	17
101	Munger	Poor	257	PM ₁₀	1
102	Muzaffarnagar	Very Poor	351	PM _{2.5}	1
103	Muzaffarpur	Very Poor	312	PM _{2.5}	3
104	Mysuru	Satisfactory	81	O ₃	1
105	Nagpur	Moderate	101	СО	1
106	Nandesari	Moderate	109	со	1
107	Nashik	Satisfactory	74	PM _{2.5}	1
108	Navi Mumbai	Poor	204	PM _{2.5} , CO	3

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bathinda, Bidar, Chhapra, Coimbatore, Gadag, Gummidipoondi, Hajipur, Jorapokhar, Kannur, Kolar, Manguraha, Naharlagun, Narnaul, Raichur, Sirsa, Solapur, Sonipat as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Noida	Severe	435	PM _{2.5}	3
110	Pali	Moderate	148	PM _{2.5}	1
111	Palwal	Poor	240	PM ₁₀	1
112	Panchkula	Moderate	198	PM _{2.5}	1
113	Panipat	Severe	424	PM ₁₀	1
114	Patiala	Poor	255	PM _{2.5}	1
115	Patna	Poor	295	PM _{2.5} , PM ₁₀	6
116	Pithampur	Moderate	137	PM _{2.5}	1
117	Prayagraj	Poor	267	PM _{2.5}	3
118	Puducherry	Satisfactory	70	PM _{2.5}	1
119	Pune	Moderate	121	PM _{2.5}	3
120	Purnia	Poor	207	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bathinda, Bidar, Chhapra, Coimbatore, Gadag, Gummidipoondi, Hajipur, Jorapokhar, Kannur, Kolar, Manguraha, Naharlagun, Narnaul, Raichur, Sirsa, Solapur, Sonipat as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Rajamahendravaram	Moderate	145	PM _{2.5}	1
122	Rajgir	Very Poor	400	PM _{2.5}	1
123	Ramanagara	Satisfactory	79	PM ₁₀	1
124	Ratlam	Moderate	122	PM ₁₀	1
125	Rohtak	Very Poor	374	PM _{2.5}	1
126	Rupnagar	Poor	278	PM ₁₀	1
127	Sagar	Satisfactory	88	PM _{2.5}	1
128	Saharsa	Poor	201	PM _{2.5}	1
129	Sasaram	Very Poor	337	PM _{2.5}	1
130	Satna	Satisfactory	69	PM ₁₀	1
131	Shillong	Good	19	PM _{2.5}	1
132	Shivamogga	Good	50	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bathinda, Bidar, Chhapra, Coimbatore, Gadag, Gummidipoondi, Hajipur, Jorapokhar, Kannur, Kolar, Manguraha, Naharlagun, Narnaul, Raichur, Sirsa, Solapur, Sonipat as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Siliguri	Moderate	112	PM ₁₀	1
134	Singrauli	Very Poor	357	PM _{2.5}	1
135	Siwan	Very Poor	355	PM _{2.5}	1
136	Srinagar	Moderate	103	PM ₁₀	1
137	Talcher	Moderate	119	NO ₂	1
138	Thane	Moderate	187	03	1
139	Thiruvananthapuram	Satisfactory	75	PM ₁₀	2
140	Thoothukudi	Good	47	PM ₁₀	1
141	Thrissur	Satisfactory	98	PM ₁₀	1
142	Tirupati	Moderate	102	PM _{2.5}	1
143	Udaipur	Moderate	178	PM _{2.5}	1
144	Udupi	Good	35	O ₃	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bathinda, Bidar, Chhapra, Coimbatore, Gadag, Gummidipoondi, Hajipur, Jorapokhar, Kannur, Kolar, Manguraha, Naharlagun, Narnaul, Raichur, Sirsa, Solapur, Sonipat as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Ujjain	Moderate	166	PM ₁₀	1
146	Vapi	Moderate	196	PM _{2.5}	1
147	Varanasi	Poor	224	PM _{2.5} , PM ₁₀	4
148	Vatva	Poor	285	PM _{2.5}	1
149	Vijayapura	Satisfactory	51	PM ₁₀	1
150	Visakhapatnam	Moderate	131	PM _{2.5}	1
151	Vrindavan	Very Poor	354	PM _{2.5}	1
152	Yadgir	Moderate	123	PM _{2.5}	1
153	Yamunanagar	Very Poor	366	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bathinda, Bidar, Chhapra, Coimbatore, Gadag, Gummidipoondi, Hajipur, Jorapokhar, Kannur, Kolar, Manguraha, Naharlagun, Narnaul, Raichur, Sirsa, Solapur, Sonipat as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.