



Air Quality Index on Jan 01, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Ahmedabad	Moderate	178	PM _{2.5}	1
2	Ajmer	Poor	214	PM _{2.5}	1
3	Alwar	Moderate	114	PM _{2.5}	1
4	Amaravati	Moderate	109	PM _{2.5}	1
5	Ambala	Poor	269	PM _{2.5}	1
6	Amritsar	Poor	218	PM _{2.5}	1
7	Asanol	Poor	251	PM _{2.5}	1
8	Aurangabad	Moderate	142	PM _{2.5}	1
9	Baghpat	Very Poor	375	PM _{2.5}	1
10	Bahadurgarh	Very Poor	334	PM _{2.5}	1
11	Ballabgarh	Very Poor	397	PM _{2.5}	1
12	Bathinda	Moderate	147	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Agra, Ankleshwar, Chikkaballapur, Haldia, Kalaburagi, Ludhiana, Maihar, Mandikhera, Moradabad, Muzaffarnagar, Shillong, Vapi, Varanasi, Vijayawada as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Jan 01, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bengaluru	Satisfactory	76	PM ₁₀ , PM _{2.5} , CO	7
14	Bhiwadi	Severe	409	PM _{2.5}	1
15	Bhiwani	Very Poor	349	PM _{2.5}	1
16	Bhopal	Poor	232	PM _{2.5}	1
17	Brajrajnagar	Moderate	121	PM _{2.5}	1
18	Bulandshahr	Very Poor	388	PM _{2.5}	1
19	Chandigarh	Moderate	127	PM ₁₀	1
20	Chandrapur	Moderate	101	PM _{2.5}	1
21	Chennai	Satisfactory	64	PM _{2.5}	4
22	Coimbatore	Satisfactory	66	PM _{2.5}	1
23	Damoh	Poor	288	PM _{2.5}	1
24	Delhi	Severe	437	PM _{2.5}	32

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Agra, Ankleshwar, Chikkaballapur, Haldia, Kalaburagi, Ludhiana, Maihar, Mandikhera, Moradabad, Muzaffarnagar, Shillong, Vapi, Varanasi, Vijayawada as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Jan 01, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Dewas	Poor	250	PM _{2.5}	1
26	Dharuhera	Very Poor	329	PM ₁₀	1
27	Eloor	Moderate	138	PM ₁₀	1
28	Faridabad	Severe	433	PM _{2.5}	1
29	Fatehabad	Moderate	159	PM _{2.5}	1
30	GandhiNagar	Satisfactory	93	PM _{2.5}	1
31	Gaya	Very Poor	375	PM _{2.5}	1
32	Ghaziabad	Severe	412	PM _{2.5} , PM ₁₀	4
33	Greater_Noida	Severe	420	PM _{2.5}	2
34	Gurugram	Severe	416	PM _{2.5}	1
35	Guwahati	Poor	296	PM _{2.5}	1
36	Hapur	Poor	270	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Agra, Ankleshwar, Chikkaballapur, Haldia, Kalaburagi, Ludhiana, Maihar, Mandikhera, Moradabad, Muzaffarnagar, Shillong, Vapi, Varanasi, Vijayawada as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpqb.nic.in>) may be referred.



Air Quality Index on Jan 01, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Hisar	Very Poor	323	PM _{2.5}	1
38	Howrah	Very Poor	315	PM _{2.5}	3
39	Hubballi	Satisfactory	88	PM ₁₀	1
40	Hyderabad	Satisfactory	81	PM _{2.5} , PM ₁₀	5
41	Indore	Poor	231	PM _{2.5}	1
42	Jabalpur	Poor	254	PM _{2.5}	1
43	Jaipur	Moderate	150	PM _{2.5} , PM ₁₀	3
44	Jalandhar	Moderate	187	PM _{2.5}	1
45	Jind	Very Poor	341	PM _{2.5}	1
46	Jodhpur	Poor	261	PM _{2.5}	1
47	Jorapokhar	Moderate	197	PM ₁₀	1
48	Kaithal	Poor	211	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Agra, Ankleshwar, Chikkaballapur, Haldia, Kalaburagi, Ludhiana, Maihar, Mandikhera, Moradabad, Muzaffarnagar, Shillong, Vapi, Varanasi, Vijayawada as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Jan 01, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Kalyan	Poor	201	PM ₁₀	1
50	Kanpur	Severe	450	PM _{2.5}	1
51	Karnal	Very Poor	322	PM _{2.5}	1
52	Katni	Poor	222	PM _{2.5}	1
53	Khanna	Moderate	119	PM ₁₀	1
54	Kolkata	Poor	260	PM _{2.5}	6
55	Kota	Poor	205	PM _{2.5}	1
56	Kurukshetra	Very Poor	301	PM _{2.5}	1
57	Lucknow	Very Poor	394	PM _{2.5}	4
58	Mandi Gobindgarh	Poor	232	PM _{2.5}	1
59	Mandideep	Moderate	105	PM ₁₀	1
60	Manesar	Very Poor	309	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Agra, Ankleshwar, Chikkaballapur, Haldia, Kalaburagi, Ludhiana, Maihar, Mandikhera, Moradabad, Muzaffarnagar, Shillong, Vapi, Varanasi, Vijayawada as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Jan 01, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Meerut	Very Poor	346	PM _{2.5} , PM ₁₀	3
62	Mumbai	Moderate	198	PM _{2.5}	10
63	Muzaffarpur	Severe	465	PM _{2.5}	1
64	Mysuru	Satisfactory	55	PM _{2.5}	1
65	Nagpur	Satisfactory	75	PM ₁₀	1
66	Narnaul	Poor	254	PM _{2.5}	1
67	Nashik	Moderate	190	PM _{2.5}	1
68	Navi Mumbai	Moderate	187	PM _{2.5} , CO	3
69	Noida	Severe	438	PM _{2.5}	4
70	Pali	Moderate	154	PM _{2.5}	1
71	Palwal	Very Poor	385	PM _{2.5}	1
72	Panchkula	Moderate	110	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Agra, Ankleshwar, Chikkaballapur, Haldia, Kalaburagi, Ludhiana, Maihar, Mandikhera, Moradabad, Muzaffarnagar, Shillong, Vapi, Varanasi, Vijayawada as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Jan 01, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Panipat	Very Poor	357	PM _{2.5}	1
74	Patiala	Moderate	155	PM _{2.5}	1
75	Patna	Very Poor	365	PM _{2.5}	4
76	Pithampur	Poor	207	PM _{2.5}	1
77	Pune	Moderate	130	PM _{2.5}	1
78	Rajamahendravaram	Moderate	102	PM _{2.5}	1
79	Ramanagara	Satisfactory	63	PM ₁₀	1
80	Ratlam	Poor	255	PM _{2.5}	1
81	Rohtak	Very Poor	370	PM _{2.5}	1
82	Rupnagar	Poor	284	PM _{2.5}	1
83	Satna	Moderate	111	PM ₁₀	1
84	Siliguri	Moderate	145	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Agra, Ankleshwar, Chikkaballapur, Haldia, Kalaburagi, Ludhiana, Maihar, Mandikhera, Moradabad, Muzaffarnagar, Shillong, Vapi, Varanasi, Vijayawada as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Jan 01, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Singrauli	Poor	278	PM _{2.5}	1
86	Sirsa	Moderate	133	PM _{2.5}	1
87	Solapur	Moderate	102	PM ₁₀	1
88	Sonipat	Very Poor	335	PM ₁₀	1
89	Talcher	Poor	293	PM _{2.5}	1
90	Thane	Satisfactory	89	PM ₁₀	1
91	Thiruvananthapuram	Satisfactory	68	PM ₁₀	1
92	Tirupati	Good	35	PM _{2.5}	1
93	Udaipur	Poor	254	PM _{2.5}	1
94	Ujjain	Very Poor	302	PM _{2.5}	1
95	Vatva	Poor	246	PM _{2.5}	1
96	Visakhapatnam	Moderate	121	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Agra, Ankleshwar, Chikkaballapur, Haldia, Kalaburagi, Ludhiana, Maihar, Mandikhera, Moradabad, Muzaffarnagar, Shillong, Vapi, Varanasi, Vijayawada as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Jan 01, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Yadgir	Satisfactory	66	PM _{2.5}	1
98	Yamunanagar	Very Poor	341	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Agra, Ankleshwar, Chikkaballapur, Haldia, Kalaburagi, Ludhiana, Maihar, Mandikhera, Moradabad, Muzaffarnagar, Shillong, Vapi, Varanasi, Vijayawada as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.