



Air Quality Index on Jan 18, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	206	PM ₁₀ , PM _{2.5}	2
2	Agra	Moderate	101	PM _{2.5} , PM ₁₀	6
3	Ahmedabad	Moderate	141	PM _{2.5}	6
4	Aizawl	Satisfactory	97	PM ₁₀	1
5	Ajmer	Moderate	123	PM ₁₀	1
6	Alwar	Moderate	103	PM _{2.5}	1
7	Amaravati	Satisfactory	67	PM _{2.5}	1
8	Ambala	Moderate	114	PM _{2.5}	1
9	Amritsar	Poor	218	PM _{2.5}	1
10	Anantapur	Satisfactory	63	O ₃	1
11	Araria	Very Poor	387	PM _{2.5}	1
12	Ariyalur	Good	44	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ankleshwar, Baghpat, Bathinda, Bihar Sharif, Bilaspur, Buxar, Chhal, Chhapra, Darbhanga, Dehradun, Dharwad, Ernakulam, Fatehabad, Hisar, Jorapokhar, Kalaburgi, Kanchipuram, Katni, Kolar, Kunjemura, Nandesari, Narnaul, Nashik, Pune, Salem, Silchar, Srinagar, Tumakuru as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jan 18, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Arrah	Very Poor	336	PM _{2.5}	1
14	Asansol	Poor	222	PM _{2.5}	1
15	Aurangabad (Bihar)	Very Poor	320	PM _{2.5}	1
16	Aurangabad (Maharashtra)	Moderate	144	PM _{2.5}	1
17	Baddi	Poor	257	PM _{2.5}	1
18	Bagalkot	Satisfactory	56	O ₃	1
19	Bahadurgarh	Poor	202	PM _{2.5}	1
20	Ballabgarh	Poor	220	PM _{2.5}	1
21	Bareilly	Moderate	126	PM ₁₀	2
22	Baripada	Poor	281	PM _{2.5}	1
23	Begusarai	Severe	437	PM _{2.5}	1
24	Belgaum	Moderate	148	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ankleshwar, Baghpat, Bathinda, Bihar Sharif, Bilaspur, Buxar, Chhal, Chhapra, Darbhanga, Dehradun, Dharwad, Ernakulam, Fatehabad, Hisar, Jorapokhar, Kalaburgi, Kanchipuram, Katni, Kolar, Kunjemura, Nandesari, Narnaul, Nashik, Pune, Salem, Silchar, Srinagar, Tumakuru as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jan 18, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bengaluru	Satisfactory	71	CO	8
26	Bettiah	Very Poor	394	PM _{2.5}	1
27	Bhagalpur	Very Poor	332	PM _{2.5}	2
28	Bhilai	Satisfactory	94	PM ₁₀	2
29	Bhiwadi	Poor	237	PM _{2.5}	1
30	Bhiwani	Moderate	183	PM _{2.5}	1
31	Bhopal	Moderate	142	PM ₁₀ , PM _{2.5}	2
32	Bidar	Satisfactory	80	CO	1
33	Bileipada	Very Poor	334	PM _{2.5}	1
34	Brajrajnagar	Satisfactory	75	PM ₁₀	1
35	Bulandshahr	Moderate	189	PM _{2.5}	1
36	Byrnihat	Severe	415	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ankleshwar, Baghpat, Bathinda, Bihar Sharif, Bilaspur, Buxar, Chhal, Chhapra, Darbhanga, Dehradun, Dharwad, Ernakulam, Fatehabad, Hisar, Jorapokhar, Kalaburgi, Kanchipuram, Katni, Kolar, Kunjemura, Nandesari, Narnaul, Nashik, Pune, Salem, Silchar, Srinagar, Tumakuru as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jan 18, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chamarajanagar	Good	41	PM ₁₀	1
38	Chandigarh	Poor	268	PM _{2.5}	2
39	Chandrapur	Moderate	128	O ₃	2
40	Charkhi Dadri	Poor	215	PM _{2.5}	1
41	Chengalpattu	Satisfactory	91	PM ₁₀	1
42	Chennai	Satisfactory	95	PM _{2.5} , PM ₁₀	8
43	Chikkaballapur	Satisfactory	70	PM ₁₀	1
44	Chikkamagaluru	Good	41	PM ₁₀	1
45	Chittoor	Satisfactory	58	PM ₁₀	1
46	Coimbatore	Satisfactory	70	PM ₁₀	1
47	Damoh	Good	43	PM _{2.5}	1
48	Davanagere	Satisfactory	62	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ankleshwar, Baghpat, Bathinda, Bihar Sharif, Bilaspur, Buxar, Chhal, Chhapra, Darbhanga, Dehradun, Dharwad, Ernakulam, Fatehabad, Hisar, Jorapokhar, Kalaburgi, Kanchipuram, Katni, Kolar, Kunjemura, Nandesari, Narnaul, Nashik, Pune, Salem, Silchar, Srinagar, Tumakuru as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jan 18, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Delhi	Very Poor	306	PM ₁₀ , PM _{2.5}	36
50	Dewas	Moderate	139	PM _{2.5}	1
51	Dharuhera	Poor	273	PM _{2.5}	1
52	Dindigul	Poor	243	NO ₂	1
53	Durgapur	Moderate	162	PM ₁₀	1
54	Eloor	Satisfactory	81	PM ₁₀	1
55	Faridabad	Very Poor	311	PM _{2.5}	4
56	Firozabad	Satisfactory	82	PM ₁₀	2
57	Gadag	Satisfactory	54	O ₃	1
58	Gandhinagar	Moderate	140	PM _{2.5} , PM ₁₀	3
59	Gangtok	Moderate	159	PM _{2.5}	1
60	Gaya	Poor	288	PM _{2.5}	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ankleshwar, Baghpat, Bathinda, Bihar Sharif, Bilaspur, Buxar, Chhal, Chhapra, Darbhanga, Dehradun, Dharwad, Ernakulam, Fatehabad, Hisar, Jorapokhar, Kalaburgi, Kanchipuram, Katni, Kolar, Kunjemura, Nandesari, Narnaul, Nashik, Pune, Salem, Silchar, Srinagar, Tumakuru as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jan 18, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Ghaziabad	Poor	253	PM ₁₀	4
62	Gorakhpur	Moderate	150	PM _{2.5}	1
63	Greater Noida	Poor	298	PM _{2.5}	2
64	Gummidipoondi	Moderate	108	PM _{2.5}	1
65	Gurugram	Poor	268	PM _{2.5}	4
66	Guwahati	Very Poor	337	PM _{2.5}	4
67	Gwalior	Poor	295	PM _{2.5}	2
68	Hajipur	Poor	260	PM ₁₀	1
69	Haldia	Moderate	171	PM ₁₀	1
70	Hapur	Satisfactory	86	PM _{2.5}	1
71	Hassan	Satisfactory	67	PM ₁₀	1
72	Haveri	Satisfactory	100	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ankleshwar, Baghpat, Bathinda, Bihar Sharif, Bilaspur, Buxar, Chhal, Chhapra, Darbhanga, Dehradun, Dharwad, Ernakulam, Fatehabad, Hisar, Jorapokhar, Kalaburgi, Kanchipuram, Katni, Kolar, Kunjemura, Nandesari, Narnaul, Nashik, Pune, Salem, Silchar, Srinagar, Tumakuru as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jan 18, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Hosur	Moderate	105	CO	1
74	Howrah	Poor	254	PM _{2.5}	3
75	Hubballi	Moderate	120	PM ₁₀	2
76	Hyderabad	Satisfactory	74	PM ₁₀ , O ₃	14
77	Imphal	Moderate	153	PM _{2.5} , SO ₂	2
78	Indore	Moderate	113	PM ₁₀	1
79	Jabalpur	Poor	209	PM _{2.5}	1
80	Jaipur	Moderate	138	PM _{2.5} , PM ₁₀	3
81	Jalandhar	Poor	248	PM _{2.5}	1
82	Jhansi	Moderate	121	PM ₁₀	1
83	Jind	Moderate	177	PM _{2.5}	1
84	Jodhpur	Moderate	134	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ankleshwar, Baghpat, Bathinda, Bihar Sharif, Bilaspur, Buxar, Chhal, Chhapra, Darbhanga, Dehradun, Dharwad, Ernakulam, Fatehabad, Hisar, Jorapokhar, Kalaburgi, Kanchipuram, Katni, Kolar, Kunjemura, Nandesari, Narnaul, Nashik, Pune, Salem, Silchar, Srinagar, Tumakuru as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jan 18, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kaithal	Moderate	151	PM _{2.5}	1
86	Kalyan	Poor	223	PM ₁₀	1
87	Kannur	Satisfactory	93	PM _{2.5}	1
88	Kanpur	Moderate	178	PM _{2.5}	3
89	Karnal	Satisfactory	91	PM ₁₀	1
90	Katihar	Severe	418	PM _{2.5}	1
91	Keonjhar	Poor	273	PM _{2.5}	1
92	Khanna	Moderate	126	PM _{2.5}	1
93	Khurja	Moderate	178	PM _{2.5}	1
94	Kishanganj	Very Poor	360	PM _{2.5}	1
95	Kochi	Moderate	161	PM _{2.5}	1
96	Kohima	Moderate	116	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ankleshwar, Baghpat, Bathinda, Bihar Sharif, Bilaspur, Buxar, Chhal, Chhapra, Darbhanga, Dehradun, Dharwad, Ernakulam, Fatehabad, Hisar, Jorapokhar, Kalaburgi, Kanchipuram, Katni, Kolar, Kunjemura, Nandesari, Narnaul, Nashik, Pune, Salem, Silchar, Srinagar, Tumakuru as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jan 18, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Kolkata	Poor	204	PM _{2.5}	7
98	Kollam	Satisfactory	84	PM ₁₀	1
99	Koppal	Moderate	106	O ₃	1
100	Korba	Moderate	124	PM ₁₀	2
101	Kota	Poor	234	O ₃	1
102	Kozhikode	Satisfactory	75	PM _{2.5}	1
103	Kurukshetra	Moderate	129	PM _{2.5}	1
104	Lucknow	Moderate	191	PM _{2.5}	6
105	Ludhiana	Moderate	171	PM _{2.5}	1
106	Madikeri	Good	50	O ₃	1
107	Maihar	Satisfactory	69	PM ₁₀	1
108	Mandi Gobindgarh	Moderate	171	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ankleshwar, Baghpat, Bathinda, Bihar Sharif, Bilaspur, Buxar, Chhal, Chhapra, Darbhanga, Dehradun, Dharwad, Ernakulam, Fatehabad, Hisar, Jorapokhar, Kalaburgi, Kanchipuram, Katni, Kolar, Kunjemura, Nandesari, Narnaul, Nashik, Pune, Salem, Silchar, Srinagar, Tumakuru as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jan 18, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Mandideep	Satisfactory	86	SO ₂	1
110	Mandikhera	Moderate	110	PM ₁₀	1
111	Manesar	Poor	256	PM _{2.5}	1
112	Mangalore	Moderate	117	PM ₁₀	1
113	Manguraha	Poor	216	PM _{2.5}	1
114	Meerut	Poor	270	PM _{2.5}	3
115	Moradabad	Moderate	119	PM _{2.5}	6
116	Motihari	Poor	300	PM ₁₀	1
117	Mumbai	Poor	264	PM _{2.5} , PM ₁₀	19
118	Munger	Very Poor	306	PM _{2.5}	1
119	Muzaffarnagar	Poor	216	PM _{2.5}	1
120	Muzaffarpur	Very Poor	316	PM ₁₀ , PM _{2.5}	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ankleshwar, Baghpat, Bathinda, Bihar Sharif, Bilaspur, Buxar, Chhal, Chhapra, Darbhanga, Dehradun, Dharwad, Ernakulam, Fatehabad, Hisar, Jorapokhar, Kalaburgi, Kanchipuram, Katni, Kolar, Kunjemura, Nandesari, Narnaul, Nashik, Pune, Salem, Silchar, Srinagar, Tumakuru as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jan 18, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Mysuru	Good	39	O ₃	1
122	Nagpur	Moderate	161	PM _{2.5}	1
123	Naharlagun	Satisfactory	82	PM _{2.5}	1
124	Nalbari	Poor	267	PM _{2.5}	1
125	Navi Mumbai	Very Poor	307	PM _{2.5}	3
126	Nayagarh	Poor	225	PM _{2.5}	1
127	Noida	Poor	269	PM _{2.5}	4
128	Ooty	Satisfactory	63	PM ₁₀	1
129	Pali	Moderate	128	PM _{2.5}	1
130	Palwal	Satisfactory	70	PM ₁₀	1
131	Panchkula	Moderate	103	PM _{2.5}	1
132	Panipat	Moderate	134	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ankleshwar, Baghpat, Bathinda, Bihar Sharif, Bilaspur, Buxar, Chhal, Chhapra, Darbhanga, Dehradun, Dharwad, Ernakulam, Fatehabad, Hisar, Jorapokhar, Kalaburgi, Kanchipuram, Katni, Kolar, Kunjemura, Nandesari, Narnaul, Nashik, Pune, Salem, Silchar, Srinagar, Tumakuru as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jan 18, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Patiala	Moderate	125	PM ₁₀	1
134	Patna	Very Poor	350	PM ₁₀ , PM _{2.5}	6
135	Pithampur	Moderate	128	PM ₁₀	1
136	Prayagraj	Moderate	145	PM ₁₀	3
137	Puducherry	Good	50	PM _{2.5}	1
138	Purnia	Very Poor	399	PM _{2.5}	1
139	Raichur	Satisfactory	75	PM ₁₀	1
140	Raipur	Moderate	103	PM ₁₀	4
141	Rairangpur	Poor	207	PM _{2.5}	1
142	Rajamahendravaram	Moderate	103	PM _{2.5}	1
143	Rajgir	Very Poor	332	PM _{2.5}	1
144	Ramanagara	Satisfactory	57	O ₃	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ankleshwar, Baghpat, Bathinda, Bihar Sharif, Bilaspur, Buxar, Chhal, Chhapra, Darbhanga, Dehradun, Dharwad, Ernakulam, Fatehabad, Hisar, Jorapokhar, Kalaburgi, Kanchipuram, Katni, Kolar, Kunjemura, Nandesari, Narnaul, Nashik, Pune, Salem, Silchar, Srinagar, Tumakuru as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jan 18, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Ramanathapuram	Good	46	PM ₁₀	1
146	Ratlam	Satisfactory	100	PM ₁₀	1
147	Rohtak	Poor	230	PM _{2.5}	1
148	Rourkela	Poor	247	PM _{2.5}	3
149	Rupnagar	Poor	254	PM ₁₀	1
150	Sagar	Moderate	145	PM _{2.5} , PM ₁₀	2
151	Saharsa	Very Poor	379	PM _{2.5}	1
152	Samastipur	Very Poor	349	PM _{2.5}	1
153	Sasaram	Poor	276	PM _{2.5}	1
154	Satna	Satisfactory	93	PM ₁₀	1
155	Shillong	Moderate	117	PM _{2.5}	1
156	Shivamogga	Good	41	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ankleshwar, Baghpat, Bathinda, Bihar Sharif, Bilaspur, Buxar, Chhal, Chhapra, Darbhanga, Dehradun, Dharwad, Ernakulam, Fatehabad, Hisar, Jorapokhar, Kalaburgi, Kanchipuram, Katni, Kolar, Kunjemura, Nandesari, Narnaul, Nashik, Pune, Salem, Silchar, Srinagar, Tumakuru as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jan 18, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Siliguri	Poor	254	PM _{2.5}	1
158	Singrauli	Poor	298	PM _{2.5}	1
159	Sirsa	Moderate	190	PM _{2.5}	1
160	Sivasagar	Satisfactory	54	PM _{2.5}	1
161	Siwan	Very Poor	395	PM _{2.5}	1
162	Solapur	Moderate	111	PM ₁₀	1
163	Sonipat	Moderate	188	PM ₁₀	1
164	Suakati	Poor	267	PM _{2.5}	1
165	Surat	Poor	253	PM _{2.5}	1
166	Talcher	Satisfactory	72	PM _{2.5}	1
167	Tensa	Poor	251	PM _{2.5}	1
168	Thane	Poor	233	O ₃	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ankleshwar, Baghpat, Bathinda, Bihar Sharif, Bilaspur, Buxar, Chhal, Chhapra, Darbhanga, Dehradun, Dharwad, Ernakulam, Fatehabad, Hisar, Jorapokhar, Kalaburgi, Kanchipuram, Katni, Kolar, Kunjemura, Nandesari, Narnaul, Nashik, Pune, Salem, Silchar, Srinagar, Tumakuru as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jan 18, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Thiruvananthapuram	Satisfactory	76	PM _{2.5}	2
170	Thoothukudi	Satisfactory	78	O ₃	1
171	Thrissur	Moderate	117	PM _{2.5}	1
172	Tirupati	Satisfactory	72	NO ₂ , PM _{2.5}	2
173	Tirupur	Good	44	PM _{2.5}	1
174	Udaipur	Moderate	195	PM _{2.5}	1
175	Udupi	Moderate	105	CO	1
176	Ujjain	Moderate	130	PM ₁₀	1
177	Vapi	Very Poor	329	PM _{2.5}	1
178	Varanasi	Moderate	121	PM _{2.5}	4
179	Vatva	Moderate	145	PM ₁₀	1
180	Vijayapura	Good	46	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ankleshwar, Baghpat, Bathinda, Bihar Sharif, Bilaspur, Buxar, Chhal, Chhapra, Darbhanga, Dehradun, Dharwad, Ernakulam, Fatehabad, Hisar, Jorapokhar, Kalaburgi, Kanchipuram, Katni, Kolar, Kunjemura, Nandesari, Narnaul, Nashik, Pune, Salem, Silchar, Srinagar, Tumakuru as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jan 18, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Visakhapatnam	Moderate	140	PM _{2.5}	1
182	Vrindavan	Satisfactory	89	O ₃	1
183	Yadgir	Satisfactory	54	PM _{2.5}	1
184	Yamunanagar	Poor	207	PM _{2.5}	1
185	vellore	Satisfactory	61	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ankleshwar, Baghpat, Bathinda, Bihar Sharif, Bilaspur, Buxar, Chhal, Chhapra, Darbhanga, Dehradun, Dharwad, Ernakulam, Fatehabad, Hisar, Jorapokhar, Kalaburgi, Kanchipuram, Katni, Kolar, Kunjemura, Nandesari, Narnaul, Nashik, Pune, Salem, Silchar, Srinagar, Tumakuru as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.