

(Average of past 24 hours)

| S.No | City | Air Quality | Index Value | Prominent Pollutant | Based on Number of Monitoring Stations |
|------|------------|--------------|-------------|---------------------|--|
| 1 | Agra | Good | 49 | SO ₂ | 1 |
| 2 | Ahmedabad | Satisfactory | 94 | PM ₁₀ | 1 |
| 3 | Aizawl | Good | 22 | SO ₂ | 1 |
| 4 | Ajmer | Satisfactory | 69 | PM ₁₀ | 1 |
| 5 | Alwar | Satisfactory | 67 | PM ₁₀ | 1 |
| 6 | Amaravati | Good | 49 | O ₃ | 1 |
| 7 | Ambala | Satisfactory | 82 | PM ₁₀ | 1 |
| 8 | Amritsar | Moderate | 160 | PM _{2.5} | 1 |
| 9 | Ankleshwar | Satisfactory | 95 | PM _{2.5} | 1 |
| 10 | Asansol | Good | 36 | PM ₁₀ | 1 |
| 11 | Aurangabad | Good | 49 | PM ₁₀ | 1 |
| 12 | Baghpat | Satisfactory | 89 | PM ₁₀ | 1 |

Possible Health Impacts

| Good | Minimal Impact |
|---|---|
| Satisfactory Minor breathing discomfort to sensitive people | |
| Moderate | Breathing discomfort to the people with lungs, asthma and heart diseases |
| Poor | Breathing discomfort to most people on prolonged exposure |
| Very Poor | Respiratory illness on prolonged exposure |
| Severe | Affects healthy people and seriously impacts those with existing diseases |

- * AQI is not calculated for today's bulletin for Bagalkot, Bhiwani, Brajrajnagar, Jorapokhar, Kanpur, Maihar, Pune, Ratlam, Rupnagar, Solapur, Tirupati, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

| S.No | City | Air Quality | Index Value | Prominent Pollutant | Based on Number of Monitoring Stations |
|------|----------------|--------------|-------------|--------------------------------------|--|
| 13 | Bahadurgarh | Satisfactory | 74 | PM ₁₀ | 1 |
| 14 | Ballabgarh | Satisfactory | 98 | со | 1 |
| 15 | Bathinda | Good | 40 | PM ₁₀ | 1 |
| 16 | Bengaluru | Satisfactory | 65 | PM _{2.5} , PM ₁₀ | 10 |
| 17 | Bhiwadi | Satisfactory | 76 | NO ₂ | 1 |
| 18 | Bhopal | Good | 41 | O ₃ | 1 |
| 19 | Bulandshahr | Satisfactory | 52 | O ₃ | 1 |
| 20 | Chandigarh | Satisfactory | 56 | PM ₁₀ | 1 |
| 21 | Chandrapur | Good | 18 | со | 1 |
| 22 | Charkhi Dadri | Moderate | 121 | PM _{2.5} | 1 |
| 23 | Chennai | Satisfactory | 70 | PM _{2.5} | 3 |
| 24 | Chikkaballapur | Satisfactory | 64 | PM ₁₀ | 1 |

Possible Health Impacts

| Good | Minimal Impact | | |
|---|---|--|--|
| Satisfactory Minor breathing discomfort to sensitive people | | | |
| Moderate | Breathing discomfort to the people with lungs, asthma and heart diseases | | |
| Poor | Breathing discomfort to most people on prolonged exposure | | |
| Very Poor | Respiratory illness on prolonged exposure | | |
| Severe | Affects healthy people and seriously impacts those with existing diseases | | |

- * AQI is not calculated for today's bulletin for Bagalkot, Bhiwani, Brajrajnagar, Jorapokhar, Kanpur, Maihar, Pune, Ratlam, Rupnagar, Solapur, Tirupati, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

| S.No | City | Air Quality | Index Value | Prominent Pollutant | Based on Number of Monitoring Stations |
|------|----------------|--------------|-------------|-----------------------------------|--|
| 25 | Chikkamagaluru | Good | 38 | PM ₁₀ | 1 |
| 26 | Coimbatore | Good | 29 | PM _{2.5} | 1 |
| 27 | Damoh | Good | 18 | NO ₂ | 1 |
| 28 | Delhi | Moderate | 104 | NO ₂ , O ₃ | 36 |
| 29 | Dewas | Satisfactory | 55 | 03 | 1 |
| 30 | Dharuhera | Satisfactory | 73 | PM ₁₀ | 1 |
| 31 | Eloor | Good | 16 | со | 1 |
| 32 | Ernakulam | Satisfactory | 70 | со | 1 |
| 33 | Faridabad | Moderate | 126 | O ₃ , PM ₁₀ | 3 |
| 34 | Fatehabad | Satisfactory | 68 | PM ₁₀ | 1 |
| 35 | Gandhinagar | Satisfactory | 62 | PM ₁₀ | 1 |
| 36 | Gaya | Good | 32 | 03 | 1 |

Possible Health Impacts

| Good | Minimal Impact | | |
|---|---|--|--|
| Satisfactory Minor breathing discomfort to sensitive people | | | |
| Moderate | Breathing discomfort to the people with lungs, asthma and heart diseases | | |
| Poor | Breathing discomfort to most people on prolonged exposure | | |
| Very Poor | Respiratory illness on prolonged exposure | | |
| Severe | Affects healthy people and seriously impacts those with existing diseases | | |

- * AQI is not calculated for today's bulletin for Bagalkot, Bhiwani, Brajrajnagar, Jorapokhar, Kanpur, Maihar, Pune, Ratlam, Rupnagar, Solapur, Tirupati, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

| S.No | City | Air Quality | Index Value | Prominent Pollutant | Based on Number of Monitoring Stations |
|------|---------------|--------------|-------------|---|--|
| 37 | Ghaziabad | Satisfactory | 96 | O ₃ , PM ₁₀ | 4 |
| 38 | Greater Noida | Satisfactory | 66 | PM ₁₀ , O ₃ | 2 |
| 39 | Gurugram | Satisfactory | 97 | O ₃ , PM ₁₀ , PM _{2.5} | 4 |
| 40 | Guwahati | Good | 37 | PM _{2.5} | 1 |
| 41 | Gwalior | Good | 34 | PM ₁₀ | 1 |
| 42 | Hajipur | Good | 27 | со | 1 |
| 43 | Hapur | Satisfactory | 62 | со | 1 |
| 44 | Hisar | Satisfactory | 83 | PM _{2.5} | 1 |
| 45 | Howrah | Satisfactory | 51 | PM ₁₀ | 2 |
| 46 | Hubballi | Good | 28 | PM ₁₀ | 1 |
| 47 | Hyderabad | Good | 36 | NO ₂ , PM ₁₀ , O ₃ | 6 |
| 48 | Indore | Satisfactory | 62 | O ₃ | 1 |

Possible Health Impacts

| Good | Minimal Impact |
|---|---|
| Satisfactory Minor breathing discomfort to sensitive people | |
| Moderate | Breathing discomfort to the people with lungs, asthma and heart diseases |
| Poor | Breathing discomfort to most people on prolonged exposure |
| Very Poor | Respiratory illness on prolonged exposure |
| Severe | Affects healthy people and seriously impacts those with existing diseases |

- * AQI is not calculated for today's bulletin for Bagalkot, Bhiwani, Brajrajnagar, Jorapokhar, Kanpur, Maihar, Pune, Ratlam, Rupnagar, Solapur, Tirupati, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

| S.No | City | Air Quality | Index Value | Prominent Pollutant | Based on Number of Monitoring Stations |
|------|-----------|--------------|-------------|-----------------------------------|--|
| 49 | Jabalpur | Good | 42 | со | 1 |
| 50 | Jaipur | Satisfactory | 64 | PM ₁₀ , O ₃ | 3 |
| 51 | Jalandhar | Satisfactory | 87 | PM ₁₀ | 1 |
| 52 | Jind | Satisfactory | 66 | PM ₁₀ | 1 |
| 53 | Jodhpur | Satisfactory | 95 | PM ₁₀ | 1 |
| 54 | Kaithal | Satisfactory | 76 | PM ₁₀ | 1 |
| 55 | Kalaburgi | Good | 45 | PM ₁₀ | 1 |
| 56 | Kalyan | Good | 40 | PM _{2.5} | 1 |
| 57 | Kannur | Good | 26 | СО | 1 |
| 58 | Karnal | Satisfactory | 52 | PM ₁₀ | 1 |
| 59 | Katni | Good | 39 | PM ₁₀ | 1 |
| 60 | Khanna | Satisfactory | 81 | PM ₁₀ | 1 |

Possible Health Impacts

| Good | Minimal Impact |
|---|---|
| Satisfactory Minor breathing discomfort to sensitive people | |
| Moderate | Breathing discomfort to the people with lungs, asthma and heart diseases |
| Poor | Breathing discomfort to most people on prolonged exposure |
| Very Poor | Respiratory illness on prolonged exposure |
| Severe | Affects healthy people and seriously impacts those with existing diseases |

- * AQI is not calculated for today's bulletin for Bagalkot, Bhiwani, Brajrajnagar, Jorapokhar, Kanpur, Maihar, Pune, Ratlam, Rupnagar, Solapur, Tirupati, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

| S.No | City | Air Quality | Index Value | Prominent Pollutant | Based on Number of Monitoring Stations |
|------|------------------|--------------|-------------|---|--|
| 61 | Kochi | Good | 32 | со | 1 |
| 62 | Kohima | Good | 38 | PM ₁₀ | 1 |
| 63 | Kolkata | Good | 41 | CO, PM ₁₀ , O ₃ | 7 |
| 64 | Kollam | Good | 41 | со | 1 |
| 65 | Kota | Satisfactory | 66 | O ₃ | 1 |
| 66 | Kozhikode | Good | 20 | PM ₁₀ | 1 |
| 67 | Kurukshetra | Satisfactory | 70 | PM ₁₀ | 1 |
| 68 | Lucknow | Satisfactory | 63 | PM ₁₀ , PM _{2.5} , O ₃ | 3 |
| 69 | Ludhiana | Satisfactory | 83 | PM ₁₀ | 1 |
| 70 | Mandi Gobindgarh | Satisfactory | 84 | PM _{2.5} | 1 |
| 71 | Mandideep | Good | 45 | O ₃ | 1 |
| 72 | Mandikhera | Satisfactory | 56 | PM ₁₀ | 1 |

Possible Health Impacts

| Good | Minimal Impact | |
|---|---|--|
| Satisfactory Minor breathing discomfort to sensitive people | | |
| Moderate | Breathing discomfort to the people with lungs, asthma and heart diseases | |
| Poor | Breathing discomfort to most people on prolonged exposure | |
| Very Poor | Respiratory illness on prolonged exposure | |
| Severe | Affects healthy people and seriously impacts those with existing diseases | |

- * AQI is not calculated for today's bulletin for Bagalkot, Bhiwani, Brajrajnagar, Jorapokhar, Kanpur, Maihar, Pune, Ratlam, Rupnagar, Solapur, Tirupati, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

| S.No | City | Air Quality | Index Value | Prominent Pollutant | Based on Number of Monitoring Stations |
|------|---------------|--------------|-------------|--|--|
| 73 | Manesar | Satisfactory | 56 | PM _{2.5} | 1 |
| 74 | Meerut | Satisfactory | 68 | PM ₁₀ | 2 |
| 75 | Moradabad | Good | 49 | PM ₁₀ | 1 |
| 76 | Mumbai | Good | 44 | PM ₁₀ , CO, PM _{2.5} | 9 |
| 77 | Muzaffarnagar | Satisfactory | 72 | PM ₁₀ | 1 |
| 78 | Muzaffarpur | Good | 36 | O ₃ | 2 |
| 79 | Mysuru | Good | 20 | O ₃ | 1 |
| 80 | Nagpur | Satisfactory | 70 | O ₃ | 1 |
| 81 | Nandesari | Moderate | 162 | со | 1 |
| 82 | Narnaul | Satisfactory | 65 | PM ₁₀ | 1 |
| 83 | Nashik | Good | 35 | O ₃ | 1 |
| 84 | Navi Mumbai | Good | 38 | СО | 2 |

Possible Health Impacts

| Good | Minimal Impact |
|--------------|---|
| Satisfactory | Minor breathing discomfort to sensitive people |
| Moderate | Breathing discomfort to the people with lungs, asthma and heart diseases |
| Poor | Breathing discomfort to most people on prolonged exposure |
| Very Poor | Respiratory illness on prolonged exposure |
| Severe | Affects healthy people and seriously impacts those with existing diseases |

- * AQI is not calculated for today's bulletin for Bagalkot, Bhiwani, Brajrajnagar, Jorapokhar, Kanpur, Maihar, Pune, Ratlam, Rupnagar, Solapur, Tirupati, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

| S.No | City | Air Quality | Index Value | Prominent Pollutant | Based on Number of Monitoring Stations |
|------|-------------------|--------------|-------------|---|--|
| 85 | Noida | Satisfactory | 71 | CO, PM ₁₀ | 3 |
| 86 | Pali | Satisfactory | 94 | PM ₁₀ | 1 |
| 87 | Palwal | Good | 48 | PM ₁₀ | 1 |
| 88 | Panchkula | Satisfactory | 72 | PM _{2.5} | 1 |
| 89 | Panipat | Satisfactory | 98 | PM ₁₀ | 1 |
| 90 | Patiala | Satisfactory | 67 | PM ₁₀ | 1 |
| 91 | Patna | Good | 40 | PM _{2.5} , O ₃ , CO | 5 |
| 92 | Pithampur | Satisfactory | 53 | O ₃ | 1 |
| 93 | Rajamahendravaram | Satisfactory | 66 | O ₃ | 1 |
| 94 | Ramanagara | Good | 38 | PM ₁₀ | 1 |
| 95 | Rohtak | Satisfactory | 57 | со | 1 |
| 96 | Sagar | Good | 42 | со | 1 |

Possible Health Impacts

| Good | Minimal Impact |
|---|---|
| Satisfactory Minor breathing discomfort to sensitive people | |
| Moderate | Breathing discomfort to the people with lungs, asthma and heart diseases |
| Poor | Breathing discomfort to most people on prolonged exposure |
| Very Poor | Respiratory illness on prolonged exposure |
| Severe | Affects healthy people and seriously impacts those with existing diseases |

- * AQI is not calculated for today's bulletin for Bagalkot, Bhiwani, Brajrajnagar, Jorapokhar, Kanpur, Maihar, Pune, Ratlam, Rupnagar, Solapur, Tirupati, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

| S.No | City | Air Quality | Index Value | Prominent Pollutant | Based on Number of Monitoring Stations |
|------|--------------------|--------------|-------------|----------------------|--|
| 97 | Satna | Satisfactory | 58 | PM ₁₀ | 1 |
| 98 | Shillong | Good | 12 | со | 1 |
| 99 | Siliguri | Good | 27 | со | 1 |
| 100 | Singrauli | Good | 24 | O ₃ | 1 |
| 101 | Sirsa | Satisfactory | 57 | O ₃ | 1 |
| 102 | Sonipat | Satisfactory | 86 | PM ₁₀ | 1 |
| 103 | Talcher | Satisfactory | 87 | PM ₁₀ | 1 |
| 104 | Thane | Good | 42 | PM ₁₀ | 1 |
| 105 | Thiruvananthapuram | Good | 46 | CO, PM ₁₀ | 2 |
| 106 | Udaipur | Satisfactory | 72 | PM ₁₀ | 1 |
| 107 | Ujjain | Satisfactory | 88 | O ₃ | 1 |
| 108 | Vapi | Good | 39 | PM ₁₀ | 1 |

Possible Health Impacts

| Good | Minimal Impact |
|--------------|---|
| Satisfactory | Minor breathing discomfort to sensitive people |
| Moderate | Breathing discomfort to the people with lungs, asthma and heart diseases |
| Poor | Breathing discomfort to most people on prolonged exposure |
| Very Poor | Respiratory illness on prolonged exposure |
| Severe | Affects healthy people and seriously impacts those with existing diseases |

- * AQI is not calculated for today's bulletin for Bagalkot, Bhiwani, Brajrajnagar, Jorapokhar, Kanpur, Maihar, Pune, Ratlam, Rupnagar, Solapur, Tirupati, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

| S.No | City | Air Quality | Index Value | Prominent Pollutant | Based on Number of Monitoring Stations |
|------|---------------|--------------|-------------|---------------------|--|
| 109 | Varanasi | Good | 43 | PM ₁₀ | 1 |
| 110 | Vatva | Moderate | 114 | PM ₁₀ | 1 |
| 111 | Vijayapura | Satisfactory | 62 | O ₃ | 1 |
| 112 | Visakhapatnam | Satisfactory | 89 | PM ₁₀ | 1 |
| 113 | Yamunanagar | Satisfactory | 97 | PM ₁₀ | 1 |

Possible Health Impacts

| Good | Minimal Impact |
|--------------|---|
| Satisfactory | Minor breathing discomfort to sensitive people |
| Moderate | Breathing discomfort to the people with lungs, asthma and heart diseases |
| Poor | Breathing discomfort to most people on prolonged exposure |
| Very Poor | Respiratory illness on prolonged exposure |
| Severe | Affects healthy people and seriously impacts those with existing diseases |

- * AQI is not calculated for today's bulletin for Bagalkot, Bhiwani, Brajrajnagar, Jorapokhar, Kanpur, Maihar, Pune, Ratlam, Rupnagar, Solapur, Tirupati, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.