

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	70	PM <sub>10</sub>	1
2	Agra	Moderate	186	PM <sub>2.5</sub> , O <sub>3</sub> , PM <sub>10</sub>	4
3	Ahmedabad	Moderate	129	PM <sub>2.5</sub> , PM <sub>10</sub>	5
4	Aizawl	Good	27	SO <sub>2</sub>	1
5	Ajmer	Satisfactory	92	PM <sub>10</sub>	1
6	Alwar	Satisfactory	87	PM <sub>10</sub>	1
7	Amaravati	Moderate	118	PM <sub>10</sub>	1
8	Ambala	Moderate	164	PM <sub>10</sub>	1
9	Amritsar	Moderate	116	PM <sub>10</sub>	1
10	Ankleshwar	Poor	267	PM <sub>2.5</sub>	1
11	Asansol	Satisfactory	72	PM <sub>10</sub>	1
12	Bagalkot	Moderate	101	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bettiah, Bhiwadi, Bihar Sharif, Coimbatore, Damoh, Darbhanga, Eloor, Ernakulam, Gadag, Jalandhar, Jorapokhar, Kalaburgi, Kalyan, Kohima, Maihar, Mandi Gobindgarh, Motihari, Nagpur, Palwal, Rupnagar, Sagar, Shillong, Solapur as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baghpat	Moderate	198	PM <sub>2.5</sub>	1
14	Bahadurgarh	Moderate	171	O <sub>3</sub>	1
15	Ballabgarh	Very Poor	333	PM <sub>2.5</sub>	1
16	Bengaluru	Good	50	CO, NO <sub>2</sub> , PM <sub>10</sub>	8
17	Bhiwani	Moderate	133	PM <sub>2.5</sub>	1
18	Bhopal	Moderate	162	PM <sub>10</sub>	1
19	Bidar	Moderate	113	PM <sub>10</sub>	1
20	Bilaspur	Satisfactory	86	PM <sub>10</sub>	1
21	Brajrajnagar	Satisfactory	78	O <sub>3</sub>	1
22	Bulandshahr	Moderate	185	PM <sub>2.5</sub>	1
23	Chamarajanagar	Good	42	PM <sub>10</sub>	1
24	Chandigarh	Moderate	148	O <sub>3</sub> , PM <sub>10</sub>	2

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bettiah, Bhiwadi, Bihar Sharif, Coimbatore, Damoh, Darbhanga, Eloor, Ernakulam, Gadag, Jalandhar, Jorapokhar, Kalaburgi, Kalyan, Kohima, Maihar, Mandi Gobindgarh, Motihari, Nagpur, Palwal, Rupnagar, Sagar, Shillong, Solapur as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chandrapur	Moderate	152	O <sub>3</sub> , PM <sub>10</sub>	2
26	Charkhi Dadri	Moderate	147	PM <sub>10</sub>	1
27	Chennai	Satisfactory	65	O <sub>3</sub> , PM <sub>10</sub> , CO	5
28	Chikkaballapur	Satisfactory	72	PM <sub>10</sub>	1
29	Chikkamagaluru	Satisfactory	74	NO <sub>2</sub>	1
30	Davanagere	Good	29	со	1
31	Delhi	Moderate	182	PM <sub>10</sub> , PM <sub>2.5</sub>	36
32	Dewas	Satisfactory	97	PM <sub>10</sub>	1
33	Dharuhera	Moderate	177	PM <sub>2.5</sub>	1
34	Durgapur	Satisfactory	95	PM <sub>10</sub>	1
35	Faridabad	Poor	222	PM <sub>2.5</sub> , PM <sub>10</sub> , O <sub>3</sub>	4
36	Fatehabad	Moderate	141	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bettiah, Bhiwadi, Bihar Sharif, Coimbatore, Damoh, Darbhanga, Eloor, Ernakulam, Gadag, Jalandhar, Jorapokhar, Kalaburgi, Kalyan, Kohima, Maihar, Mandi Gobindgarh, Motihari, Nagpur, Palwal, Rupnagar, Sagar, Shillong, Solapur as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Firozabad	Moderate	153	PM <sub>10</sub>	1
38	Gandhinagar	Satisfactory	93	PM <sub>2.5</sub> , PM <sub>10</sub>	3
39	Gaya	Satisfactory	94	PM <sub>2.5</sub>	2
40	Ghaziabad	Poor	223	PM <sub>2.5</sub> , PM <sub>10</sub> , O <sub>3</sub>	4
41	Gorakhpur	Moderate	138	PM <sub>2.5</sub>	1
42	Greater Noida	Poor	214	PM <sub>2.5</sub> , PM <sub>10</sub>	2
43	Gummidipoondi	Satisfactory	64	PM <sub>10</sub>	1
44	Gurugram	Moderate	172	PM <sub>10</sub> , PM <sub>2.5</sub>	4
45	Guwahati	Satisfactory	87	SO <sub>2</sub> , PM <sub>10</sub>	2
46	Gwalior	Moderate	151	PM <sub>10</sub>	1
47	Hajipur	Moderate	108	PM <sub>2.5</sub>	1
48	Haldia	Satisfactory	70	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bettiah, Bhiwadi, Bihar Sharif, Coimbatore, Damoh, Darbhanga, Eloor, Ernakulam, Gadag, Jalandhar, Jorapokhar, Kalaburgi, Kalyan, Kohima, Maihar, Mandi Gobindgarh, Motihari, Nagpur, Palwal, Rupnagar, Sagar, Shillong, Solapur as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hapur	Moderate	192	PM <sub>2.5</sub>	1
50	Hassan	Good	50	PM <sub>10</sub>	1
51	Hisar	Moderate	150	PM <sub>2.5</sub>	1
52	Howrah	Satisfactory	69	PM <sub>10</sub> , CO, PM <sub>2.5</sub>	3
53	Hubballi	Satisfactory	71	PM <sub>10</sub>	1
54	Hyderabad	Moderate	145	PM <sub>2.5</sub> , PM <sub>10</sub>	3
55	Indore	Moderate	142	PM <sub>10</sub>	1
56	Jabalpur	Moderate	152	PM <sub>10</sub>	1
57	Jaipur	Moderate	152	PM <sub>2.5</sub> , PM <sub>10</sub>	3
58	Jind	Moderate	173	PM <sub>2.5</sub>	1
59	Jodhpur	Moderate	183	PM <sub>2.5</sub>	1
60	Kaithal	Moderate	140	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bettiah, Bhiwadi, Bihar Sharif, Coimbatore, Damoh, Darbhanga, Eloor, Ernakulam, Gadag, Jalandhar, Jorapokhar, Kalaburgi, Kalyan, Kohima, Maihar, Mandi Gobindgarh, Motihari, Nagpur, Palwal, Rupnagar, Sagar, Shillong, Solapur as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kannur	Satisfactory	54	PM <sub>10</sub>	1
62	Kanpur	Moderate	115	PM <sub>10</sub> , PM <sub>2.5</sub>	4
63	Karnal	Poor	221	PM <sub>2.5</sub>	1
64	Katni	Moderate	176	PM <sub>10</sub>	1
65	Khanna	Poor	207	PM <sub>2.5</sub>	1
66	Kochi	Good	47	со	1
67	Kolar	Satisfactory	78	со	1
68	Kolkata	Satisfactory	90	PM <sub>2.5</sub> , PM <sub>10</sub>	6
69	Kollam	Satisfactory	89	со	1
70	Koppal	Satisfactory	93	03	1
71	Kota	Moderate	106	PM <sub>10</sub>	1
72	Kozhikode	Good	47	СО	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bettiah, Bhiwadi, Bihar Sharif, Coimbatore, Damoh, Darbhanga, Eloor, Ernakulam, Gadag, Jalandhar, Jorapokhar, Kalaburgi, Kalyan, Kohima, Maihar, Mandi Gobindgarh, Motihari, Nagpur, Palwal, Rupnagar, Sagar, Shillong, Solapur as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kurukshetra	Poor	220	O <sub>3</sub>	1
74	Lucknow	Moderate	156	PM <sub>2.5</sub> , PM <sub>10</sub>	6
75	Ludhiana	Moderate	148	PM <sub>2.5</sub>	1
76	Mandideep	Moderate	161	PM <sub>10</sub>	1
77	Mandikhera	Moderate	129	PM <sub>2.5</sub>	1
78	Manesar	Moderate	185	PM <sub>2.5</sub>	1
79	Manglore	Satisfactory	57	СО	1
80	Medikeri	Good	32	O <sub>3</sub>	1
81	Meerut	Poor	220	O <sub>3</sub> , PM <sub>2.5</sub>	2
82	Moradabad	Poor	250	PM <sub>2.5</sub>	1
83	Mumbai	Moderate	140	PM <sub>2.5</sub>	19
84	Muzaffarnagar	Poor	209	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bettiah, Bhiwadi, Bihar Sharif, Coimbatore, Damoh, Darbhanga, Eloor, Ernakulam, Gadag, Jalandhar, Jorapokhar, Kalaburgi, Kalyan, Kohima, Maihar, Mandi Gobindgarh, Motihari, Nagpur, Palwal, Rupnagar, Sagar, Shillong, Solapur as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Muzaffarpur	Moderate	128	PM <sub>2.5</sub> , PM <sub>10</sub>	2
86	Mysuru	Good	39	PM <sub>10</sub>	1
87	Naharlagun	Satisfactory	51	PM <sub>10</sub>	1
88	Nandesari	Satisfactory	58	со	1
89	Narnaul	Moderate	108	PM <sub>2.5</sub>	1
90	Nashik	Satisfactory	91	PM <sub>2.5</sub>	1
91	Navi Mumbai	Moderate	153	PM <sub>2.5</sub> , PM <sub>10</sub>	3
92	Noida	Moderate	188	O <sub>3</sub> , PM <sub>10</sub>	2
93	Pali	Moderate	104	PM <sub>10</sub>	1
94	Panchkula	Moderate	120	PM <sub>2.5</sub>	1
95	Panipat	Poor	226	PM <sub>2.5</sub>	1
96	Patiala	Moderate	125	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bettiah, Bhiwadi, Bihar Sharif, Coimbatore, Damoh, Darbhanga, Eloor, Ernakulam, Gadag, Jalandhar, Jorapokhar, Kalaburgi, Kalyan, Kohima, Maihar, Mandi Gobindgarh, Motihari, Nagpur, Palwal, Rupnagar, Sagar, Shillong, Solapur as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Patna	Moderate	139	PM <sub>2.5</sub> , PM <sub>10</sub>	5
98	Pithampur	Moderate	169	PM <sub>2.5</sub>	1
99	Prayagraj	Moderate	161	PM <sub>2.5</sub>	3
100	Puducherry	Satisfactory	62	03	1
101	Pune	Moderate	103	PM <sub>2.5</sub> , CO	5
102	Raichur	Moderate	126	PM <sub>10</sub>	1
103	Rajamahendravaram	Satisfactory	78	PM <sub>10</sub>	1
104	Ramanagara	Good	37	03	1
105	Ratlam	Moderate	137	PM <sub>10</sub>	1
106	Rohtak	Moderate	198	PM <sub>2.5</sub>	1
107	Satna	Satisfactory	68	PM <sub>10</sub>	1
108	Shivamogga	Good	39	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bettiah, Bhiwadi, Bihar Sharif, Coimbatore, Damoh, Darbhanga, Eloor, Ernakulam, Gadag, Jalandhar, Jorapokhar, Kalaburgi, Kalyan, Kohima, Maihar, Mandi Gobindgarh, Motihari, Nagpur, Palwal, Rupnagar, Sagar, Shillong, Solapur as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Siliguri	Satisfactory	58	PM <sub>2.5</sub>	1
110	Singrauli	Poor	219	PM <sub>2.5</sub>	1
111	Sirsa	Moderate	148	PM <sub>10</sub>	1
112	Sonipat	Moderate	181	PM <sub>10</sub>	1
113	Srinagar	Satisfactory	60	PM <sub>10</sub>	1
114	Talcher	Satisfactory	94	PM <sub>10</sub>	1
115	Thane	Moderate	177	PM <sub>10</sub>	1
116	Thiruvananthapuram	Good	39	PM <sub>10</sub> , CO	2
117	Thoothukudi	Good	48	со	1
118	Thrissur	Good	44	PM <sub>10</sub>	1
119	Tirupati	Satisfactory	61	PM <sub>2.5</sub>	1
120	Udaipur	Moderate	104	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bettiah, Bhiwadi, Bihar Sharif, Coimbatore, Damoh, Darbhanga, Eloor, Ernakulam, Gadag, Jalandhar, Jorapokhar, Kalaburgi, Kalyan, Kohima, Maihar, Mandi Gobindgarh, Motihari, Nagpur, Palwal, Rupnagar, Sagar, Shillong, Solapur as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Udupi	Moderate	106	со	1
122	Ujjain	Moderate	149	PM <sub>10</sub>	1
123	Vapi	Moderate	125	PM <sub>10</sub>	1
124	Varanasi	Satisfactory	83	PM <sub>10</sub> , PM <sub>2.5</sub>	4
125	Vatva	Moderate	172	PM <sub>2.5</sub>	1
126	Vijayapura	Satisfactory	61	PM <sub>2.5</sub>	1
127	Visakhapatnam	Moderate	196	PM <sub>2.5</sub>	1
128	Vrindavan	Moderate	170	PM <sub>10</sub>	1
129	Yadgir	Satisfactory	77	PM <sub>10</sub>	1
130	Yamunanagar	Poor	272	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bettiah, Bhiwadi, Bihar Sharif, Coimbatore, Damoh, Darbhanga, Eloor, Ernakulam, Gadag, Jalandhar, Jorapokhar, Kalaburgi, Kalyan, Kohima, Maihar, Mandi Gobindgarh, Motihari, Nagpur, Palwal, Rupnagar, Sagar, Shillong, Solapur as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.