

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Moderate	158	PM _{2.5}	1
2	Ahmedabad	Poor	248	PM _{2.5}	1
3	Ajmer	Poor	223	PM _{2.5}	1
4	Alwar	Moderate	101	PM ₁₀	1
5	Amaravati	Satisfactory	87	PM ₁₀	1
6	Ambala	Moderate	130	OZONE	1
7	Amritsar	Moderate	102	PM ₁₀	1
8	Ankleshwar	Moderate	138	PM ₁₀	1
9	Asanol	Good	39	PM ₁₀	1
10	Aurangabad	Moderate	148	PM _{2.5}	1
11	Baghpat	Very Poor	322	PM ₁₀	1
12	Bahadurgarh	Moderate	168	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Brajrajnagar, Durgapur, Jorapokhar, Siliguri, Talcher as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ballabgarh	Poor	260	PM ₁₀	1
14	Bathinda	Moderate	128	PM ₁₀	1
15	Bengaluru	Moderate	102	PM ₁₀ , PM _{2.5}	8
16	Bhiwadi	Poor	273	PM _{2.5}	1
17	Bhiwani	Poor	240	PM _{2.5}	1
18	Bulandshahr	Poor	251	PM ₁₀	1
19	Chandrapur	Moderate	143	OZONE, PM ₁₀	2
20	Chennai	Satisfactory	60	PM _{2.5}	2
21	Chikkaballapur	Moderate	106	PM ₁₀	1
22	Damoh	Satisfactory	85	PM ₁₀	1
23	Delhi	Poor	257	PM ₁₀ , PM _{2.5}	31
24	Dewas	Poor	204	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Brajrajnagar, Durgapur, Jorapokhar, Siliguri, Talcher as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Dharuhera	Moderate	179	PM _{2.5}	1
26	Faridabad	Poor	209	OZONE	1
27	Fatehabad	Poor	292	PM ₁₀	1
28	GandhiNagar	Moderate	161	PM ₁₀	1
29	Gaya	Satisfactory	91	PM _{2.5}	1
30	Ghaziabad	Poor	293	PM ₁₀	3
31	Greater_Noida	Poor	242	PM ₁₀	1
32	Gurugram	Very Poor	306	PM _{2.5} , PM ₁₀	2
33	Guwahati	Satisfactory	61	OZONE	1
34	Hapur	Poor	289	PM ₁₀	1
35	Hisar	Poor	258	PM _{2.5}	1
36	Howrah	Good	44	PM ₁₀	2

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Brajrajnagar, Durgapur, Jorapokhar, Siliguri, Talcher as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Hyderabad	Moderate	115	PM ₁₀ , PM _{2.5}	5
38	Jaipur	Moderate	167	PM _{2.5} , PM ₁₀	3
39	Jalandhar	Moderate	124	PM ₁₀	1
40	Jind	Moderate	182	PM ₁₀	1
41	Jodhpur	Very Poor	308	PM _{2.5}	1
42	Kaithal	Moderate	189	PM ₁₀	1
43	Kalaburagi	Moderate	124	PM ₁₀	1
44	Kanpur	Moderate	118	PM _{2.5}	1
45	Karnal	Poor	284	PM _{2.5}	1
46	Khanna	Satisfactory	79	PM ₁₀	1
47	Kolkata	Good	27	NO ₂	1
48	Kota	Very Poor	325	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Brajrajnagar, Durgapur, Jorapokhar, Siliguri, Talcher as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Kurukshetra	Moderate	126	PM ₁₀	1
50	Loni_Dehat	Very Poor	356	PM ₁₀	1
51	Lucknow	Poor	234	PM _{2.5}	4
52	Ludhiana	Satisfactory	72	PM ₁₀	1
53	Maihar	Moderate	145	PM ₁₀	1
54	Mandi Gobindgarh	Moderate	114	PM ₁₀	1
55	Mandideep	Poor	271	PM ₁₀	1
56	Mandikhera	Moderate	173	PM ₁₀	1
57	Manesar	Poor	266	PM _{2.5}	1
58	Moradabad	Very Poor	305	PM ₁₀	1
59	Mumbai	Moderate	109	PM ₁₀	1
60	Muzaffarnagar	Moderate	191	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Brajrajnagar, Durgapur, Jorapokhar, Siliguri, Talcher as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Muzaffarpur	Satisfactory	82	PM _{2.5}	1
62	Nagpur	Moderate	115	OZONE	1
63	Narnaul	Moderate	151	PM ₁₀	1
64	Nashik	Satisfactory	100	PM ₁₀	1
65	Navi Mumbai	Moderate	132	PM ₁₀	1
66	Noida	Poor	268	PM ₁₀	2
67	Pali	Poor	218	PM _{2.5}	1
68	Palwal	Very Poor	319	PM _{2.5}	1
69	Panchkula	Satisfactory	69	OZONE	1
70	Panipat	Moderate	153	PM ₁₀	1
71	Patiala	Moderate	124	PM ₁₀	1
72	Patna	Moderate	172	OZONE	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Brajrajnagar, Durgapur, Jorapokhar, Siliguri, Talcher as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Pithampur	Poor	245	PM ₁₀	1
74	Pune	Moderate	106	PM _{2.5}	1
75	Rajamahendravaram	Satisfactory	71	OZONE	1
76	Ratlam	Poor	218	PM ₁₀	1
77	Rohtak	Moderate	182	PM _{2.5}	1
78	Rupnagar	Moderate	112	PM _{2.5}	1
79	Satna	Moderate	145	PM ₁₀	1
80	Singrauli	Moderate	114	PM ₁₀	1
81	Sirsa	Moderate	176	PM ₁₀	1
82	Solapur	Moderate	109	PM ₁₀	1
83	Sonipat	Poor	247	PM _{2.5}	1
84	Thane	Satisfactory	70	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Brajrajnagar, Durgapur, Jorapokhar, Siliguri, Talcher as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Thiruvananthapuram	Satisfactory	73	PM ₁₀	1
86	Tirupati	Satisfactory	98	PM ₁₀	1
87	Udaipur	Moderate	112	PM ₁₀	1
88	Ujjain	Poor	217	PM ₁₀	1
89	Vapi	Moderate	137	PM ₁₀	1
90	Varanasi	Moderate	185	PM ₁₀	1
91	Vatva	Moderate	170	PM ₁₀	1
92	Vijayawada	Satisfactory	70	PM ₁₀	1
93	Visakhapatnam	Good	44	PM ₁₀	1
94	Yamunanagar	Moderate	120	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Brajrajnagar, Durgapur, Jorapokhar, Siliguri, Talcher as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.