

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	47	PM ₁₀	2
2	Agra	Satisfactory	67	PM ₁₀ , PM _{2.5}	6
3	Ahmedabad	Satisfactory	66	O ₃ , PM ₁₀	2
4	Aizawl	Good	20	со	1
5	Ajmer	Satisfactory	85	PM ₁₀	1
6	Alwar	Satisfactory	62	PM ₁₀	1
7	Amaravati	Satisfactory	52	03	1
8	Amritsar	Satisfactory	64	03	1
9	Anantapur	Satisfactory	62	PM ₁₀	1
10	Araria	Moderate	132	PM _{2.5}	1
11	Arrah	Satisfactory	71	NO ₂	1
12	Asansol	Moderate	140	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Ankleshwar,
 Begusarai, Bettiah, Bhilai, Bidar, Brajrajnagar, Chengalpattu, Damoh,
 Davanagere, Dehradun, Dharuhera, Dindigul, Gummidipoondi, Jorapokhar,
 Kolar, Manguraha, Naharlagun, Ooty, Pune, Rohtak, Saharsa, Singrauli,
 Siwan, Solapur, Thrissur, Udupi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Aurangabad (Bihar)	Moderate	110	PM _{2.5}	1
14	Aurangabad (Maharashtra)	Satisfactory	88	PM ₁₀	1
15	Baddi	Moderate	129	PM ₁₀	1
16	Bagalkot	Good	37	со	1
17	Baghpat	Satisfactory	51	PM ₁₀	1
18	Bahadurgarh	Satisfactory	62	PM _{2.5}	1
19	Ballabgarh	Moderate	115	PM ₁₀	1
20	Bareilly	Satisfactory	86	PM ₁₀ , PM _{2.5}	2
21	Bathinda	Good	43	PM ₁₀	1
22	Belgaum	Good	46	со	1
23	Bengaluru	Satisfactory	65	PM ₁₀ , O ₃	6
24	Bhagalpur	Satisfactory	75	NO ₂ , PM ₁₀	2

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ambala, Ankleshwar,
 Begusarai, Bettiah, Bhilai, Bidar, Brajrajnagar, Chengalpattu, Damoh,
 Davanagere, Dehradun, Dharuhera, Dindigul, Gummidipoondi, Jorapokhar,
 Kolar, Manguraha, Naharlagun, Ooty, Pune, Rohtak, Saharsa, Singrauli,
 Siwan, Solapur, Thrissur, Udupi, vellore as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhiwadi	Moderate	127	PM _{2.5}	1
26	Bhiwani	Satisfactory	58	PM _{2.5}	1
27	Bhopal	Moderate	117	PM ₁₀	2
28	Bihar Sharif	Satisfactory	92	со	1
29	Bilaspur	Satisfactory	57	PM ₁₀	1
30	Bulandshahr	Moderate	117	PM ₁₀	1
31	Buxar	Satisfactory	86	со	1
32	Chamarajanagar	Good	39	PM ₁₀	1
33	Chandigarh	Satisfactory	55	o ₃ , co	2
34	Chandrapur	Satisfactory	66	PM ₁₀	2
35	Charkhi Dadri	Moderate	102	PM ₁₀	1
36	Chennai	Satisfactory	74	CO, PM ₁₀ , PM _{2.5}	8

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Ankleshwar, Begusarai, Bettiah, Bhilai, Bidar, Brajrajnagar, Chengalpattu, Damoh, Davanagere, Dehradun, Dharuhera, Dindigul, Gummidipoondi, Jorapokhar, Kolar, Manguraha, Naharlagun, Ooty, Pune, Rohtak, Saharsa, Singrauli, Siwan, Solapur, Thrissur, Udupi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chhapra	Moderate	126	PM ₁₀	1
38	Chikkaballapur	Good	42	PM ₁₀	1
39	Chikkamagaluru	Good	31	PM ₁₀	1
40	Coimbatore	Good	38	PM _{2.5} , SO ₂	2
41	Darbhanga	Satisfactory	65	PM ₁₀	1
42	Delhi	Moderate	108	PM ₁₀	33
43	Dewas	Satisfactory	85	PM ₁₀	1
44	Durgapur	Moderate	133	PM ₁₀	1
45	Eloor	Satisfactory	57	PM ₁₀	1
46	Ernakulam	Satisfactory	67	со	1
47	Faridabad	Moderate	104	PM ₁₀	3
48	Fatehabad	Satisfactory	58	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Ankleshwar,
 Begusarai, Bettiah, Bhilai, Bidar, Brajrajnagar, Chengalpattu, Damoh,
 Davanagere, Dehradun, Dharuhera, Dindigul, Gummidipoondi, Jorapokhar,
 Kolar, Manguraha, Naharlagun, Ooty, Pune, Rohtak, Saharsa, Singrauli,
 Siwan, Solapur, Thrissur, Udupi, vellore as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations,
- and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Firozabad	Satisfactory	70	PM ₁₀	2
50	Gadag	Good	27	O ₃	1
51	Gandhinagar	Satisfactory	57	PM ₁₀	1
52	Gangtok	Good	16	03	1
53	Gaya	Satisfactory	75	PM ₁₀ , CO	3
54	Ghaziabad	Moderate	108	O ₃ , PM ₁₀	4
55	Gorakhpur	Satisfactory	58	PM _{2.5}	1
56	Greater Noida	Moderate	121	PM ₁₀	2
57	Gurugram	Moderate	122	PM _{2.5} , PM ₁₀ , CO	3
58	Guwahati	Satisfactory	73	PM ₁₀ , PM _{2.5}	3
59	Gwalior	Satisfactory	83	PM ₁₀	1
60	Hajipur	Satisfactory	78	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ambala, Ankleshwar,
 Begusarai, Bettiah, Bhilai, Bidar, Brajrajnagar, Chengalpattu, Damoh,
 Davanagere, Dehradun, Dharuhera, Dindigul, Gummidipoondi, Jorapokhar,
 Kolar, Manguraha, Naharlagun, Ooty, Pune, Rohtak, Saharsa, Singrauli,
 Siwan, Solapur, Thrissur, Udupi, vellore as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Haldia	Good	49	PM ₁₀	1
62	Hapur	Satisfactory	73	PM ₁₀	1
63	Hassan	Good	24	NO ₂	1
64	Haveri	Good	30	со	1
65	Hisar	Satisfactory	84	PM ₁₀	1
66	Hosur	Satisfactory	70	PM ₁₀	1
67	Howrah	Satisfactory	76	PM ₁₀ , PM _{2.5}	3
68	Hubballi	Satisfactory	53	со	1
69	Hyderabad	Satisfactory	58	CO, PM _{2.5} , PM ₁₀	9
70	Imphal	Satisfactory	64	PM ₁₀	1
71	Indore	Moderate	102	PM ₁₀	1
72	Jabalpur	Satisfactory	73	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ambala, Ankleshwar,
 Begusarai, Bettiah, Bhilai, Bidar, Brajrajnagar, Chengalpattu, Damoh,
 Davanagere, Dehradun, Dharuhera, Dindigul, Gummidipoondi, Jorapokhar,
 Kolar, Manguraha, Naharlagun, Ooty, Pune, Rohtak, Saharsa, Singrauli,
 Siwan, Solapur, Thrissur, Udupi, vellore as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Jaipur	Satisfactory	91	PM ₁₀ , PM _{2.5} , O ₃	3
74	Jalandhar	Satisfactory	51	PM _{2.5}	1
75	Jhansi	Satisfactory	74	PM ₁₀	1
76	Jind	Satisfactory	71	со	1
77	Jodhpur	Satisfactory	95	PM ₁₀	1
78	Kaithal	Good	40	PM ₁₀	1
79	Kalaburgi	Good	33	SO ₂	1
80	Kalyan	Moderate	115	PM ₁₀	1
81	Kannur	Satisfactory	64	PM _{2.5}	1
82	Kanpur	Good	45	PM ₁₀ , PM _{2.5}	4
83	Karnal	Satisfactory	58	PM ₁₀	1
84	Katihar	Moderate	107	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Ankleshwar,
 Begusarai, Bettiah, Bhilai, Bidar, Brajrajnagar, Chengalpattu, Damoh,
 Davanagere, Dehradun, Dharuhera, Dindigul, Gummidipoondi, Jorapokhar,
 Kolar, Manguraha, Naharlagun, Ooty, Pune, Rohtak, Saharsa, Singrauli,
 Siwan, Solapur, Thrissur, Udupi, vellore as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Katni	Satisfactory	57	PM ₁₀	1
86	Khanna	Good	40	PM ₁₀	1
87	Khurja	Moderate	152	PM _{2.5}	1
88	Kishanganj	Satisfactory	61	03	1
89	Kochi	Moderate	120	PM _{2.5}	1
90	Kohima	Good	48	PM ₁₀	1
91	Kolkata	Good	50	PM ₁₀ , PM _{2.5}	6
92	Kollam	Satisfactory	64	PM ₁₀	1
93	Koppal	Satisfactory	74	03	1
94	Kota	Satisfactory	81	PM ₁₀	1
95	Kozhikode	Satisfactory	79	PM ₁₀	1
96	Kurukshetra	Satisfactory	55	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Ankleshwar,
 Begusarai, Bettiah, Bhilai, Bidar, Brajrajnagar, Chengalpattu, Damoh,
 Davanagere, Dehradun, Dharuhera, Dindigul, Gummidipoondi, Jorapokhar,
 Kolar, Manguraha, Naharlagun, Ooty, Pune, Rohtak, Saharsa, Singrauli,
 Siwan, Solapur, Thrissur, Udupi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Lucknow	Satisfactory	69	PM ₁₀ , CO, PM _{2.5}	6
98	Ludhiana	Good	46	PM ₁₀	1
99	Madikeri	Good	32	03	1
100	Maihar	Good	16	со	1
101	Mandi Gobindgarh	Poor	247	PM _{2.5}	1
102	Mandideep	Satisfactory	77	PM ₁₀	1
103	Mandikhera	Good	30	PM ₁₀	1
104	Manesar	Satisfactory	74	PM _{2.5}	1
105	Manglore	Satisfactory	52	со	1
106	Meerut	Satisfactory	71	PM ₁₀ , O ₃	3
107	Moradabad	Satisfactory	52	PM ₁₀ , PM _{2.5}	4
108	Motihari	Satisfactory	66	СО	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Ankleshwar,
 Begusarai, Bettiah, Bhilai, Bidar, Brajrajnagar, Chengalpattu, Damoh,
 Davanagere, Dehradun, Dharuhera, Dindigul, Gummidipoondi, Jorapokhar,
 Kolar, Manguraha, Naharlagun, Ooty, Pune, Rohtak, Saharsa, Singrauli,
 Siwan, Solapur, Thrissur, Udupi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Mumbai	Satisfactory	65	PM ₁₀ , CO, NO ₂	15
110	Munger	Satisfactory	82	PM ₁₀	1
111	Muzaffarnagar	Satisfactory	62	PM _{2.5}	1
112	Muzaffarpur	Satisfactory	75	PM ₁₀ , O ₃ , CO	3
113	Mysuru	Satisfactory	54	PM ₁₀	1
114	Nagpur	Satisfactory	56	03	1
115	Nandesari	Poor	264	PM _{2.5}	1
116	Narnaul	Satisfactory	59	PM ₁₀	1
117	Nashik	Good	45	03	1
118	Navi Mumbai	Satisfactory	99	PM ₁₀	2
119	Noida	Moderate	110	PM _{2.5} , PM ₁₀	4
120	Pali	Satisfactory	71	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Ankleshwar,
 Begusarai, Bettiah, Bhilai, Bidar, Brajrajnagar, Chengalpattu, Damoh,
 Davanagere, Dehradun, Dharuhera, Dindigul, Gummidipoondi, Jorapokhar,
 Kolar, Manguraha, Naharlagun, Ooty, Pune, Rohtak, Saharsa, Singrauli,
 Siwan, Solapur, Thrissur, Udupi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Palwal	Satisfactory	79	PM ₁₀	1
122	Panchkula	Good	43	СО	1
123	Panipat	Good	31	O ₃	1
124	Patiala	Good	46	O ₃	1
125	Patna	Satisfactory	80	PM ₁₀ , PM _{2.5}	6
126	Pithampur	Moderate	126	PM ₁₀	1
127	Prayagraj	Satisfactory	63	PM _{2.5} , PM ₁₀	2
128	Puducherry	Satisfactory	56	PM ₁₀	1
129	Purnia	Moderate	115	PM _{2.5}	1
130	Raichur	Satisfactory	60	со	1
131	Rajamahendravaram	Good	33	со	1
132	Rajgir	Satisfactory	64	со	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Ankleshwar,
 Begusarai, Bettiah, Bhilai, Bidar, Brajrajnagar, Chengalpattu, Damoh,
 Davanagere, Dehradun, Dharuhera, Dindigul, Gummidipoondi, Jorapokhar,
 Kolar, Manguraha, Naharlagun, Ooty, Pune, Rohtak, Saharsa, Singrauli,
 Siwan, Solapur, Thrissur, Udupi, vellore as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake
- and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Ramanagara	Good	40	03	1
134	Ramanathapuram	Satisfactory	52	PM ₁₀	1
135	Ratlam	Satisfactory	68	PM ₁₀	1
136	Rupnagar	Satisfactory	58	со	1
137	Sagar	Satisfactory	52	со	1
138	Salem	Good	39	PM ₁₀	1
139	Samastipur	Moderate	102	PM ₁₀	1
140	Sasaram	Good	47	03	1
141	Satna	Good	50	PM ₁₀	1
142	Shillong	Good	25	PM _{2.5}	1
143	Shivamogga	Satisfactory	60	NO ₂	1
144	Siliguri	Satisfactory	58	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ambala, Ankleshwar,
 Begusarai, Bettiah, Bhilai, Bidar, Brajrajnagar, Chengalpattu, Damoh,
 Davanagere, Dehradun, Dharuhera, Dindigul, Gummidipoondi, Jorapokhar,
 Kolar, Manguraha, Naharlagun, Ooty, Pune, Rohtak, Saharsa, Singrauli,
 Siwan, Solapur, Thrissur, Udupi, vellore as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Sirsa	Satisfactory	64	PM ₁₀	1
146	Sonipat	Satisfactory	57	PM ₁₀	1
147	Srinagar	Satisfactory	51	PM ₁₀	1
148	Talcher	Good	37	PM ₁₀	1
149	Thane	Satisfactory	69	PM ₁₀	1
150	Thiruvananthapuram	Good	50	PM _{2.5} , PM ₁₀	2
151	Thoothukudi	Satisfactory	54	PM ₁₀	1
152	Tirupati	Good	44	СО	1
153	Tiruppur	Poor	229	PM ₁₀	1
154	Udaipur	Satisfactory	82	PM ₁₀	1
155	Ujjain	Moderate	111	PM ₁₀	1
156	Vapi	Satisfactory	64	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Ankleshwar,
 Begusarai, Bettiah, Bhilai, Bidar, Brajrajnagar, Chengalpattu, Damoh,
 Davanagere, Dehradun, Dharuhera, Dindigul, Gummidipoondi, Jorapokhar,
 Kolar, Manguraha, Naharlagun, Ooty, Pune, Rohtak, Saharsa, Singrauli,
 Siwan, Solapur, Thrissur, Udupi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Varanasi	Satisfactory	63	PM ₁₀	4
158	Vatva	Satisfactory	78	PM ₁₀	1
159	Vijayapura	Good	40	PM ₁₀	1
160	Visakhapatnam	Satisfactory	95	PM ₁₀	1
161	Vrindavan	Satisfactory	51	PM ₁₀	1
162	Yadgir	Good	32	со	1
163	Yamunanagar	Good	50	PM ₁₀	1

Possible Health Impacts

Good	d Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ambala, Ankleshwar,
 Begusarai, Bettiah, Bhilai, Bidar, Brajrajnagar, Chengalpattu, Damoh,
 Davanagere, Dehradun, Dharuhera, Dindigul, Gummidipoondi, Jorapokhar,
 Kolar, Manguraha, Naharlagun, Ooty, Pune, Rohtak, Saharsa, Singrauli,
 Siwan, Solapur, Thrissur, Udupi, vellore as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.