

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	23	SO ₂	1
2	Agra	Satisfactory	57	PM ₁₀ , PM _{2.5}	5
3	Ahmedabad	Satisfactory	55	PM ₁₀	9
4	Ajmer	Satisfactory	62	PM _{2.5}	1
5	Alwar	Satisfactory	89	PM ₁₀	1
6	Amaravati	Good	29	PM ₁₀	1
7	Ambala	Satisfactory	84	PM _{2.5}	1
8	Amritsar	Good	42	PM ₁₀	1
9	Baghpat	Satisfactory	68	PM _{2.5}	1
10	Bahadurgarh	Satisfactory	89	PM _{2.5}	1
11	Ballabgarh	Satisfactory	62	PM ₁₀	1
12	Bathinda	Good	29	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Aizawl, Ankleshwar, Asansol, Aurangabad, Bagalkot, Bidar, Charkhi Dadri, Coimbatore, Eloor, Ernakulam, Gummidipoondi, Jorapokhar, Kalaburgi, Kalyan, Kozhikode, Maihar, Manesar, Manglore, Naharlagun, Nandesari, Raichur, Sonipat, Udupi, Vijayapura as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bengaluru	Satisfactory	58	PM ₁₀ , CO, PM _{2.5}	8
14	Bettiah	Satisfactory	85	PM ₁₀	1
15	Bhiwadi	Moderate	107	PM ₁₀	1
16	Bhiwani	Satisfactory	83	PM ₁₀	1
17	Bhopal	Good	37	PM ₁₀	1
18	Bihar Sharif	Satisfactory	79	PM _{2.5}	1
19	Brajrajnagar	Good	50	со	1
20	Bulandshahr	Satisfactory	55	PM _{2.5}	1
21	Chamarajanagar	Good	49	PM _{2.5}	1
22	Chandigarh	Good	46	PM ₁₀	1
23	Chandrapur	Good	30	PM ₁₀	2
24	Chennai	Satisfactory	60	CO, PM ₁₀	6

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Aizawl, Ankleshwar, Asansol, Aurangabad, Bagalkot, Bidar, Charkhi Dadri, Coimbatore, Eloor, Ernakulam, Gummidipoondi, Jorapokhar, Kalaburgi, Kalyan, Kozhikode, Maihar, Manesar, Manglore, Naharlagun, Nandesari, Raichur, Sonipat, Udupi, Vijayapura as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chikkaballapur	Good	48	PM ₁₀	1
26	Chikkamagaluru	Good	34	PM ₁₀	1
27	Damoh	Good	18	NO ₂	1
28	Darbhanga	Moderate	130	PM ₁₀	1
29	Davanagere	Good	20	PM ₁₀	1
30	Delhi	Satisfactory	98	PM _{2.5} , PM ₁₀ , NO ₂	35
31	Dewas	Good	37	PM ₁₀	1
32	Dharuhera	Satisfactory	93	со	1
33	Durgapur	Satisfactory	94	PM ₁₀	1
34	Faridabad	Satisfactory	84	PM ₁₀ , PM _{2.5}	3
35	Fatehabad	Satisfactory	52	PM ₁₀	1
36	Firozabad	Good	49	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Aizawl, Ankleshwar, Asansol, Aurangabad, Bagalkot, Bidar, Charkhi Dadri, Coimbatore, Eloor, Ernakulam, Gummidipoondi, Jorapokhar, Kalaburgi, Kalyan, Kozhikode, Maihar, Manesar, Manglore, Naharlagun, Nandesari, Raichur, Sonipat, Udupi, Vijayapura as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Gadag	Good	36	SO ₂	1
38	Gandhinagar	Good	48	CO, PM ₁₀ , PM _{2.5}	3
39	Gaya	Satisfactory	53	CO, O ₃	2
40	Ghaziabad	Satisfactory	99	PM _{2.5} , PM ₁₀	4
41	Gorakhpur	Good	25	PM _{2.5}	1
42	Greater Noida	Satisfactory	90	CO, PM _{2.5}	2
43	Gurugram	Moderate	110	PM _{2.5} , PM ₁₀	3
44	Guwahati	Good	48	SO ₂	2
45	Gwalior	Good	30	PM ₁₀	1
46	Hajipur	Satisfactory	94	O ₃	1
47	Haldia	Good	46	PM ₁₀	1
48	Hapur	Satisfactory	73	со	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Aizawl, Ankleshwar, Asansol, Aurangabad, Bagalkot, Bidar, Charkhi Dadri, Coimbatore, Eloor, Ernakulam, Gummidipoondi, Jorapokhar, Kalaburgi, Kalyan, Kozhikode, Maihar, Manesar, Manglore, Naharlagun, Nandesari, Raichur, Sonipat, Udupi, Vijayapura as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hassan	Good	28	NO ₂	1
50	Hisar	Satisfactory	85	O ₃	1
51	Howrah	Satisfactory	65	PM ₁₀	3
52	Hubballi	Good	42	PM ₁₀	1
53	Hyderabad	Good	40	NO ₂ , PM ₁₀ , PM _{2.5}	6
54	Indore	Good	44	PM ₁₀	1
55	Jabalpur	Good	31	СО	1
56	Jaipur	Satisfactory	84	PM ₁₀	2
57	Jalandhar	Satisfactory	69	PM ₁₀	1
58	Jind	Satisfactory	62	PM _{2.5}	1
59	Jodhpur	Moderate	104	PM ₁₀	1
60	Kaithal	Satisfactory	71	O ₃	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Aizawl, Ankleshwar, Asansol, Aurangabad, Bagalkot, Bidar, Charkhi Dadri, Coimbatore, Eloor, Ernakulam, Gummidipoondi, Jorapokhar, Kalaburgi, Kalyan, Kozhikode, Maihar, Manesar, Manglore, Naharlagun, Nandesari, Raichur, Sonipat, Udupi, Vijayapura as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kannur	Good	37	NO ₂	1
62	Kanpur	Good	34	PM ₁₀ , NO ₂ , PM _{2.5}	3
63	Karnal	Good	44	PM _{2.5}	1
64	Katni	Good	32	PM ₁₀	1
65	Khanna	Satisfactory	65	PM ₁₀	1
66	Kochi	Satisfactory	54	PM ₁₀	1
67	Kohima	Good	33	SO ₂	1
68	Kolar	Satisfactory	95	со	1
69	Kolkata	Satisfactory	62	PM ₁₀	7
70	Kollam	Satisfactory	99	со	1
71	Koppal	Good	28	03	1
72	Kota	Satisfactory	52	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Aizawl, Ankleshwar, Asansol, Aurangabad, Bagalkot, Bidar, Charkhi Dadri, Coimbatore, Eloor, Ernakulam, Gummidipoondi, Jorapokhar, Kalaburgi, Kalyan, Kozhikode, Maihar, Manesar, Manglore, Naharlagun, Nandesari, Raichur, Sonipat, Udupi, Vijayapura as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kurukshetra	Satisfactory	52	PM _{2.5}	1
74	Lucknow	Good	49	CO, PM ₁₀ , PM _{2.5}	5
75	Ludhiana	Moderate	139	PM _{2.5}	1
76	Mandi Gobindgarh	Good	38	PM _{2.5}	1
77	Mandideep	Good	35	PM ₁₀	1
78	Mandikhera	Satisfactory	52	03	1
79	Medikeri	Good	21	SO ₂	1
80	Meerut	Satisfactory	59	PM ₁₀ , CO, PM _{2.5}	3
81	Moradabad	Satisfactory	96	PM ₁₀	1
82	Motihari	Good	40	03	1
83	Mumbai	Satisfactory	63	O ₃ , PM ₁₀ , PM _{2.5}	16
84	Muzaffarnagar	Satisfactory	81	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Aizawl, Ankleshwar, Asansol, Aurangabad, Bagalkot, Bidar, Charkhi Dadri, Coimbatore, Eloor, Ernakulam, Gummidipoondi, Jorapokhar, Kalaburgi, Kalyan, Kozhikode, Maihar, Manesar, Manglore, Naharlagun, Nandesari, Raichur, Sonipat, Udupi, Vijayapura as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Muzaffarpur	Good	45	O ₃ , CO	2
86	Mysuru	Good	37	O ₃	1
87	Nagpur	Satisfactory	82	03	1
88	Narnaul	Satisfactory	100	PM ₁₀	1
89	Nashik	Good	35	PM _{2.5}	1
90	Navi Mumbai	Good	34	PM ₁₀	2
91	Noida	Satisfactory	92	PM ₁₀ , PM _{2.5}	3
92	Pali	Satisfactory	56	PM ₁₀	1
93	Palwal	Satisfactory	81	PM ₁₀	1
94	Panchkula	Satisfactory	53	PM _{2.5}	1
95	Panipat	Satisfactory	81	PM ₁₀	1
96	Patiala	Good	45	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Aizawl, Ankleshwar, Asansol, Aurangabad, Bagalkot, Bidar, Charkhi Dadri, Coimbatore, Eloor, Ernakulam, Gummidipoondi, Jorapokhar, Kalaburgi, Kalyan, Kozhikode, Maihar, Manesar, Manglore, Naharlagun, Nandesari, Raichur, Sonipat, Udupi, Vijayapura as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Patna	Satisfactory	67	PM _{2.5} , O ₃ , CO	5
98	Pithampur	Satisfactory	56	PM ₁₀	1
99	Prayagraj	Good	28	PM ₁₀	3
100	Puducherry	Good	40	03	1
101	Pune	Satisfactory	60	PM ₁₀ , CO, PM _{2.5}	6
102	Rajamahendravaram	Satisfactory	53	PM ₁₀	1
103	Ramanagara	Good	38	PM ₁₀	1
104	Ratlam	Good	42	PM _{2.5}	1
105	Rohtak	Satisfactory	92	PM _{2.5}	1
106	Rupnagar	Good	35	PM ₁₀	1
107	Sagar	Good	24	NO ₂	1
108	Satna	Satisfactory	99	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Aizawl, Ankleshwar, Asansol, Aurangabad, Bagalkot, Bidar, Charkhi Dadri, Coimbatore, Eloor, Ernakulam, Gummidipoondi, Jorapokhar, Kalaburgi, Kalyan, Kozhikode, Maihar, Manesar, Manglore, Naharlagun, Nandesari, Raichur, Sonipat, Udupi, Vijayapura as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Shillong	Good	13	SO ₂	1
110	Shivamogga	Good	41	PM ₁₀	1
111	Siliguri	Good	47	PM ₁₀	1
112	Singrauli	Good	33	NO ₂	1
113	Sirsa	Satisfactory	87	03	1
114	Solapur	Good	47	PM ₁₀	1
115	Srinagar	Satisfactory	77	PM ₁₀	1
116	Talcher	Satisfactory	72	со	1
117	Thane	Satisfactory	72	PM ₁₀	1
118	Thiruvananthapuram	Good	39	O ₃ , CO	2
119	Thoothukudi	Good	37	PM ₁₀	1
120	Thrissur	Good	45	SO ₂	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Aizawl, Ankleshwar, Asansol, Aurangabad, Bagalkot, Bidar, Charkhi Dadri, Coimbatore, Eloor, Ernakulam, Gummidipoondi, Jorapokhar, Kalaburgi, Kalyan, Kozhikode, Maihar, Manesar, Manglore, Naharlagun, Nandesari, Raichur, Sonipat, Udupi, Vijayapura as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Tirupati	Good	34	со	1
122	Udaipur	Satisfactory	91	PM ₁₀	1
123	Ujjain	Satisfactory	74	PM ₁₀	1
124	Vapi	Satisfactory	57	PM ₁₀	1
125	Varanasi	Good	35	PM ₁₀	3
126	Vatva	Satisfactory	87	PM _{2.5}	1
127	Visakhapatnam	Satisfactory	96	PM ₁₀	1
128	Yadgir	Good	32	PM ₁₀	1
129	Yamunanagar	Satisfactory	64	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

- * AQI is not calculated for today's bulletin for Aizawl, Ankleshwar,
 Asansol, Aurangabad, Bagalkot, Bidar, Charkhi Dadri, Coimbatore, Eloor,
 Ernakulam, Gummidipoondi, Jorapokhar, Kalaburgi, Kalyan, Kozhikode, Maihar,
 Manesar, Manglore, Naharlagun, Nandesari, Raichur, Sonipat, Udupi,
 Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.