

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Very Poor	384	PM <sub>2.5</sub>	1
2	Ahmedabad	Moderate	182	PM <sub>2.5</sub>	1
3	Aizawl	Good	13	PM <sub>10</sub>	1
4	Ajmer	Moderate	110	PM <sub>2.5</sub>	1
5	Alwar	Moderate	114	PM <sub>2.5</sub>	1
6	Amaravati	Poor	237	PM <sub>2.5</sub>	1
7	Ambala	Moderate	166	PM <sub>2.5</sub>	1
8	Amritsar	Moderate	157	PM <sub>2.5</sub>	1
9	Asansol	Poor	219	PM <sub>2.5</sub>	1
10	Aurangabad	Moderate	106	PM <sub>2.5</sub>	1
11	Bagalkot	Good	34	PM <sub>10</sub>	1
12	Baghpat	Very Poor	353	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- \* AQI is not calculated for today's bulletin for Agartala, Ankleshwar, Chamarajanagar, Coimbatore, Jorapokhar, Kochi, Maihar, Nagpur, Nashik, Panipat, Rupnagar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bahadurgarh	Very Poor	340	PM <sub>2.5</sub>	1
14	Ballabgarh	Very Poor	362	PM <sub>10</sub>	1
15	Bathinda	Poor	280	PM <sub>2.5</sub>	1
16	Bengaluru	Satisfactory	98	CO, PM <sub>2.5</sub> , PM <sub>10</sub>	8
17	Bhiwadi	Very Poor	394	PM <sub>2.5</sub>	1
18	Bhiwani	Poor	241	PM <sub>10</sub>	1
19	Bhopal	Very Poor	303	PM <sub>2.5</sub>	1
20	Brajrajnagar	Poor	272	PM <sub>2.5</sub>	1
21	Bulandshahr	Severe	436	PM <sub>2.5</sub>	1
22	Chandigarh	Moderate	193	PM <sub>2.5</sub>	1
23	Chandrapur	Good	49	PM <sub>2.5</sub>	1
24	Charkhi Dadri	Very Poor	334	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	actory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Agartala, Ankleshwar, Chamarajanagar, Coimbatore, Jorapokhar, Kochi, Maihar, Nagpur, Nashik, Panipat, Rupnagar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chennai	Satisfactory	85	PM <sub>2.5</sub> , PM <sub>10</sub>	8
26	Chikkaballapur	Satisfactory	83	PM <sub>2.5</sub>	1
27	Chikkamagaluru	Satisfactory	74	03	1
28	Damoh	Poor	283	PM <sub>2.5</sub>	1
29	Delhi	Severe	441	PM <sub>2.5</sub> , PM <sub>10</sub>	34
30	Dewas	Poor	273	PM <sub>2.5</sub>	1
31	Dharuhera	Very Poor	370	PM <sub>10</sub>	1
32	Durgapur	Poor	251	PM <sub>2.5</sub>	1
33	Eloor	Good	37	PM <sub>10</sub>	1
34	Ernakulam	Satisfactory	77	PM <sub>2.5</sub>	1
35	Faridabad	Severe	421	PM <sub>10</sub> , PM <sub>2.5</sub>	2
36	Fatehabad	Poor	223	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Agartala, Ankleshwar, Chamarajanagar, Coimbatore, Jorapokhar, Kochi, Maihar, Nagpur, Nashik, Panipat, Rupnagar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Gandhinagar	Satisfactory	89	PM <sub>10</sub>	1
38	Gaya	Moderate	190	PM <sub>2.5</sub>	2
39	Ghaziabad	Severe	470	PM <sub>2.5</sub>	4
40	Greater Noida	Severe	434	PM <sub>2.5</sub>	2
41	Gurugram	Very Poor	376	PM <sub>2.5</sub>	4
42	Guwahati	Poor	281	PM <sub>2.5</sub>	2
43	Gwalior	Very Poor	359	PM <sub>2.5</sub>	1
44	Hajipur	Moderate	104	PM <sub>10</sub>	1
45	Haldia	Poor	214	PM <sub>2.5</sub>	1
46	Hapur	Moderate	164	PM <sub>10</sub>	1
47	Hisar	Severe	405	PM <sub>2.5</sub>	1
48	Howrah	Poor	242	PM <sub>2.5</sub>	3

## Possible Health Impacts

Good	Minimal Impact		
Satisfactory	factory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor Respiratory illness on prolonged exposure			
Severe	Affects healthy people and seriously impacts those with existing diseases		

- \* AQI is not calculated for today's bulletin for Agartala, Ankleshwar, Chamarajanagar, Coimbatore, Jorapokhar, Kochi, Maihar, Nagpur, Nashik, Panipat, Rupnagar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hubballi	Satisfactory	99	PM <sub>10</sub>	1
50	Hyderabad	Moderate	188	PM <sub>2.5</sub> , PM <sub>10</sub>	5
51	Indore	Poor	261	PM <sub>2.5</sub>	1
52	Jabalpur	Very Poor	359	PM <sub>2.5</sub>	1
53	Jaipur	Moderate	142	PM <sub>2.5</sub>	2
54	Jalandhar	Moderate	116	PM <sub>2.5</sub>	1
55	Jind	Very Poor	321	PM <sub>2.5</sub>	1
56	Jodhpur	Moderate	156	PM <sub>2.5</sub>	1
57	Kaithal	Moderate	155	PM <sub>10</sub>	1
58	Kalaburgi	Moderate	130	PM <sub>10</sub>	1
59	Kalyan	Very Poor	312	PM <sub>2.5</sub>	1
60	Kannur	Satisfactory	83	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Agartala, Ankleshwar, Chamarajanagar, Coimbatore, Jorapokhar, Kochi, Maihar, Nagpur, Nashik, Panipat, Rupnagar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kanpur	Very Poor	364	PM <sub>2.5</sub>	2
62	Karnal	Poor	214	PM <sub>2.5</sub>	1
63	Katni	Very Poor	331	PM <sub>2.5</sub>	1
64	Khanna	Moderate	178	PM <sub>2.5</sub>	1
65	Kohima	Satisfactory	59	PM <sub>2.5</sub>	1
66	Kolkata	Poor	267	PM <sub>2.5</sub>	7
67	Kollam	Satisfactory	94	СО	1
68	Koppal	Satisfactory	79	PM <sub>10</sub>	1
69	Kota	Poor	233	PM <sub>2.5</sub>	1
70	Kozhikode	Satisfactory	68	со	1
71	Kurukshetra	Poor	206	PM <sub>2.5</sub>	1
72	Lucknow	Very Poor	360	PM <sub>2.5</sub>	3

## Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- \* AQI is not calculated for today's bulletin for Agartala, Ankleshwar, Chamarajanagar, Coimbatore, Jorapokhar, Kochi, Maihar, Nagpur, Nashik, Panipat, Rupnagar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Ludhiana	Moderate	174	PM <sub>2.5</sub>	1
74	Mandi Gobindgarh	Moderate	170	PM <sub>2.5</sub>	1
75	Mandideep	Moderate	200	PM <sub>2.5</sub>	1
76	Mandikhera	Moderate	167	PM <sub>2.5</sub>	1
77	Manesar	Very Poor	329	PM <sub>2.5</sub>	1
78	Medikeri	Moderate	117	03	1
79	Meerut	Very Poor	382	PM <sub>2.5</sub>	2
80	Moradabad	Very Poor	369	PM <sub>2.5</sub>	1
81	Mumbai	Poor	244	PM <sub>2.5</sub>	19
82	Muzaffarnagar	Very Poor	336	PM <sub>2.5</sub>	1
83	Muzaffarpur	Poor	264	PM <sub>2.5</sub> , PM <sub>10</sub>	2
84	Mysuru	Satisfactory	61	O <sub>3</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Agartala, Ankleshwar, Chamarajanagar, Coimbatore, Jorapokhar, Kochi, Maihar, Nagpur, Nashik, Panipat, Rupnagar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Nandesari	Satisfactory	60	PM <sub>2.5</sub>	1
86	Narnaul	Poor	288	PM <sub>2.5</sub>	1
87	Navi Mumbai	Poor	281	PM <sub>2.5</sub> , PM <sub>10</sub>	3
88	Noida	Severe	455	PM <sub>2.5</sub>	3
89	Pali	Satisfactory	96	PM <sub>10</sub>	1
90	Palwal	Moderate	171	PM <sub>10</sub>	1
91	Panchkula	Poor	222	PM <sub>2.5</sub>	1
92	Patiala	Moderate	124	PM <sub>2.5</sub>	1
93	Patna	Poor	298	PM <sub>2.5</sub> , PM <sub>10</sub>	6
94	Pithampur	Poor	270	PM <sub>2.5</sub>	1
95	Pune	Moderate	144	PM <sub>2.5</sub>	3
96	Raichur	Moderate	143	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Agartala, Ankleshwar, Chamarajanagar, Coimbatore, Jorapokhar, Kochi, Maihar, Nagpur, Nashik, Panipat, Rupnagar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Rajamahendravaram	Poor	238	PM <sub>2.5</sub>	1
98	Ramanagara	Satisfactory	62	03	1
99	Ratlam	Moderate	177	PM <sub>2.5</sub>	1
100	Rohtak	Severe	410	PM <sub>2.5</sub>	1
101	Sagar	Satisfactory	83	PM <sub>2.5</sub>	1
102	Satna	Satisfactory	96	PM <sub>10</sub>	1
103	Shillong	Good	23	03	1
104	Shivamogga	Satisfactory	60	PM <sub>10</sub>	1
105	Siliguri	Poor	248	PM <sub>2.5</sub>	1
106	Singrauli	Very Poor	371	PM <sub>2.5</sub>	1
107	Sirsa	Poor	217	PM <sub>2.5</sub>	1
108	Solapur	Moderate	151	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Agartala, Ankleshwar, Chamarajanagar, Coimbatore, Jorapokhar, Kochi, Maihar, Nagpur, Nashik, Panipat, Rupnagar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Sonipat	Poor	222	PM <sub>2.5</sub>	1
110	Talcher	Moderate	193	PM <sub>2.5</sub>	1
111	Thane	Poor	209	PM <sub>10</sub>	1
112	Thiruvananthapuram	Good	44	PM <sub>10</sub> , O <sub>3</sub>	2
113	Thoothukudi	Satisfactory	81	O <sub>3</sub>	1
114	Thrissur	Satisfactory	84	O <sub>3</sub>	1
115	Tirupati	Moderate	112	PM <sub>2.5</sub>	1
116	Udaipur	Poor	247	PM <sub>2.5</sub>	1
117	Ujjain	Poor	299	PM <sub>2.5</sub>	1
118	Vapi	Very Poor	317	PM <sub>2.5</sub>	1
119	Varanasi	Poor	254	O <sub>3</sub>	1
120	Vatva	Moderate	149	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Agartala, Ankleshwar, Chamarajanagar, Coimbatore, Jorapokhar, Kochi, Maihar, Nagpur, Nashik, Panipat, Rupnagar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Vijayapura	Satisfactory	61	PM <sub>10</sub>	1
122	Visakhapatnam	Poor	266	PM <sub>2.5</sub>	1
123	Yadgir	Moderate	108	PM <sub>10</sub>	1
124	Yamunanagar	Very Poor	326	PM <sub>2.5</sub>	1

### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Agartala, Ankleshwar, Chamarajanagar, Coimbatore, Jorapokhar, Kochi, Maihar, Nagpur, Nashik, Panipat, Rupnagar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.