

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	39	PM ₁₀	1
2	Agra	Satisfactory	54	PM ₁₀ , PM _{2.5}	4
3	Ahmedabad	Satisfactory	65	CO, PM ₁₀ , PM _{2.5}	8
4	Aizawl	Good	24	SO ₂	1
5	Ajmer	Satisfactory	87	PM ₁₀	1
6	Alwar	Satisfactory	56	PM ₁₀	1
7	Amaravati	Good	31	со	1
8	Ambala	Satisfactory	90	PM ₁₀	1
9	Amritsar	Moderate	125	PM _{2.5}	1
10	Ankleshwar	Moderate	106	PM _{2.5}	1
11	Asansol	Good	37	PM ₁₀	1
12	Aurangabad	Satisfactory	56	СО	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bettiah, Bidar, Bihar Sharif, Chamarajanagar, Coimbatore, Darbhanga, Davanagere, Dharuhera, Fatehabad, Jorapokhar, Kalaburgi, Manglore, Motihari, Nagpur, Naharlagun, Narnaul, Ratlam, Rupnagar, Solapur, Thane, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bagalkot	Good	26	PM ₁₀	1
14	Baghpat	Satisfactory	85	PM ₁₀	1
15	Bahadurgarh	Moderate	103	со	1
16	Ballabgarh	Satisfactory	86	PM _{2.5}	1
17	Bathinda	Good	46	со	1
18	Bengaluru	Good	50	CO, PM ₁₀ , O ₃	8
19	Bhiwadi	Poor	234	PM _{2.5}	1
20	Bhiwani	Satisfactory	92	03	1
21	Bhopal	Satisfactory	68	PM ₁₀	1
22	Bilaspur	Satisfactory	63	PM ₁₀	1
23	Brajrajnagar	Good	43	со	1
24	Bulandshahr	Satisfactory	74	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bettiah, Bidar, Bihar Sharif, Chamarajanagar, Coimbatore, Darbhanga, Davanagere, Dharuhera, Fatehabad, Jorapokhar, Kalaburgi, Manglore, Motihari, Nagpur, Naharlagun, Narnaul, Ratlam, Rupnagar, Solapur, Thane, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chandigarh	Satisfactory	60	O ₃ , PM ₁₀	2
26	Chandrapur	Good	28	O ₃	2
27	Charkhi Dadri	Moderate	117	PM _{2.5}	1
28	Chennai	Satisfactory	53	PM ₁₀	5
29	Chikkaballapur	Good	43	PM ₁₀	1
30	Chikkamagaluru	Good	27	03	1
31	Damoh	Good	26	PM _{2.5}	1
32	Delhi	Moderate	120	PM _{2.5} , PM ₁₀	35
33	Dewas	Good	37	PM ₁₀	1
34	Durgapur	Satisfactory	83	PM ₁₀	1
35	Eloor	Good	50	PM _{2.5}	1
36	Ernakulam	Good	46	СО	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bidar, Bihar Sharif, Chamarajanagar, Coimbatore, Darbhanga, Davanagere, Dharuhera, Fatehabad, Jorapokhar, Kalaburgi, Manglore, Motihari, Nagpur, Naharlagun, Narnaul, Ratlam, Rupnagar, Solapur, Thane, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Faridabad	Moderate	119	PM ₁₀ , O ₃	3
38	Firozabad	Good	32	PM ₁₀	1
39	Gadag	Good	18	со	1
40	Gandhinagar	Satisfactory	52	PM ₁₀	3
41	Gaya	Satisfactory	52	CO, PM ₁₀	2
42	Ghaziabad	Moderate	120	PM _{2.5} , PM ₁₀	4
43	Gorakhpur	Good	22	PM ₁₀	1
44	Greater Noida	Moderate	159	PM ₁₀	2
45	Gummidipoondi	Satisfactory	100	PM _{2.5}	1
46	Gurugram	Moderate	153	PM _{2.5}	3
47	Guwahati	Satisfactory	68	SO ₂	2
48	Gwalior	Good	46	O ₃ , PM ₁₀	2

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bettiah, Bidar, Bihar Sharif, Chamarajanagar, Coimbatore, Darbhanga, Davanagere, Dharuhera, Fatehabad, Jorapokhar, Kalaburgi, Manglore, Motihari, Nagpur, Naharlagun, Narnaul, Ratlam, Rupnagar, Solapur, Thane, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hajipur	Satisfactory	76	СО	1
50	Haldia	Good	30	PM ₁₀	1
51	Hapur	Satisfactory	82	PM ₁₀	1
52	Hassan	Good	30	PM ₁₀	1
53	Hisar	Satisfactory	75	PM _{2.5}	1
54	Howrah	Good	42	O ₃ , PM ₁₀ , CO	3
55	Hubballi	Good	30	PM ₁₀	1
56	Hyderabad	Good	38	NO ₂ , CO, SO ₂	5
57	Indore	Satisfactory	51	PM ₁₀	1
58	Jabalpur	Good	45	O ₃	1
59	Jaipur	Satisfactory	67	PM ₁₀	2
60	Jalandhar	Satisfactory	81	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bettiah, Bidar, Bihar Sharif, Chamarajanagar, Coimbatore, Darbhanga, Davanagere, Dharuhera, Fatehabad, Jorapokhar, Kalaburgi, Manglore, Motihari, Nagpur, Naharlagun, Narnaul, Ratlam, Rupnagar, Solapur, Thane, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Jind	Satisfactory	70	PM _{2.5}	1
62	Jodhpur	Satisfactory	98	PM _{2.5}	1
63	Kaithal	Satisfactory	64	PM ₁₀	1
64	Kalyan	Satisfactory	71	PM ₁₀	1
65	Kannur	Good	50	со	1
66	Kanpur	Good	40	NO ₂ , O ₃ , PM ₁₀	4
67	Karnal	Satisfactory	77	PM ₁₀	1
68	Katni	Good	49	PM ₁₀	1
69	Khanna	Satisfactory	58	PM ₁₀	1
70	Kochi	Good	33	со	1
71	Kohima	Good	37	PM ₁₀	1
72	Kolar	Good	43	СО	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Bettiah, Bidar, Bihar Sharif, Chamarajanagar, Coimbatore, Darbhanga, Davanagere, Dharuhera, Fatehabad, Jorapokhar, Kalaburgi, Manglore, Motihari, Nagpur, Naharlagun, Narnaul, Ratlam, Rupnagar, Solapur, Thane, Thrissur as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kolkata	Good	48	CO, PM ₁₀	5
74	Kollam	Satisfactory	90	со	1
75	Koppal	Good	38	03	1
76	Kota	Good	50	PM _{2.5}	1
77	Kozhikode	Satisfactory	67	со	1
78	Kurukshetra	Satisfactory	70	PM ₁₀	1
79	Lucknow	Satisfactory	59	PM ₁₀ , CO, O ₃	6
80	Ludhiana	Satisfactory	69	PM ₁₀	1
81	Maihar	Good	21	PM _{2.5}	1
82	Mandi Gobindgarh	Satisfactory	73	PM _{2.5}	1
83	Mandideep	Satisfactory	79	PM ₁₀	1
84	Mandikhera	Good	48	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bettiah, Bidar, Bihar Sharif, Chamarajanagar, Coimbatore, Darbhanga, Davanagere, Dharuhera, Fatehabad, Jorapokhar, Kalaburgi, Manglore, Motihari, Nagpur, Naharlagun, Narnaul, Ratlam, Rupnagar, Solapur, Thane, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Manesar	Moderate	103	PM _{2.5}	1
86	Medikeri	Good	23	03	1
87	Meerut	Satisfactory	82	PM ₁₀	3
88	Moradabad	Satisfactory	98	PM ₁₀	1
89	Mumbai	Satisfactory	62	O ₃ , CO, NO ₂	17
90	Muzaffarnagar	Satisfactory	80	PM ₁₀	1
91	Muzaffarpur	Satisfactory	52	со	1
92	Mysuru	Good	39	O ₃	1
93	Nandesari	Satisfactory	55	PM _{2.5}	1
94	Nashik	Good	21	PM _{2.5}	1
95	Navi Mumbai	Satisfactory	77	PM _{2.5} , CO	2
96	Noida	Moderate	107	PM ₁₀	4

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bettiah, Bidar, Bihar Sharif, Chamarajanagar, Coimbatore, Darbhanga, Davanagere, Dharuhera, Fatehabad, Jorapokhar, Kalaburgi, Manglore, Motihari, Nagpur, Naharlagun, Narnaul, Ratlam, Rupnagar, Solapur, Thane, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Pali	Satisfactory	74	PM ₁₀	1
98	Palwal	Satisfactory	92	PM ₁₀	1
99	Panchkula	Satisfactory	52	03	1
100	Panipat	Satisfactory	92	PM ₁₀	1
101	Patiala	Satisfactory	57	PM ₁₀	1
102	Patna	Satisfactory	52	PM ₁₀ , O ₃ , CO	5
103	Pithampur	Satisfactory	69	PM _{2.5}	1
104	Prayagraj	Good	38	PM ₁₀ , PM _{2.5}	3
105	Puducherry	Satisfactory	53	03	1
106	Pune	Satisfactory	71	CO, O ₃ , NO ₂	6
107	Raichur	Good	38	PM ₁₀	1
108	Rajamahendravaram	Good	31	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bettiah, Bidar, Bihar Sharif, Chamarajanagar, Coimbatore, Darbhanga, Davanagere, Dharuhera, Fatehabad, Jorapokhar, Kalaburgi, Manglore, Motihari, Nagpur, Naharlagun, Narnaul, Ratlam, Rupnagar, Solapur, Thane, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Ramanagara	Good	32	PM ₁₀	1
110	Rohtak	Moderate	104	NO ₂	1
111	Sagar	Good	25	PM _{2.5}	1
112	Satna	Good	48	PM ₁₀	1
113	Shillong	Good	19	SO ₂	1
114	Shivamogga	Good	41	PM ₁₀	1
115	Siliguri	Good	43	PM ₁₀	1
116	Singrauli	Satisfactory	68	PM ₁₀	1
117	Sirsa	Good	50	O ₃	1
118	Sonipat	Moderate	116	PM ₁₀	1
119	Srinagar	Satisfactory	59	PM ₁₀	1
120	Talcher	Good	29	O ₃	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bettiah, Bidar, Bihar Sharif, Chamarajanagar, Coimbatore, Darbhanga, Davanagere, Dharuhera, Fatehabad, Jorapokhar, Kalaburgi, Manglore, Motihari, Nagpur, Naharlagun, Narnaul, Ratlam, Rupnagar, Solapur, Thane, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Thiruvananthapuram	Good	40	O ₃ , CO	2
122	Thoothukudi	Good	36	PM ₁₀	1
123	Tirupati	Good	35	со	1
124	Udaipur	Satisfactory	78	PM ₁₀	1
125	Udupi	Moderate	106	со	1
126	Ujjain	Satisfactory	62	PM ₁₀	1
127	Vapi	Good	39	PM ₁₀	1
128	Varanasi	Good	38	PM ₁₀	4
129	Vatva	Satisfactory	93	PM _{2.5}	1
130	Vijayapura	Satisfactory	80	со	1
131	Visakhapatnam	Satisfactory	59	NO ₂	1
132	Vrindavan	Satisfactory	53	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bettiah, Bidar, Bihar Sharif, Chamarajanagar, Coimbatore, Darbhanga, Davanagere, Dharuhera, Fatehabad, Jorapokhar, Kalaburgi, Manglore, Motihari, Nagpur, Naharlagun, Narnaul, Ratlam, Rupnagar, Solapur, Thane, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Yadgir	Good	33	SO ₂	1
134	Yamunanagar	Moderate	145	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bidar, Bihar Sharif, Chamarajanagar, Coimbatore, Darbhanga, Davanagere, Dharuhera, Fatehabad, Jorapokhar, Kalaburgi, Manglore, Motihari, Nagpur, Naharlagun, Narnaul, Ratlam, Rupnagar, Solapur, Thane, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.