

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	94	PM ₁₀	2
2	Agra	Moderate	125	PM ₁₀	5
3	Ahmedabad	Moderate	116	PM _{2.5} , PM ₁₀	6
4	Aizawl	Moderate	104	PM ₁₀	1
5	Alwar	Satisfactory	85	PM ₁₀	1
6	Amaravati	Satisfactory	52	03	1
7	Ambala	Moderate	196	PM ₁₀	1
8	Amritsar	Moderate	111	PM ₁₀	1
9	Ankleshwar	Moderate	105	PM ₁₀	1
10	Araria	Satisfactory	91	03	1
11	Arrah	Moderate	160	PM ₁₀	1
12	Aurangabad	Moderate	108	PM ₁₀	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ajmer, Asansol, Bagalkot

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baddi	Moderate	195	PM ₁₀	1
14	Baghpat	Very Poor	308	PM _{2.5}	1
15	Bahadurgarh	Poor	297	PM _{2.5}	1
16	Ballabgarh	Moderate	185	PM _{2.5}	1
17	Bathinda	Moderate	194	PM ₁₀	1
18	Bengaluru	Satisfactory	96	PM ₁₀	7
19	Bhagalpur	Poor	221	PM ₁₀	1
20	Bhiwadi	Poor	245	PM _{2.5}	1
21	Bhopal	Satisfactory	98	PM ₁₀	1
22	Bilaspur	Satisfactory	61	PM ₁₀	1
23	Brajrajnagar	Moderate	152	O ₃	1
24	Bulandshahr	Very Poor	326	PM ₁₀	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ajmer, Asansol, Bagalkot

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Buxar	Poor	248	PM _{2.5}	1
26	Chamarajanagar	Good	47	PM ₁₀	1
27	Chandigarh	Moderate	197	PM _{2.5} , PM ₁₀	3
28	Chandrapur	Moderate	113	PM ₁₀	2
29	Charkhi Dadri	Moderate	171	PM _{2.5}	1
30	Chennai	Satisfactory	61	O ₃ , PM _{2.5} , CO	8
31	Chhapra	Moderate	162	PM ₁₀	1
32	Chikkaballapur	Satisfactory	99	PM ₁₀	1
33	Coimbatore	Satisfactory	52	PM _{2.5}	1
34	Damoh	Satisfactory	63	PM ₁₀	1
35	Davanagere	Satisfactory	59	PM ₁₀	1
36	Delhi	Poor	299	PM ₁₀	33

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ajmer, Asansol, Bagalkot

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Dewas	Moderate	102	PM ₁₀	1
38	Eloor	Satisfactory	73	PM ₁₀	1
39	Ernakulam	Good	46	PM ₁₀	1
40	Faridabad	Poor	300	PM _{2.5} , PM ₁₀	3
41	Firozabad	Moderate	192	03	1
42	Gadag	Good	33	03	1
43	Gandhinagar	Moderate	128	PM _{2.5} , PM ₁₀	3
44	Gaya	Moderate	169	O ₃ , PM _{2.5} , PM ₁₀	3
45	Ghaziabad	Very Poor	362	PM ₁₀	4
46	Gorakhpur	Satisfactory	51	PM ₁₀	1
47	Greater Noida	Very Poor	327	PM ₁₀	2
48	Gummidipoondi	Good	27	PM ₁₀	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ajmer, Asansol, Bagalkot

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Gurugram	Poor	300	PM _{2.5} , PM ₁₀	3
50	Guwahati	Satisfactory	70	PM ₁₀ , PM _{2.5}	2
51	Gwalior	Moderate	142	PM ₁₀	1
52	Hajipur	Satisfactory	93	PM _{2.5}	1
53	Hapur	Very Poor	388	PM ₁₀	1
54	Hassan	Satisfactory	89	PM ₁₀	1
55	Howrah	Satisfactory	82	O ₃ , PM ₁₀	3
56	Hubballi	Satisfactory	57	со	1
57	Hyderabad	Satisfactory	93	PM ₁₀ , PM _{2.5} , CO	6
58	Imphal	Satisfactory	74	SO ₂	1
59	Indore	Satisfactory	98	PM ₁₀	1
60	Jabalpur	Moderate	175	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ajmer, Asansol, Bagalkot

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Jaipur	Moderate	144	PM _{2.5} , PM ₁₀	2
62	Jalandhar	Moderate	119	PM ₁₀	1
63	Jhansi	Moderate	171	PM ₁₀	1
64	Jind	Poor	299	PM _{2.5}	1
65	Kaithal	Poor	226	PM _{2.5}	1
66	Kalyan	Moderate	117	PM ₁₀	1
67	Kannur	Satisfactory	73	PM ₁₀	1
68	Kanpur	Moderate	159	PM _{2.5} , PM ₁₀	3
69	Karnal	Poor	202	PM _{2.5}	1
70	Katihar	Moderate	142	PM ₁₀	1
71	Katni	Poor	251	PM ₁₀	1
72	Khanna	Moderate	195	PM _{2.5}	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ajmer, Asansol, Bagalkot

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kishanganj	Moderate	109	PM ₁₀	1
74	Kochi	Satisfactory	78	СО	1
75	Kohima	Moderate	115	PM ₁₀	1
76	Kolkata	Satisfactory	75	PM ₁₀ , NO ₂	7
77	Kollam	Satisfactory	96	PM ₁₀	1
78	Kota	Moderate	118	PM _{2.5}	1
79	Kozhikode	Satisfactory	59	PM ₁₀	1
80	Kurukshetra	Very Poor	327	PM _{2.5}	1
81	Lucknow	Poor	238	PM _{2.5}	6
82	Ludhiana	Moderate	152	PM _{2.5}	1
83	Madikeri	Satisfactory	58	O ₃	1
84	Mandi Gobindgarh	Poor	268	PM _{2.5}	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ajmer, Asansol, Bagalkot

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Mandideep	Satisfactory	52	PM ₁₀	1
86	Mandikhera	Moderate	101	PM ₁₀	1
87	Manglore	Satisfactory	66	со	1
88	Meerut	Very Poor	329	PM ₁₀ , PM _{2.5}	3
89	Moradabad	Moderate	146	PM _{2.5} , PM ₁₀	3
90	Motihari	Moderate	153	03	1
91	Mumbai	Moderate	102	PM ₁₀ , CO	15
92	Munger	Poor	215	PM ₁₀	1
93	Muzaffarnagar	Very Poor	389	PM ₁₀	1
94	Muzaffarpur	Moderate	137	O ₃ , PM _{2.5} , PM ₁₀	3
95	Mysuru	Satisfactory	65	O ₃	1
96	Nagpur	Moderate	124	PM _{2.5}	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ajmer, Asansol, Bagalkot

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Narnaul	Moderate	122	PM ₁₀	1
98	Navi Mumbai	Satisfactory	91	PM ₁₀ , CO	3
99	Noida	Very Poor	337	PM ₁₀	4
100	Pali	Moderate	103	PM ₁₀	1
101	Palwal	Moderate	150	PM ₁₀	1
102	Panchkula	Poor	236	PM _{2.5}	1
103	Patiala	Moderate	178	PM _{2.5}	1
104	Patna	Poor	209	PM _{2.5} , PM ₁₀	6
105	Pithampur	Satisfactory	97	PM ₁₀	1
106	Prayagraj	Moderate	138	PM ₁₀	2
107	Puducherry	Good	30	O ₃	1
108	Pune	Moderate	115	PM _{2.5}	3

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ajmer, Asansol, Bagalkot

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Purnia	Satisfactory	71	NO ₂	1
110	Raichur	Satisfactory	59	PM _{2.5}	1
111	Rajamahendravaram	Good	37	PM ₁₀	1
112	Rajgir	Moderate	142	PM _{2.5}	1
113	Ramanagara	Satisfactory	94	PM ₁₀	1
114	Rohtak	Poor	254	PM _{2.5}	1
115	Rupnagar	Satisfactory	100	PM ₁₀	1
116	Saharsa	Moderate	176	PM ₁₀	1
117	Samastipur	Poor	259	PM _{2.5}	1
118	Satna	Satisfactory	56	PM ₁₀	1
119	Shillong	Satisfactory	82	PM _{2.5} , PM ₁₀	2
120	Shivamogga	Satisfactory	61	PM ₁₀	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ajmer, Asansol, Bagalkot

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Siliguri	Satisfactory	73	PM ₁₀	1
122	Singrauli	Very Poor	354	PM ₁₀	1
123	Sirsa	Poor	212	PM ₁₀	1
124	Siwan	Poor	252	PM _{2.5}	1
125	Solapur	Satisfactory	83	со	1
126	Srinagar	Good	40	NH ₃	1
127	Talcher	Satisfactory	88	со	1
128	Thiruvananthapuram	Good	48	CO, PM ₁₀	2
129	Thoothukudi	Good	48	PM ₁₀	1
130	Thrissur	Satisfactory	78	PM _{2.5}	1
131	Tirupati	Satisfactory	75	PM ₁₀	1
132	Udaipur	Satisfactory	84	PM ₁₀	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ajmer, Asansol, Bagalkot

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Ujjain	Moderate	115	PM ₁₀	1
134	Varanasi	Moderate	157	O ₃ , PM ₁₀	3
135	Vatva	Satisfactory	92	PM ₁₀	1
136	Vijayapura	Satisfactory	51	PM ₁₀	1
137	Visakhapatnam	Moderate	109	PM ₁₀	1
138	Vrindavan	Moderate	125	PM ₁₀	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQL is not calculated for today's bulletin for Aimer, Asansal, Bagalkot

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.