

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	172	PM <sub>2.5</sub>	1
2	Agra	Poor	238	PM <sub>2.5</sub>	5
3	Ahmedabad	Satisfactory	76	PM <sub>2.5</sub> , CO, PM <sub>10</sub>	8
4	Aizawl	Good	40	PM <sub>10</sub>	1
5	Ajmer	Moderate	110	PM <sub>10</sub>	1
6	Alwar	Moderate	106	PM <sub>2.5</sub>	1
7	Amaravati	Moderate	104	PM <sub>2.5</sub>	1
8	Ambala	Poor	244	PM <sub>2.5</sub>	1
9	Amritsar	Satisfactory	81	PM <sub>10</sub>	1
10	Araria	Satisfactory	98	PM <sub>2.5</sub>	1
11	Arrah	Moderate	104	NO <sub>2</sub>	1
12	Bagalkot	Good	42	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Ankleshwar, Asansol,
  Aurangabad, Bettiah, Bhilai, Bihar Sharif, Bilaspur, Brajrajnagar, Buxar,
  Coimbatore, Dharuhera, Gummidipoondi, Hajipur, Jorapokhar, Kannur, Kohima,
  Kolar, Manesar, Manguraha, Motihari, Naharlagun, Nandesari, Purnia, Rajgir,
  Siwan, Solapur, Sonipat, Yamunanagar as data was not available.
  # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baghpat	Moderate	141	PM <sub>2.5</sub>	1
14	Bahadurgarh	Poor	241	PM <sub>2.5</sub>	1
15	Ballabgarh	Poor	281	PM <sub>2.5</sub>	1
16	Bathinda	Moderate	146	PM <sub>2.5</sub>	1
17	Bengaluru	Satisfactory	67	PM <sub>2.5</sub> , PM <sub>10</sub>	7
18	Bhagalpur	Moderate	180	PM <sub>10</sub> , PM <sub>2.5</sub>	2
19	Bhiwadi	Poor	237	PM <sub>2.5</sub>	1
20	Bhiwani	Poor	256	PM <sub>2.5</sub>	1
21	Bhopal	Poor	298	PM <sub>2.5</sub>	1
22	Bidar	Satisfactory	87	PM <sub>10</sub>	1
23	Bulandshahr	Very Poor	302	PM <sub>2.5</sub>	1
24	Chamarajanagar	Good	36	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: \* AQI is not calculated for today's bulletin for Ankleshwar, Asansol, Aurangabad, Bettiah, Bhilai, Bihar Sharif, Bilaspur, Brajrajnagar, Buxar, Coimbatore, Dharuhera, Gummidipoondi, Hajipur, Jorapokhar, Kannur, Kohima, Kolar, Manesar, Manguraha, Motihari, Naharlagun, Nandesari, Purnia, Rajgir, Siwan, Solapur, Sonipat, Yamunanagar as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chandigarh	Moderate	148	PM <sub>2.5</sub> , PM <sub>10</sub>	2
26	Chandrapur	Satisfactory	81	PM <sub>2.5</sub> , PM <sub>10</sub>	2
27	Charkhi Dadri	Poor	253	PM <sub>2.5</sub>	1
28	Chennai	Satisfactory	73	PM <sub>10</sub> , PM <sub>2.5</sub>	8
29	Chhapra	Poor	234	PM <sub>2.5</sub>	1
30	Chikkaballapur	Satisfactory	62	PM <sub>2.5</sub>	1
31	Chikkamagaluru	Good	34	PM <sub>10</sub>	1
32	Damoh	Poor	287	PM <sub>2.5</sub>	1
33	Darbhanga	Moderate	113	PM <sub>2.5</sub>	1
34	Davanagere	Satisfactory	81	PM <sub>10</sub>	1
35	Delhi	Poor	267	PM <sub>2.5</sub>	35
36	Dewas	Poor	234	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Ankleshwar, Asansol,
  Aurangabad, Bettiah, Bhilai, Bihar Sharif, Bilaspur, Brajrajnagar, Buxar,
  Coimbatore, Dharuhera, Gummidipoondi, Hajipur, Jorapokhar, Kannur, Kohima,
  Kolar, Manesar, Manguraha, Motihari, Naharlagun, Nandesari, Purnia, Rajgir,
  Siwan, Solapur, Sonipat, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Durgapur	Poor	208	PM <sub>10</sub>	1
38	Eloor	Satisfactory	70	PM <sub>10</sub>	1
39	Ernakulam	Moderate	104	PM <sub>2.5</sub>	1
40	Faridabad	Poor	262	PM <sub>2.5</sub> , PM <sub>10</sub>	4
41	Fatehabad	Moderate	131	PM <sub>2.5</sub>	1
42	Firozabad	Moderate	192	PM <sub>2.5</sub>	1
43	Gadag	Satisfactory	63	PM <sub>2.5</sub>	1
44	Gandhinagar	Satisfactory	59	PM <sub>2.5</sub> , SO <sub>2</sub>	3
45	Gaya	Moderate	137	NO <sub>2</sub>	1
46	Ghaziabad	Poor	257	PM <sub>2.5</sub>	4
47	Gorakhpur	Satisfactory	56	PM <sub>2.5</sub>	1
48	Greater Noida	Poor	268	PM <sub>2.5</sub>	2

### Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Ankleshwar, Asansol,
  Aurangabad, Bettiah, Bhilai, Bihar Sharif, Bilaspur, Brajrajnagar, Buxar,
  Coimbatore, Dharuhera, Gummidipoondi, Hajipur, Jorapokhar, Kannur, Kohima,
  Kolar, Manesar, Manguraha, Motihari, Naharlagun, Nandesari, Purnia, Rajgir,
  Siwan, Solapur, Sonipat, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Gurugram	Poor	258	PM <sub>2.5</sub>	4
50	Guwahati	Moderate	196	PM <sub>2.5</sub>	2
51	Gwalior	Poor	214	PM <sub>2.5</sub>	1
52	Haldia	Moderate	196	PM <sub>2.5</sub>	1
53	Hapur	Poor	291	PM <sub>2.5</sub>	1
54	Hassan	Satisfactory	65	PM <sub>10</sub>	1
55	Hisar	Poor	251	PM <sub>2.5</sub>	1
56	Howrah	Poor	282	PM <sub>2.5</sub>	2
57	Hubballi	Moderate	162	PM <sub>10</sub>	1
58	Hyderabad	Satisfactory	94	PM <sub>2.5</sub> , PM <sub>10</sub>	6
59	Indore	Poor	239	PM <sub>2.5</sub>	1
60	Jabalpur	Poor	244	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Ankleshwar, Asansol,
  Aurangabad, Bettiah, Bhilai, Bihar Sharif, Bilaspur, Brajrajnagar, Buxar,
  Coimbatore, Dharuhera, Gummidipoondi, Hajipur, Jorapokhar, Kannur, Kohima,
  Kolar, Manesar, Manguraha, Motihari, Naharlagun, Nandesari, Purnia, Rajgir,
  Siwan, Solapur, Sonipat, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Jaipur	Moderate	195	PM <sub>2.5</sub> , PM <sub>10</sub>	3
62	Jalandhar	Satisfactory	99	PM <sub>10</sub>	1
63	Jind	Poor	211	PM <sub>2.5</sub>	1
64	Jodhpur	Moderate	126	PM <sub>2.5</sub>	1
65	Kaithal	Moderate	200	PM <sub>2.5</sub>	1
66	Kalaburgi	Satisfactory	98	PM <sub>2.5</sub>	1
67	Kalyan	Moderate	146	PM <sub>2.5</sub>	1
68	Kanpur	Moderate	117	PM <sub>2.5</sub> , PM <sub>10</sub>	3
69	Karnal	Moderate	175	PM <sub>2.5</sub>	1
70	Katihar	Moderate	174	PM <sub>10</sub>	1
71	Katni	Poor	267	PM <sub>2.5</sub>	1
72	Khanna	Moderate	115	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Ankleshwar, Asansol,
  Aurangabad, Bettiah, Bhilai, Bihar Sharif, Bilaspur, Brajrajnagar, Buxar,
  Coimbatore, Dharuhera, Gummidipoondi, Hajipur, Jorapokhar, Kannur, Kohima,
  Kolar, Manesar, Manguraha, Motihari, Naharlagun, Nandesari, Purnia, Rajgir,
  Siwan, Solapur, Sonipat, Yamunanagar as data was not available.
  # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kishanganj	Moderate	178	PM <sub>2.5</sub>	1
74	Kochi	Moderate	173	PM <sub>2.5</sub>	1
75	Kolkata	Poor	240	PM <sub>2.5</sub>	7
76	Kollam	Moderate	119	PM <sub>10</sub>	1
77	Koppal	Good	47	PM <sub>10</sub>	1
78	Kota	Moderate	123	PM <sub>2.5</sub>	1
79	Kozhikode	Satisfactory	54	PM <sub>10</sub>	1
80	Kurukshetra	Poor	206	PM <sub>2.5</sub>	1
81	Lucknow	Poor	221	PM <sub>2.5</sub>	5
82	Ludhiana	Moderate	109	PM <sub>10</sub>	1
83	Madikeri	Satisfactory	52	PM <sub>10</sub>	1
84	Maihar	Moderate	101	со	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ankleshwar, Asansol,
  Aurangabad, Bettiah, Bhilai, Bihar Sharif, Bilaspur, Brajrajnagar, Buxar,
  Coimbatore, Dharuhera, Gummidipoondi, Hajipur, Jorapokhar, Kannur, Kohima,
  Kolar, Manesar, Manguraha, Motihari, Naharlagun, Nandesari, Purnia, Rajgir,
  Siwan, Solapur, Sonipat, Yamunanagar as data was not available.
  # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Mandi Gobindgarh	Poor	212	PM <sub>2.5</sub>	1
86	Mandideep	Moderate	128	PM <sub>2.5</sub>	1
87	Mandikhera	Moderate	128	PM <sub>2.5</sub>	1
88	Manglore	Good	47	PM <sub>2.5</sub>	1
89	Meerut	Moderate	158	PM <sub>10</sub> , PM <sub>2.5</sub>	3
90	Moradabad	Poor	210	PM <sub>2.5</sub>	2
91	Mumbai	Moderate	138	PM <sub>2.5</sub> , PM <sub>10</sub>	18
92	Munger	Poor	264	PM <sub>2.5</sub>	1
93	Muzaffarnagar	Poor	231	PM <sub>2.5</sub>	1
94	Muzaffarpur	Moderate	148	PM <sub>2.5</sub>	3
95	Mysuru	Satisfactory	58	O <sub>3</sub>	1
96	Nagpur	Satisfactory	73	СО	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### Notes:

- \* AQI is not calculated for today's bulletin for Ankleshwar, Asansol, Aurangabad, Bettiah, Bhilai, Bihar Sharif, Bilaspur, Brajrajnagar, Buxar, Coimbatore, Dharuhera, Gummidipoondi, Hajipur, Jorapokhar, Kannur, Kohima, Kolar, Manesar, Manguraha, Motihari, Naharlagun, Nandesari, Purnia, Rajgir, Siwan, Solapur, Sonipat, Yamunanagar as data was not available.

  # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations,

website(http://cpcb.nic.in) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Narnaul	Moderate	168	PM <sub>2.5</sub>	1
98	Nashik	Satisfactory	80	PM <sub>2.5</sub>	1
99	Navi Mumbai	Moderate	156	PM <sub>2.5</sub>	2
100	Noida	Poor	276	PM <sub>2.5</sub>	3
101	Pali	Satisfactory	83	PM <sub>2.5</sub>	1
102	Palwal	Moderate	136	PM <sub>10</sub>	1
103	Panchkula	Moderate	112	PM <sub>2.5</sub>	1
104	Panipat	Moderate	183	PM <sub>10</sub>	1
105	Patiala	Moderate	130	PM <sub>10</sub>	1
106	Patna	Moderate	159	PM <sub>2.5</sub> , PM <sub>10</sub>	5
107	Pithampur	Moderate	169	PM <sub>2.5</sub>	1
108	Prayagraj	Moderate	111	PM <sub>2.5</sub>	3

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ankleshwar, Asansol,
  Aurangabad, Bettiah, Bhilai, Bihar Sharif, Bilaspur, Brajrajnagar, Buxar,
  Coimbatore, Dharuhera, Gummidipoondi, Hajipur, Jorapokhar, Kannur, Kohima,
  Kolar, Manesar, Manguraha, Motihari, Naharlagun, Nandesari, Purnia, Rajgir,
  Siwan, Solapur, Sonipat, Yamunanagar as data was not available.
  # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Puducherry	Satisfactory	54	PM <sub>10</sub>	1
110	Pune	Moderate	161	PM <sub>2.5</sub>	3
111	Raichur	Satisfactory	97	PM <sub>10</sub>	1
112	Rajamahendravaram	Moderate	113	PM <sub>2.5</sub>	1
113	Ramanagara	Satisfactory	58	PM <sub>10</sub>	1
114	Ratlam	Satisfactory	79	PM <sub>10</sub>	1
115	Rohtak	Poor	227	PM <sub>2.5</sub>	1
116	Rupnagar	Moderate	195	PM <sub>10</sub>	1
117	Sagar	Satisfactory	100	PM <sub>2.5</sub>	1
118	Saharsa	Moderate	116	PM <sub>10</sub>	1
119	Sasaram	Moderate	164	PM <sub>2.5</sub>	1
120	Satna	Satisfactory	55	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ankleshwar, Asansol, Aurangabad, Bettiah, Bhilai, Bihar Sharif, Bilaspur, Brajrajnagar, Buxar, Coimbatore, Dharuhera, Gummidipoondi, Hajipur, Jorapokhar, Kannur, Kohima, Kolar, Manesar, Manguraha, Motihari, Naharlagun, Nandesari, Purnia, Rajgir, Siwan, Solapur, Sonipat, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Shillong	Good	20	PM <sub>2.5</sub>	1
122	Shivamogga	Good	49	PM <sub>10</sub>	1
123	Siliguri	Satisfactory	85	PM <sub>10</sub>	1
124	Singrauli	Moderate	193	PM <sub>2.5</sub>	1
125	Sirsa	Moderate	114	PM <sub>10</sub>	1
126	Srinagar	Satisfactory	100	PM <sub>10</sub>	1
127	Talcher	Moderate	115	NO <sub>2</sub>	1
128	Thane	Poor	201	PM <sub>10</sub>	1
129	Thiruvananthapuram	Satisfactory	95	PM <sub>10</sub>	2
130	Thoothukudi	Good	40	PM <sub>10</sub>	1
131	Thrissur	Satisfactory	61	PM <sub>10</sub>	1
132	Tirupati	Satisfactory	61	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ankleshwar, Asansol,
  Aurangabad, Bettiah, Bhilai, Bihar Sharif, Bilaspur, Brajrajnagar, Buxar,
  Coimbatore, Dharuhera, Gummidipoondi, Hajipur, Jorapokhar, Kannur, Kohima,
  Kolar, Manesar, Manguraha, Motihari, Naharlagun, Nandesari, Purnia, Rajgir,
  Siwan, Solapur, Sonipat, Yamunanagar as data was not available.
  # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Udaipur	Moderate	105	PM <sub>10</sub>	1
134	Udupi	Good	39	со	1
135	Ujjain	Satisfactory	95	PM <sub>2.5</sub>	1
136	Vapi	Moderate	117	PM <sub>2.5</sub>	1
137	Varanasi	Satisfactory	79	PM <sub>2.5</sub>	4
138	Vatva	Moderate	112	PM <sub>10</sub>	1
139	Vijayapura	Good	41	PM <sub>10</sub>	1
140	Visakhapatnam	Moderate	101	PM <sub>10</sub>	1
141	Vrindavan	Poor	254	PM <sub>2.5</sub>	1
142	Yadgir	Satisfactory	79	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Ankleshwar, Asansol,
  Aurangabad, Bettiah, Bhilai, Bihar Sharif, Bilaspur, Brajrajnagar, Buxar,
  Coimbatore, Dharuhera, Gummidipoondi, Hajipur, Jorapokhar, Kannur, Kohima,
  Kolar, Manesar, Manguraha, Motihari, Naharlagun, Nandesari, Purnia, Rajgir,
  Siwan, Solapur, Sonipat, Yamunanagar as data was not available.
  # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.