

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	76	PM _{2.5}	1
2	Agra	Satisfactory	55	PM ₁₀	6
3	Ahmedabad	Satisfactory	91	CO, PM ₁₀	7
4	Ajmer	Satisfactory	68	PM ₁₀	1
5	Akola	Satisfactory	83	PM ₁₀	1
6	Alwar	Satisfactory	56	PM ₁₀	1
7	Amaravati	Good	31	03	1
8	Ambala	Satisfactory	97	со	1
9	Amravati	Satisfactory	78	PM ₁₀	2
10	Anantapur	Good	45	03	1
11	Ankleshwar	Satisfactory	71	PM ₁₀	1
12	Araria	Satisfactory	77	PM ₁₀	1

Possible Health Impacts Notes: Chengal

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

AOL is not calculated for today's bulletin for Ahmednagar, Aizawl

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ariyalur	Good	27	PM ₁₀	1
14	Arrah	Satisfactory	67	со	1
15	Asansol	Good	50	PM ₁₀	1
16	Aurangabad (Bihar)	Good	46	03	1
17	Aurangabad (Maharashtra)	Satisfactory	68	CO, PM ₁₀	3
18	Baddi	Moderate	184	O ₃	1
19	Badlapur	Moderate	115	PM ₁₀	1
20	Bagalkot	Good	42	PM ₁₀	1
21	Baghpat	Moderate	102	PM ₁₀	1
22	Bahadurgarh	Moderate	120	PM ₁₀	1
23	Ballabgarh	Satisfactory	55	PM ₁₀	1
24	Banswara	Satisfactory	87	PM ₁₀	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AOL is not calculated for today's bulletin for Ahmednagar, Aizawl-

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Baran	Satisfactory	51	O ₃	1
26	Bareilly	Good	38	СО	2
27	Baripada	Good	28	PM ₁₀	1
28	Barmer	Satisfactory	75	PM ₁₀	1
29	Bathinda	Moderate	138	PM ₁₀	1
30	Begusarai	Poor	289	PM _{2.5}	1
31	Belgaum	Good	46	со	1
32	Bengaluru	Good	34	PM _{2.5} , PM ₁₀	7
33	Bettiah	Poor	299	PM ₁₀	1
34	Bhagalpur	Satisfactory	88	PM ₁₀	1
35	Bharatpur	Satisfactory	56	03	1
36	Bhilai	Good	46	PM ₁₀ , PM _{2.5}	2

Amritsar, Belapur

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bhilwara	Satisfactory	92	PM ₁₀	1
38	Bhiwadi	Moderate	108	PM ₁₀	1
39	Bhiwandi	Satisfactory	80	PM ₁₀	1
40	Bhiwani	Satisfactory	72	со	1
41	Bhopal	Good	43	PM ₁₀	1
42	Bidar	Good	25	со	1
43	Bikaner	Moderate	155	PM ₁₀	1
44	Bilaspur	Satisfactory	57	PM ₁₀	1
45	Bulandshahr	Satisfactory	55	PM ₁₀	1
46	Bundi	Satisfactory	73	O ₃	1
47	Byrnihat	Moderate	197	PM _{2.5}	1
48	Chamarajanagar	Good	44	PM ₁₀	1

Possible Health Impacts Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AOL is not calculated for today's bulletin for Ahmednagar, Aizawl-

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chandigarh	Satisfactory	87	PM ₁₀	3
50	Chandrapur	Good	43	со	1
51	Charkhi Dadri	Satisfactory	73	PM ₁₀	1
52	Chennai	Satisfactory	63	NO ₂ , O ₃	8
53	Chhal	Good	25	03	1
54	Chhapra	Satisfactory	82	PM ₁₀	1
55	Chikkaballapur	Good	23	SO ₂	1
56	Chikkamagaluru	Good	28	PM ₁₀	1
57	Chittoor	Good	30	03	1
58	Chittorgarh	Satisfactory	70	PM ₁₀	1
59	Churu	Satisfactory	84	O ₃	1
60	Cuddalore	Poor	214	NO ₂	2

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Damoh	Good	22	co	1
62	Dausa	Satisfactory	65	PM ₁₀	1
63	Davanagere	Good	21	PM ₁₀	1
64	Dehradun	Satisfactory	93	со	1
65	Delhi	Moderate	106	PM ₁₀	35
66	Dewas	Good	45	03	1
67	Dharuhera	Satisfactory	81	PM ₁₀	1
68	Dharwad	Good	50	PM ₁₀	1
69	Dholpur	Good	36	PM ₁₀	1
70	Dhule	Moderate	112	PM ₁₀	1
71	Durgapur	Good	34	SO ₂	1
72	Faridabad	Satisfactory	81	PM ₁₀	2

Amritsar, Belapur, Bihar Sharif, Bileipada, Boisar, Bi

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Fatehabad	Moderate	165	O ₃	1
74	Firozabad	Good	29	PM ₁₀	2
75	Gadag	Good	46	SO ₂	1
76	Gandhinagar	Satisfactory	74	PM ₁₀	3
77	Gangtok	Satisfactory	62	SO ₂	1
78	Gaya	Satisfactory	57	со	3
79	Ghaziabad	Satisfactory	97	PM ₁₀	4
80	Greater Noida	Moderate	122	PM ₁₀	2
81	Gummidipoondi	Satisfactory	78	PM ₁₀	1
82	Gurugram	Moderate	170	PM _{2.5}	2
83	Guwahati	Satisfactory	80	CO, PM ₁₀	4
84	Gwalior	Good	44	O ₃ , CO	3

Possible Health Impacts Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

AOL is not calculated for today's bulletin for Ahmednagar, Aizawl

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Haldia	Good	41	СО	1
86	Hanumangarh	Moderate	187	PM ₁₀	1
87	Hapur	Good	41	PM ₁₀	1
88	Hassan	Good	49	SO ₂	1
89	Haveri	Good	38	со	1
90	Howrah	Good	33	PM ₁₀	3
91	Hubballi	Satisfactory	58	PM ₁₀ , CO	2
92	Hyderabad	Satisfactory	60	PM ₁₀ , CO	12
93	Indore	Satisfactory	70	PM ₁₀	1
94	Jabalpur	Good	48	со	1
95	Jaipur	Satisfactory	63	PM ₁₀	5
96	Jaisalmer	Satisfactory	76	PM ₁₀	1

Possible Health Impacts Notes: Chenga

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

AOL is not calculated for today's bulletin for Ahmednagar, Aizawl

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Jalandhar	Good	50	PM ₁₀	1
98	Jalgaon	Satisfactory	70	PM _{2.5}	1
99	Jalna	Good	41	PM ₁₀	1
100	Jhansi	Good	41	PM ₁₀	1
101	Jhunjhunu	Moderate	124	03	1
102	Jodhpur	Satisfactory	90	O ₃ , PM ₁₀	5
103	Kadapa	Good	36	PM _{2.5}	1
104	Kaithal	Satisfactory	95	PM _{2.5}	1
105	Kalaburgi	Satisfactory	70	PM ₁₀	1
106	Kalyan	Moderate	125	PM ₁₀	1
107	Kanchipuram	Satisfactory	66	со	1
108	Kannur	Satisfactory	70	PM ₁₀	1

Possible Health Impacts Notes:

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AOL is not calculated for today's bulletin for Ahmednagar, Aizawl-

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Kanpur	Good	47	co	3
110	Karauli	Satisfactory	55	O ₃	1
111	Karnal	Satisfactory	77	PM ₁₀	1
112	Kashipur	Satisfactory	77	PM ₁₀	1
113	Katihar	Satisfactory	81	со	1
114	Katni	Good	27	PM ₁₀	1
115	Keonjhar	Good	36	PM ₁₀	1
116	Khanna	Satisfactory	69	PM ₁₀	1
117	Khurja	Moderate	110	O ₃	1
118	Kishanganj	Satisfactory	96	PM ₁₀	1
119	Kochi	Satisfactory	73	СО	1
120	Kohima	Satisfactory	51	SO ₂	1

Amritsar, Belapur, Bihar Sharif, Bileipada, Boisa

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Kolar	Good	24	PM ₁₀	1
122	Kolhapur	Satisfactory	60	PM ₁₀	2
123	Kolkata	Good	30	O ₃ , PM ₁₀	7
124	Kollam	Satisfactory	61	PM ₁₀	1
125	Korba	Good	22	NO ₂ , PM ₁₀	2
126	Kota	Satisfactory	55	PM _{2.5}	3
127	Kunjemura	Good	20	СО	1
128	Kurukshetra	Moderate	105	PM ₁₀	1
129	Latur	Satisfactory	54	PM ₁₀	1
130	Lucknow	Satisfactory	72	PM ₁₀ , CO	6
131	Ludhiana	Satisfactory	60	PM ₁₀	1
132	Madikeri	Good	40	PM _{2.5}	1

Assistant Palasses Bitas Charif Billianda Bairan Bairan

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Mahad	Satisfactory	69	PM ₁₀	1
134	Maihar	Good	30	со	1
135	Mandi Gobindgarh	Satisfactory	67	PM _{2.5}	1
136	Mandideep	Satisfactory	63	03	1
137	Mangalore	Satisfactory	51	со	1
138	Manguraha	Good	22	PM ₁₀	1
139	Meerut	Satisfactory	79	PM ₁₀	2
140	Milupara	Good	27	03	1
141	Moradabad	Satisfactory	61	PM ₁₀	6
142	Mumbai	Satisfactory	78	PM ₁₀	18
143	Muzaffarnagar	Moderate	103	PM ₁₀	1
144	Muzaffarpur	Satisfactory	93	PM _{2.5} , NO ₂	3

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Mysuru	Good	43	O ₃	1
146	Nagaon	Satisfactory	89	PM ₁₀	1
147	Nagaur	Moderate	111	PM ₁₀	1
148	Nagpur	Good	43	PM ₁₀ , PM _{2.5}	4
149	Naharlagun	Satisfactory	52	PM _{2.5}	1
150	Nalbari	Moderate	111	PM ₁₀	1
151	Nanded	Moderate	104	PM ₁₀	1
152	Nandesari	Good	50	СО	1
153	Narnaul	Satisfactory	95	PM ₁₀	1
154	Nashik	Satisfactory	59	PM ₁₀	3
155	Navi Mumbai	Moderate	110	PM _{2.5} , PM ₁₀	7
156	Nayagarh	Good	28	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Noida	Moderate	105	СО	4
158	Ooty	Good	17	PM ₁₀	1
159	Pali	Satisfactory	94	PM ₁₀	1
160	Palwal	Good	40	PM ₁₀	1
161	Panchkula	Satisfactory	70	PM _{2.5}	1
162	Panipat	Satisfactory	70	PM ₁₀	1
163	Parbhani	Satisfactory	74	PM ₁₀	1
164	Patiala	Satisfactory	81	PM ₁₀	1
165	Patna	Satisfactory	64	PM ₁₀ , PM _{2.5}	6
166	Pimpri Chinchwad	Satisfactory	63	PM _{2.5}	3
167	Pithampur	Satisfactory	75	PM ₁₀	1
168	Pratapgarh	Satisfactory	78	PM ₁₀	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Prayagraj	Good	50	PM ₁₀	3
170	Puducherry	Good	42	PM ₁₀	1
171	Pune	Moderate	104	NO ₂ , PM _{2.5}	8
172	Purnia	Satisfactory	86	PM _{2.5}	1
173	Raichur	Satisfactory	60	PM ₁₀	1
174	Raipur	Satisfactory	54	PM ₁₀ , CO	3
175	Rajamahendravaram	Satisfactory	64	O ₃	1
176	Rajgir	Satisfactory	51	PM _{2.5}	1
177	Rajsamand	Good	39	O ₃	1
178	Ramanagara	Good	23	PM ₁₀	1
179	Ramanathapuram	Good	36	PM ₁₀	1
180	Ratlam	Satisfactory	63	PM ₁₀	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Rourkela	Good	41	PM ₁₀	1
182	Rupnagar	Moderate	194	PM ₁₀	1
183	Sagar	Good	35	03	1
184	Saharsa	Satisfactory	66	PM ₁₀	1
185	Salem	Satisfactory	80	SO ₂	1
186	Samastipur	Satisfactory	73	PM ₁₀	1
187	Sangli	Good	40	PM ₁₀	1
188	Sasaram	Good	33	PM ₁₀	1
189	Satna	Satisfactory	60	O ₃	1
190	Sawai Madhopur	Good	49	03	1
191	Shillong	Good	36	PM ₁₀ , SO ₂	2
192	Shivamogga	Satisfactory	59	03	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AOL is not calculated for today's bulletin for Ahmednagar, Aizawl-

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Sikar	Moderate	108	O ₃	1
194	Silchar	Good	37	СО	1
195	Siliguri	Satisfactory	56	03	1
196	Singrauli	Good	34	03	1
197	Sirohi	Satisfactory	69	PM ₁₀	1
198	Sirsa	Satisfactory	64	PM ₁₀	1
199	Sivasagar	Good	33	PM ₁₀	1
200	Siwan	Moderate	102	NO ₂	1
201	Solapur	Satisfactory	71	PM ₁₀	3
202	Sonipat	Moderate	143	PM ₁₀	1
203	Sri Ganganagar	Moderate	117	PM ₁₀	1
204	Srinagar	Satisfactory	88	PM ₁₀	1

* AQI is not calculated for today's bulletin for Anmednagar, Aizai

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
205	Suakati	Good	44	PM ₁₀	1
206	Talcher	Good	36	SO ₂	1
207	Tensa	Good	37	NO ₂	1
208	Thane	Satisfactory	83	PM ₁₀	1
209	Thiruvananthapuram	Good	26	CO, O ₃	2
210	Thoothukudi	Good	40	PM ₁₀	1
211	Thrissur	Satisfactory	58	PM ₁₀	1
212	Tirupati	Good	32	NO ₂	2
213	Tonk	Satisfactory	73	O ₃	1
214	Tumakuru	Moderate	104	со	1
215	Tumidih	Good	25	со	1
216	Udaipur	Satisfactory	55	PM ₁₀	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
217	Udupi	Satisfactory	73	O ₃	1
218	Ujjain	Satisfactory	63	со	1
219	Ulhasnagar	Moderate	101	PM ₁₀	1
220	Vapi	Moderate	110	со	1
221	Varanasi	Good	24	O ₃	4
222	Vatva	Satisfactory	88	PM ₁₀	1
223	Vijayapura	Satisfactory	53	PM ₁₀	1
224	Vijayawada	Good	45	PM _{2.5}	2
225	Vrindavan	Good	29	SO ₂	1
226	Yadgir	Good	47	PM ₁₀	1
227	Yamunanagar	Moderate	103	PM _{2.5}	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AOL is not calculated for today's bulletin for Ahmednagar, Aizawl-

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.