

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	284	PM _{2.5}	2
2	Agra	Satisfactory	78	PM ₁₀	5
3	Ahmedabad	Moderate	197	PM _{2.5} , NO ₂	7
4	Aizawl	Satisfactory	84	PM ₁₀	1
5	Ajmer	Moderate	167	O ₃	1
6	Alwar	Satisfactory	100	PM ₁₀	1
7	Amaravati	Satisfactory	95	PM ₁₀	1
8	Ambala	Moderate	132	PM _{2.5}	1
9	Amritsar	Poor	261	PM _{2.5}	1
10	Ankleshwar	Moderate	173	PM _{2.5}	1
11	Araria	Poor	273	PM _{2.5}	1
12	Ariyalur	Satisfactory	88	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Anantapur, Arrah, Baghpat, Notes: Bikaner, Buxar, Chhal, Churu, Coimbatore, Darbhanga, Davanagere, Dharwad, Dholpur, Dindigul, Ernakulam, Hisar, Kochi, Kozhikode, Kunjemura, Mandideep, Mandikhera, Milupara, Munger, Narnaul, Purnia, Rajgir, Rohtak, Silchar, Sirohi, Sonipat, Talcher, Tensa, Tonk, Tumakuru, Tumidih, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Poor	232	PM _{2.5}	1
14	Aurangabad (Bihar)	Poor	274	PM _{2.5}	1
15	Aurangabad (Maharashtra)	Moderate	113	PM _{2.5}	1
16	Baddi	Poor	242	PM _{2.5}	1
17	Bagalkot	Good	46	PM ₁₀	1
18	Bahadurgarh	Very Poor	316	PM _{2.5}	1
19	Ballabgarh	Moderate	141	PM ₁₀	1
20	Bareilly	Moderate	114	PM ₁₀	2
21	Baripada	Moderate	145	PM ₁₀	1
22	Bathinda	Moderate	191	PM ₁₀	1
23	Begusarai	Severe	434	PM _{2.5}	1
24	Belgaum	Good	50	NO ₂	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Anantapur, Arrah, Baghpat, Notes: Bikaner, Buxar, Chhal, Churu, Coimbatore, Darbhanga, Davanagere, Dharwad,

Dholpur, Dindigul, Ernakulam, Hisar, Kochi, Kozhikode, Kunjemura, Mandideep, Mandikhera, Milupara, Munger, Narnaul, Purnia, Rajgir, Rohtak, Silchar, Sirohi, Sonipat, Talcher, Tensa, Tonk, Tumakuru, Tumidih, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bengaluru	Satisfactory	91	PM _{2.5} , PM ₁₀	11
26	Bettiah	Very Poor	383	PM _{2.5}	1
27	Bhagalpur	Very Poor	305	PM _{2.5}	2
28	Bharatpur	Very Poor	333	PM _{2.5}	1
29	Bhilai	Satisfactory	73	O ₃ , PM ₁₀	3
30	Bhiwadi	Very Poor	301	PM ₁₀	1
31	Bhiwani	Moderate	190	PM _{2.5}	1
32	Bhopal	Moderate	139	O ₃	2
33	Bidar	Moderate	119	PM ₁₀	1
34	Bihar Sharif	Moderate	151	PM ₁₀	1
35	Bilaspur	Satisfactory	55	PM ₁₀	1
36	Bileipada	Poor	205	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Anantapur, Arrah, Baghpat, Notes: Bikaner, Buxar, Chhal, Churu, Coimbatore, Darbhanga, Davanagere, Dharwad, Dholpur, Dindigul, Ernakulam, Hisar, Kochi, Kozhikode, Kunjemura, Mandideep, Mandikhera, Milupara, Munger, Narnaul, Purnia, Rajgir, Rohtak, Silchar, Sirohi, Sonipat, Talcher, Tensa, Tonk, Tumakuru, Tumidih, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Brajrajnagar	Satisfactory	79	СО	1
38	Bulandshahr	Poor	258	PM _{2.5}	1
39	Byrnihat	Very Poor	368	PM _{2.5}	1
40	Chamarajanagar	Good	42	PM ₁₀	1
41	Chandigarh	Poor	223	PM _{2.5}	3
42	Chandrapur	Moderate	130	PM ₁₀	1
43	Charkhi Dadri	Poor	297	PM _{2.5}	1
44	Chengalpattu	Moderate	141	PM ₁₀	1
45	Chennai	Moderate	134	PM _{2.5} , PM ₁₀	6
46	Chhapra	Very Poor	369	PM ₁₀	1
47	Chikkaballapur	Moderate	132	PM ₁₀	1
48	Chikkamagaluru	Satisfactory	69	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Anantapur, Arrah, Baghpat,

Notes: Bikaner, Buxar, Chhal, Churu, Coimbatore, Darbhanga, Davanagere, Dharwad, Dholpur, Dindigul, Ernakulam, Hisar, Kochi, Kozhikode, Kunjemura, Mandideep, Mandikhera, Milupara, Munger, Narnaul, Purnia, Rajgir, Rohtak, Silchar, Sirohi, Sonipat, Talcher, Tensa, Tonk, Tumakuru, Tumidih, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chittoor	Satisfactory	93	PM _{2.5}	1
50	Damoh	Satisfactory	54	PM _{2.5}	1
51	Dehradun	Moderate	109	PM ₁₀	1
52	Delhi	Very Poor	367	PM _{2.5}	39
53	Dewas	Moderate	109	PM ₁₀	1
54	Dharuhera	Poor	292	PM ₁₀	1
55	Durgapur	Poor	254	PM _{2.5}	1
56	Eloor	Satisfactory	88	PM ₁₀	1
57	Faridabad	Very Poor	317	PM ₁₀ , PM _{2.5}	4
58	Fatehabad	Poor	249	PM _{2.5}	1
59	Firozabad	Moderate	125	PM ₁₀ , PM _{2.5}	2
60	Gadag	Satisfactory	69	O ₃	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Anantapur, Arrah, Baghpat, Notes: Bikaner, Buxar, Chhal, Churu, Coimbatore, Darbhanga, Davanagere, Dharwad, Dholpur, Dindigul, Ernakulam, Hisar, Kochi, Kozhikode, Kunjemura, Mandideep, Mandikhera, Milupara, Munger, Narnaul, Purnia, Rajgir, Rohtak, Silchar, Sirohi, Sonipat, Talcher, Tensa, Tonk, Tumakuru, Tumidih, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Gandhinagar	Moderate	166	PM _{2.5} , PM ₁₀	3
62	Gangtok	Satisfactory	66	PM ₁₀	1
63	Gaya	Poor	239	PM _{2.5}	3
64	Ghaziabad	Very Poor	353	PM _{2.5} , PM ₁₀	4
65	Gorakhpur	Moderate	104	PM ₁₀	1
66	Greater Noida	Very Poor	336	PM ₁₀ , PM _{2.5}	2
67	Gummidipoondi	Poor	215	PM _{2.5}	1
68	Gurugram	Very Poor	346	PM _{2.5}	3
69	Guwahati	Moderate	185	PM _{2.5}	4
70	Gwalior	Poor	267	PM _{2.5}	3
71	Hajipur	Poor	298	PM _{2.5}	1
72	Haldia	Moderate	118	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Anantapur, Arrah, Baghpat, Notes: Bikaner, Buxar, Chhal, Churu, Coimbatore, Darbhanga, Davanagere, Dharwad, Dholpur, Dindigul, Ernakulam, Hisar, Kochi, Kozhikode, Kunjemura, Mandideep, Mandikhera, Milupara, Munger, Narnaul, Purnia, Rajgir, Rohtak, Silchar, Sirohi, Sonipat, Talcher, Tensa, Tonk, Tumakuru, Tumidih, vellore as data was not available.

Some stations have data available at 3PM

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Hapur	Moderate	116	PM _{2.5}	1
74	Hassan	Satisfactory	82	PM ₁₀	1
75	Haveri	Satisfactory	65	PM ₁₀	1
76	Hosur	Poor	201	PM _{2.5}	1
77	Howrah	Poor	221	PM _{2.5}	3
78	Hubballi	Moderate	126	PM ₁₀	2
79	Hyderabad	Moderate	104	PM _{2.5} , PM ₁₀	14
80	Imphal	Moderate	134	PM _{2.5} , SO ₂	2
81	Indore	Moderate	175	PM ₁₀	1
82	Jabalpur	Moderate	148	PM ₁₀	1
83	Jaipur	Moderate	195	O ₃ , PM ₁₀	3
84	Jalandhar	Moderate	183	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Anantapur, Arrah, Baghpat, Notes: Bikaner, Buxar, Chhal, Churu, Coimbatore, Darbhanga, Davanagere, Dharwad, Dholpur, Dindigul, Ernakulam, Hisar, Kochi, Kozhikode, Kunjemura, Mandideep, Mandikhera, Milupara, Munger, Narnaul, Purnia, Rajgir, Rohtak, Silchar, Sirohi, Sonipat, Talcher, Tensa, Tonk, Tumakuru, Tumidih, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Jhansi	Moderate	107	PM ₁₀	1
86	Jind	Poor	260	PM _{2.5}	1
87	Jodhpur	Poor	242	O ₃ , PM ₁₀	2
88	Jorapokhar	Poor	216	PM ₁₀	1
89	Kadapa	Moderate	176	PM _{2.5}	1
90	Kaithal	Poor	291	PM _{2.5}	1
91	Kalaburgi	Satisfactory	99	PM _{2.5}	1
92	Kalyan	Moderate	168	PM ₁₀	1
93	Kanchipuram	Moderate	102	PM ₁₀	1
94	Kannur	Satisfactory	63	PM _{2.5}	1
95	Kanpur	Moderate	190	PM _{2.5}	3
96	Karnal	Moderate	172	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Anantapur, Arrah, Baghpat, Notes: Bikaner, Buxar, Chhal, Churu, Coimbatore, Darbhanga, Davanagere, Dharwad, Dholpur, Dindigul, Ernakulam, Hisar, Kochi, Kozhikode, Kunjemura, Mandideep, Mandikhera, Milupara, Munger, Narnaul, Purnia, Rajgir, Rohtak, Silchar, Sirohi, Sonipat, Talcher, Tensa, Tonk, Tumakuru, Tumidih, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Kashipur	Moderate	102	PM ₁₀	1
98	Katihar	Very Poor	312	PM ₁₀	1
99	Katni	Moderate	168	PM _{2.5}	1
100	Keonjhar	Moderate	131	PM _{2.5}	1
101	Khanna	Moderate	140	PM ₁₀	1
102	Khurja	Poor	229	PM _{2.5}	1
103	Kishanganj	Poor	256	PM _{2.5}	1
104	Kohima	Satisfactory	95	PM _{2.5}	1
105	Kolar	Moderate	166	SO ₂	1
106	Kolkata	Moderate	153	PM _{2.5}	7
107	Kollam	Satisfactory	96	PM ₁₀	1
108	Koppal	Moderate	101	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Anantapur, Arrah, Baghpat, Notes: Bikaner, Buxar, Chhal, Churu, Coimbatore, Darbhanga, Davanagere, Dharwad, Dholpur, Dindigul, Ernakulam, Hisar, Kochi, Kozhikode, Kunjemura, Mandideep, Mandikhera, Milupara, Munger, Narnaul, Purnia, Rajgir, Rohtak, Silchar, Sirohi, Sonipat, Talcher, Tensa, Tonk, Tumakuru, Tumidih, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Korba	Satisfactory	86	PM ₁₀	2
110	Kota	Moderate	162	PM ₁₀ , PM _{2.5}	3
111	Kurukshetra	Poor	263	PM _{2.5}	1
112	Lucknow	Poor	209	PM _{2.5}	6
113	Ludhiana	Poor	274	PM _{2.5}	1
114	Madikeri	Good	46	PM ₁₀	1
115	Maihar	Satisfactory	81	PM ₁₀	1
116	Mandi Gobindgarh	Satisfactory	93	PM ₁₀	1
117	Manesar	Very Poor	310	PM _{2.5}	1
118	Mangalore	Moderate	152	PM ₁₀	1
119	Manguraha	Moderate	174	O ₃	1
120	Meerut	Very Poor	357	PM ₁₀ , PM _{2.5}	3

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Anantapur, Arrah, Baghpat, Notes: Bikaner, Buxar, Chhal, Churu, Coimbatore, Darbhanga, Davanagere, Dharwad, Dholpur, Dindigul, Ernakulam, Hisar, Kochi, Kozhikode, Kunjemura, Mandideep, Mandikhera, Milupara, Munger, Narnaul, Purnia, Rajgir, Rohtak, Silchar, Sirohi, Sonipat, Talcher, Tensa, Tonk, Tumakuru, Tumidih, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Moradabad	Satisfactory	94	PM ₁₀	6
122	Motihari	Poor	269	PM ₁₀	1
123	Mumbai	Poor	201	PM _{2.5} , PM ₁₀	17
124	Muzaffarnagar	Very Poor	301	PM _{2.5}	1
125	Muzaffarpur	Very Poor	325	PM _{2.5}	3
126	Mysuru	Good	42	PM ₁₀	1
127	Nagaon	Poor	230	PM _{2.5}	1
128	Nagpur	Moderate	103	PM ₁₀	1
129	Naharlagun	Good	44	PM _{2.5}	1
130	Nalbari	Poor	245	PM _{2.5}	1
131	Nandesari	Good	38	PM _{2.5}	1
132	Nashik	Moderate	116	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Anantapur, Arrah, Baghpat, Notes: Bikaner, Buxar, Chhal, Churu, Coimbatore, Darbhanga, Davanagere, Dharwad, Dholpur, Dindigul, Ernakulam, Hisar, Kochi, Kozhikode, Kunjemura, Mandideep, Mandikhera, Milupara, Munger, Narnaul, Purnia, Rajgir, Rohtak, Silchar, Sirohi, Sonipat, Talcher, Tensa, Tonk, Tumakuru, Tumidih, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Navi Mumbai	Poor	255	PM _{2.5}	3
134	Nayagarh	Poor	236	PM ₁₀	1
135	Noida	Very Poor	353	PM _{2.5}	4
136	Ooty	Satisfactory	58	PM ₁₀	1
137	Pali	Moderate	112	PM ₁₀	1
138	Palwal	Moderate	157	PM _{2.5}	1
139	Panchkula	Moderate	157	PM _{2.5}	1
140	Panipat	Moderate	198	PM ₁₀	1
141	Patiala	Moderate	182	PM _{2.5}	1
142	Patna	Very Poor	370	PM _{2.5}	5
143	Pithampur	Moderate	141	PM ₁₀	1
144	Prayagraj	Moderate	131	PM ₁₀	3

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Anantapur, Arrah, Baghpat, Notes: Bikaner, Buxar, Chhal, Churu, Coimbatore, Darbhanga, Davanagere, Dharwad, Dholpur, Dindigul, Ernakulam, Hisar, Kochi, Kozhikode, Kunjemura, Mandideep, Mandikhera, Milupara, Munger, Narnaul, Purnia, Rajgir, Rohtak, Silchar, Sirohi, Sonipat, Talcher, Tensa, Tonk, Tumakuru, Tumidih, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Puducherry	Satisfactory	88	PM ₁₀	1
146	Pune	Moderate	188	PM _{2.5}	4
147	Raichur	Moderate	133	PM ₁₀	1
148	Raipur	Moderate	114	PM _{2.5} , PM ₁₀	3
149	Rairangpur	Moderate	157	PM _{2.5}	1
150	Rajamahendravaram	Satisfactory	94	PM ₁₀	1
151	Ramanagara	Satisfactory	89	PM ₁₀	1
152	Ramanathapuram	Satisfactory	83	PM ₁₀	1
153	Ratlam	Moderate	130	PM ₁₀	1
154	Rishikesh	Satisfactory	71	PM ₁₀	1
155	Rourkela	Moderate	158	PM ₁₀	3
156	Rupnagar	Poor	231	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Anantapur, Arrah, Baghpat, Notes: Bikaner, Buxar, Chhal, Churu, Coimbatore, Darbhanga, Davanagere, Dharwad, Dholpur, Dindigul, Ernakulam, Hisar, Kochi, Kozhikode, Kunjemura, Mandideep, Mandikhera, Milupara, Munger, Narnaul, Purnia, Rajgir, Rohtak, Silchar, Sirohi, Sonipat, Talcher, Tensa, Tonk, Tumakuru, Tumidih, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Sagar	Satisfactory	100	PM ₁₀ , CO	2
158	Saharsa	Very Poor	323	PM _{2.5}	1
159	Salem	Satisfactory	97	SO ₂	1
160	Samastipur	Very Poor	368	PM ₁₀	1
161	Sasaram	Poor	279	PM _{2.5}	1
162	Satna	Satisfactory	99	PM ₁₀	1
163	Shillong	Moderate	115	PM _{2.5}	1
164	Shivamogga	Satisfactory	68	03	1
165	Siliguri	Moderate	134	PM ₁₀	1
166	Singrauli	Poor	255	PM _{2.5}	1
167	Sirsa	Moderate	146	PM _{2.5}	1
168	Sivasagar	Satisfactory	61	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

$\begin{tabular}{ll} * AQI is not calculated for today's bulletin for Anantapur, Arrah, Baghpat, \\ Notes: Bikaner, Buxar, Chhal, Churu, Coimbatore, Darbhanga, Davanagere, Dharwad, \\ \end{tabular}$

Dholpur, Dindigul, Ernakulam, Hisar, Kochi, Kozhikode, Kunjemura, Mandideep, Mandikhera, Milupara, Munger, Narnaul, Purnia, Rajgir, Rohtak, Silchar, Sirohi, Sonipat, Talcher, Tensa, Tonk, Tumakuru, Tumidih, vellore as data was not available.

Some stations have data available at 3PM

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Siwan	Very Poor	370	PM _{2.5}	1
170	Solapur	Moderate	147	PM ₁₀	1
171	Srinagar	Satisfactory	88	PM ₁₀	1
172	Suakati	Moderate	188	PM _{2.5}	1
173	Surat	Moderate	178	PM _{2.5}	1
174	Thane	Poor	228	PM ₁₀	1
175	Thiruvananthapuram	Satisfactory	73	PM ₁₀ , PM _{2.5}	2
176	Thoothukudi	Satisfactory	65	PM ₁₀	1
177	Thrissur	Moderate	152	PM _{2.5}	1
178	Tirupati	Satisfactory	89	PM ₁₀	1
179	Tirupur	Satisfactory	82	PM ₁₀	1
180	Udaipur	Satisfactory	92	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Anantapur, Arrah, Baghpat, Notes: Bikaner, Buxar, Chhal, Churu, Coimbatore, Darbhanga, Davanagere, Dharwad, Dholpur, Dindigul, Ernakulam, Hisar, Kochi, Kozhikode, Kunjemura, Mandideep, Mandikhera, Milupara, Munger, Narnaul, Purnia, Rajgir, Rohtak, Silchar, Sirohi, Sonipat, Talcher, Tensa, Tonk, Tumakuru, Tumidih, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Udupi	Moderate	105	СО	1
182	Ujjain	Poor	220	PM ₁₀	1
183	Vapi	Poor	288	PM _{2.5}	1
184	Varanasi	Satisfactory	82	PM ₁₀	4
185	Vatva	Poor	232	PM _{2.5}	1
186	Vijayapura	Good	46	PM ₁₀	1
187	Vijayawada	Poor	208	PM _{2.5}	1
188	Visakhapatnam	Moderate	137	PM ₁₀	1
189	Vrindavan	Moderate	156	PM ₁₀	1
190	Yadgir	Satisfactory	83	PM ₁₀	1
191	Yamunanagar	Poor	236	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Anantapur, Arrah, Baghpat, Notes: Bikaner, Buxar, Chhal, Churu, Coimbatore, Darbhanga, Davanagere, Dharwad, Dholpur, Dindigul, Ernakulam, Hisar, Kochi, Kozhikode, Kunjemura, Mandideep, Mandikhera, Milupara, Munger, Narnaul, Purnia, Rajgir, Rohtak, Silchar, Sirohi, Sonipat, Talcher, Tensa, Tonk, Tumakuru, Tumidih, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.