

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Moderate	127	PM _{2.5}	1
2	Ahmedabad	Satisfactory	88	PM _{2.5}	1
3	Ajmer	Moderate	140	PM _{2.5}	1
4	Alwar	Moderate	106	PM ₁₀	1
5	Amaravati	Moderate	120	PM ₁₀	1
6	Ambala	Moderate	184	OZONE	1
7	Amritsar	Moderate	163	PM _{2.5}	1
8	Ankleshwar	Satisfactory	61	PM ₁₀	1
9	Asanol	Moderate	168	OZONE	1
10	Aurangabad	Moderate	121	PM _{2.5}	1
11	Baghpat	Very Poor	385	PM ₁₀	1
12	Bahadurgarh	Poor	265	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Nagpur, Ratlam, Thane, Varanasi, Vatva, Visakhapatnam as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ballabgarh	Severe	417	PM ₁₀	1
14	Bathinda	Moderate	184	PM ₁₀	1
15	Bengaluru	Satisfactory	80	PM ₁₀ , OZONE	4
16	Bhiwadi	Very Poor	377	PM ₁₀	1
17	Bhiwani	Very Poor	322	PM _{2.5}	1
18	Brajrajnagar	Poor	207	PM _{2.5}	1
19	Bulandshahr	Very Poor	362	PM ₁₀	1
20	Chandrapur	Moderate	134	PM ₁₀ , OZONE	2
21	Chennai	Satisfactory	66	PM _{2.5}	2
22	Chikkaballapur	Moderate	139	PM ₁₀	1
23	Damoh	Satisfactory	72	PM _{2.5}	1
24	Delhi	Very Poor	347	PM ₁₀	32

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	atisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Nagpur, Ratlam, Thane, Varanasi, Vatva, Visakhapatnam as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Dewas	Moderate	105	PM ₁₀	1
26	Dharuhera	Very Poor	322	PM ₁₀	1
27	Durgapur	Moderate	139	PM ₁₀	1
28	Faridabad	Moderate	191	PM _{2.5}	1
29	Fatehabad	Severe	407	PM ₁₀	1
30	GandhiNagar	Satisfactory	84	PM ₁₀	1
31	Gaya	Satisfactory	94	PM _{2.5}	1
32	Ghaziabad	Severe	401	PM ₁₀	3
33	Greater_Noida	Very Poor	350	PM ₁₀	1
34	Gurugram	Poor	216	PM _{2.5}	2
35	Guwahati	Satisfactory	65	OZONE	1
36	Haldia	Satisfactory	71	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Nagpur, Ratlam, Thane, Varanasi, Vatva, Visakhapatnam as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Hapur	Very Poor	376	PM ₁₀	1
38	Hisar	Poor	298	PM _{2.5}	1
39	Howrah	Moderate	116	PM ₁₀ , PM _{2.5}	3
40	Hubballi	Satisfactory	73	PM ₁₀	1
41	Hyderabad	Moderate	127	PM ₁₀	5
42	Jaipur	Poor	227	PM ₁₀	3
43	Jalandhar	Moderate	168	PM ₁₀	1
44	Jind	Very Poor	310	PM ₁₀	1
45	Jodhpur	Poor	298	PM _{2.5}	1
46	Jorapokhar	Moderate	162	PM ₁₀	1
47	Kaithal	Poor	238	PM _{2.5}	1
48	Kalaburagi	Moderate	108	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	atisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Nagpur, Ratlam, Thane, Varanasi, Vatva, Visakhapatnam as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Kanpur	Moderate	130	PM _{2.5}	1
50	Karnal	Poor	286	PM _{2.5}	1
51	Khanna	Moderate	127	PM ₁₀	1
52	Kolkata	Moderate	101	PM _{2.5}	1
53	Kota	Satisfactory	77	PM ₁₀	1
54	Kurukshetra	Moderate	172	PM ₁₀	1
55	Loni_Dehat	Severe	440	PM ₁₀	1
56	Lucknow	Moderate	200	PM _{2.5}	4
57	Ludhiana	Moderate	150	PM _{2.5}	1
58	Maihar	Moderate	104	PM ₁₀	1
59	Mandi Gobindgarh	Poor	215	PM _{2.5}	1
60	Mandideep	Moderate	166	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Nagpur, Ratlam, Thane, Varanasi, Vatva, Visakhapatnam as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Mandikhera	Poor	236	PM ₁₀	1
62	Manesar	Very Poor	308	PM _{2.5}	1
63	Moradabad	Poor	218	PM ₁₀	1
64	Mumbai	Satisfactory	89	со	1
65	Muzaffarnagar	Poor	250	PM _{2.5}	1
66	Muzaffarpur	Moderate	188	PM _{2.5}	1
67	Narnaul	Poor	280	PM _{2.5}	1
68	Nashik	Satisfactory	53	PM ₁₀	1
69	Navi Mumbai	Moderate	112	СО	1
70	Noida	Very Poor	372	PM ₁₀	2
71	Pali	Moderate	182	PM ₁₀	1
72	Palwal	Very Poor	333	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	atisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Nagpur, Ratlam, Thane, Varanasi, Vatva, Visakhapatnam as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Panchkula	Satisfactory	70	PM _{2.5}	1
74	Panipat	Very Poor	315	PM ₁₀	1
75	Patiala	Moderate	176	PM ₁₀	1
76	Patna	Poor	247	OZONE	1
77	Pithampur	Moderate	110	PM ₁₀	1
78	Pune	Satisfactory	64	PM _{2.5}	1
79	Rajamahendravaram	Moderate	165	OZONE	1
80	Rohtak	Very Poor	341	PM _{2.5}	1
81	Rupnagar	Moderate	179	PM _{2.5}	1
82	Satna	Satisfactory	82	PM ₁₀	1
83	Siliguri	Satisfactory	87	PM ₁₀	1
84	Singrauli	Poor	286	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Nagpur, Ratlam, Thane, Varanasi, Vatva, Visakhapatnam as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Sirsa	Very Poor	306	PM ₁₀	1
86	Solapur	Moderate	108	OZONE	1
87	Sonipat	Very Poor	309	PM _{2.5}	1
88	Talcher	Moderate	170	PM ₁₀	1
89	Thiruvananthapuram	Satisfactory	66	PM ₁₀	1
90	Tirupati	Satisfactory	74	PM ₁₀	1
91	Udaipur	Satisfactory	70	PM ₁₀	1
92	Ujjain	Satisfactory	97	PM ₁₀	1
93	Vapi	Satisfactory	76	PM ₁₀	1
94	Vijayawada	Satisfactory	75	PM ₁₀	1
95	Yamunanagar	Poor	201	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Nagpur, Ratlam, Thane, Varanasi, Vatva, Visakhapatnam as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.