

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	159	PM <sub>2.5</sub>	1
2	Agra	Very Poor	320	PM <sub>2.5</sub>	1
3	Ahmedabad	Moderate	137	NO <sub>2</sub>	1
4	Aizawl	Good	32	PM <sub>10</sub>	1
5	Ajmer	Moderate	126	PM <sub>2.5</sub>	1
6	Alwar	Moderate	104	PM <sub>10</sub>	1
7	Amaravati	Moderate	135	PM <sub>2.5</sub>	1
8	Ambala	Moderate	115	PM <sub>2.5</sub>	1
9	Amritsar	Moderate	128	PM <sub>10</sub>	1
10	Ankleshwar	Moderate	171	PM <sub>2.5</sub>	1
11	Asansol	Moderate	159	PM <sub>2.5</sub>	1
12	Aurangabad	Moderate	102	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Chamarajanagar,
  Chikkamagaluru, Coimbatore, Davanagere, Dewas, Gadag, Gummidipoondi,
  Gwalior, Hapur, Hubballi, Indore, Jabalpur, Kochi, Muzaffarnagar, Nagpur,
  Nandesari, Panipat, Ramanagara, Rupnagar, Shillong, Shivamogga, Singrauli,
  Solapur, Ujjain as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bagalkot	Good	28	PM <sub>10</sub>	1
14	Baghpat	Very Poor	312	PM <sub>2.5</sub>	1
15	Bahadurgarh	Very Poor	303	PM <sub>2.5</sub>	1
16	Ballabgarh	Poor	283	PM <sub>2.5</sub>	1
17	Bathinda	Moderate	158	PM <sub>2.5</sub>	1
18	Bengaluru	Moderate	110	PM <sub>2.5</sub> , PM <sub>10</sub>	9
19	Bhiwadi	Very Poor	359	PM <sub>10</sub>	1
20	Bhiwani	Moderate	152	PM <sub>10</sub>	1
21	Bhopal	Moderate	134	PM <sub>2.5</sub>	1
22	Bidar	Satisfactory	99	PM <sub>10</sub>	1
23	Brajrajnagar	Moderate	164	PM <sub>2.5</sub>	1
24	Bulandshahr	Poor	298	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Chamarajanagar,
  Chikkamagaluru, Coimbatore, Davanagere, Dewas, Gadag, Gummidipoondi,
  Gwalior, Hapur, Hubballi, Indore, Jabalpur, Kochi, Muzaffarnagar, Nagpur,
  Nandesari, Panipat, Ramanagara, Rupnagar, Shillong, Shivamogga, Singrauli,
  Solapur, Ujjain as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chandigarh	Moderate	131	PM <sub>2.5</sub>	1
26	Chandrapur	Moderate	133	PM <sub>2.5</sub> , PM <sub>10</sub>	2
27	Charkhi Dadri	Moderate	156	PM <sub>10</sub>	1
28	Chennai	Moderate	145	PM <sub>2.5</sub>	8
29	Chikkaballapur	Moderate	122	PM <sub>2.5</sub>	1
30	Damoh	Moderate	167	PM <sub>2.5</sub>	1
31	Delhi	Very Poor	357	PM <sub>10</sub> , PM <sub>2.5</sub>	35
32	Dharuhera	Very Poor	334	PM <sub>10</sub>	1
33	Durgapur	Poor	280	PM <sub>2.5</sub>	1
34	Eloor	Good	46	со	1
35	Ernakulam	Moderate	136	PM <sub>2.5</sub>	1
36	Faridabad	Very Poor	381	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Chamarajanagar,
  Chikkamagaluru, Coimbatore, Davanagere, Dewas, Gadag, Gummidipoondi,
  Gwalior, Hapur, Hubballi, Indore, Jabalpur, Kochi, Muzaffarnagar, Nagpur,
  Nandesari, Panipat, Ramanagara, Rupnagar, Shillong, Shivamogga, Singrauli,
  Solapur, Ujjain as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Fatehabad	Poor	274	PM <sub>2.5</sub>	1
38	Gandhinagar	Satisfactory	90	PM <sub>10</sub>	1
39	Gaya	Moderate	132	PM <sub>2.5</sub>	2
40	Ghaziabad	Very Poor	359	PM <sub>2.5</sub>	2
41	Greater Noida	Very Poor	318	PM <sub>2.5</sub>	1
42	Gurugram	Very Poor	338	PM <sub>2.5</sub> , PM <sub>10</sub>	3
43	Guwahati	Poor	248	PM <sub>2.5</sub>	2
44	Hajipur	Moderate	166	PM <sub>10</sub>	1
45	Haldia	Moderate	146	PM <sub>10</sub>	1
46	Hisar	Poor	293	PM <sub>2.5</sub>	1
47	Howrah	Poor	253	PM <sub>2.5</sub>	3
48	Hyderabad	Moderate	120	PM <sub>2.5</sub> , PM <sub>10</sub>	6

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Chamarajanagar,
  Chikkamagaluru, Coimbatore, Davanagere, Dewas, Gadag, Gummidipoondi,
  Gwalior, Hapur, Hubballi, Indore, Jabalpur, Kochi, Muzaffarnagar, Nagpur,
  Nandesari, Panipat, Ramanagara, Rupnagar, Shillong, Shivamogga, Singrauli,
  Solapur, Ujjain as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Jaipur	Moderate	146	PM <sub>2.5</sub>	3
50	Jalandhar	Moderate	145	PM <sub>10</sub>	1
51	Jind	Poor	296	PM <sub>2.5</sub>	1
52	Jodhpur	Moderate	179	PM <sub>2.5</sub>	1
53	Jorapokhar	Moderate	153	PM <sub>10</sub>	1
54	Kaithal	Poor	217	PM <sub>2.5</sub>	1
55	Kalaburgi	Moderate	128	PM <sub>2.5</sub>	1
56	Kalyan	Poor	288	PM <sub>2.5</sub>	1
57	Kannur	Satisfactory	91	PM <sub>2.5</sub>	1
58	Kanpur	Very Poor	334	PM <sub>2.5</sub>	2
59	Karnal	Moderate	172	PM <sub>2.5</sub>	1
60	Katni	Poor	232	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Chamarajanagar,
  Chikkamagaluru, Coimbatore, Davanagere, Dewas, Gadag, Gummidipoondi,
  Gwalior, Hapur, Hubballi, Indore, Jabalpur, Kochi, Muzaffarnagar, Nagpur,
  Nandesari, Panipat, Ramanagara, Rupnagar, Shillong, Shivamogga, Singrauli,
  Solapur, Ujjain as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Khanna	Moderate	125	PM <sub>2.5</sub>	1
62	Kohima	Satisfactory	95	PM <sub>2.5</sub>	1
63	Kolar	Satisfactory	61	NO <sub>2</sub>	1
64	Kolkata	Poor	242	PM <sub>2.5</sub>	7
65	Kollam	Moderate	152	PM <sub>2.5</sub>	1
66	Koppal	Satisfactory	98	PM <sub>2.5</sub>	1
67	Kota	Poor	214	PM <sub>2.5</sub>	1
68	Kozhikode	Satisfactory	70	PM <sub>10</sub>	1
69	Kurukshetra	Moderate	192	PM <sub>2.5</sub>	1
70	Lucknow	Very Poor	373	PM <sub>2.5</sub>	4
71	Ludhiana	Moderate	126	PM <sub>10</sub>	1
72	Maihar	Moderate	130	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Chamarajanagar,
  Chikkamagaluru, Coimbatore, Davanagere, Dewas, Gadag, Gummidipoondi,
  Gwalior, Hapur, Hubballi, Indore, Jabalpur, Kochi, Muzaffarnagar, Nagpur,
  Nandesari, Panipat, Ramanagara, Rupnagar, Shillong, Shivamogga, Singrauli,
  Solapur, Ujjain as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Mandi Gobindgarh	Moderate	199	PM <sub>10</sub>	1
74	Mandideep	Moderate	124	PM <sub>10</sub>	1
75	Mandikhera	Moderate	184	PM <sub>2.5</sub>	1
76	Manesar	Very Poor	317	PM <sub>2.5</sub>	1
77	Manglore	Satisfactory	84	PM <sub>2.5</sub>	1
78	Medikeri	Satisfactory	85	03	1
79	Meerut	Poor	276	PM <sub>2.5</sub>	2
80	Moradabad	Very Poor	394	PM <sub>2.5</sub>	1
81	Mumbai	Poor	247	PM <sub>2.5</sub>	19
82	Muzaffarpur	Very Poor	304	PM <sub>2.5</sub> , PM <sub>10</sub>	2
83	Mysuru	Satisfactory	70	O <sub>3</sub>	1
84	Narnaul	Poor	286	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Chamarajanagar,
  Chikkamagaluru, Coimbatore, Davanagere, Dewas, Gadag, Gummidipoondi,
  Gwalior, Hapur, Hubballi, Indore, Jabalpur, Kochi, Muzaffarnagar, Nagpur,
  Nandesari, Panipat, Ramanagara, Rupnagar, Shillong, Shivamogga, Singrauli,
  Solapur, Ujjain as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Nashik	Moderate	123	PM <sub>2.5</sub>	1
86	Navi Mumbai	Poor	292	PM <sub>2.5</sub>	2
87	Noida	Very Poor	338	PM <sub>2.5</sub> , PM <sub>10</sub>	4
88	Pali	Satisfactory	99	PM <sub>10</sub>	1
89	Palwal	Moderate	111	PM <sub>10</sub>	1
90	Panchkula	Moderate	124	PM <sub>2.5</sub>	1
91	Patiala	Moderate	152	PM <sub>2.5</sub>	1
92	Patna	Poor	212	PM <sub>2.5</sub> , PM <sub>10</sub>	6
93	Pithampur	Moderate	169	PM <sub>2.5</sub>	1
94	Puducherry	Moderate	108	PM <sub>2.5</sub>	1
95	Pune	Moderate	163	PM <sub>2.5</sub> , PM <sub>10</sub>	5
96	Raichur	Moderate	141	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Chamarajanagar,
  Chikkamagaluru, Coimbatore, Davanagere, Dewas, Gadag, Gummidipoondi,
  Gwalior, Hapur, Hubballi, Indore, Jabalpur, Kochi, Muzaffarnagar, Nagpur,
  Nandesari, Panipat, Ramanagara, Rupnagar, Shillong, Shivamogga, Singrauli,
  Solapur, Ujjain as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Rajamahendravaram	Moderate	158	PM <sub>2.5</sub>	1
98	Ratlam	Moderate	123	PM <sub>10</sub>	1
99	Rohtak	Poor	282	PM <sub>2.5</sub>	1
100	Sagar	Satisfactory	63	PM <sub>2.5</sub>	1
101	Satna	Satisfactory	93	PM <sub>10</sub>	1
102	Siliguri	Very Poor	316	PM <sub>2.5</sub>	1
103	Sirsa	Poor	205	PM <sub>2.5</sub>	1
104	Sonipat	Poor	235	PM <sub>2.5</sub>	1
105	Talcher	Satisfactory	94	PM <sub>10</sub>	1
106	Thane	Poor	230	PM <sub>10</sub>	1
107	Thiruvananthapuram	Satisfactory	90	PM <sub>2.5</sub>	1
108	Thoothukudi	Satisfactory	80	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Chamarajanagar,
  Chikkamagaluru, Coimbatore, Davanagere, Dewas, Gadag, Gummidipoondi,
  Gwalior, Hapur, Hubballi, Indore, Jabalpur, Kochi, Muzaffarnagar, Nagpur,
  Nandesari, Panipat, Ramanagara, Rupnagar, Shillong, Shivamogga, Singrauli,
  Solapur, Ujjain as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Thrissur	Moderate	130	PM <sub>2.5</sub>	1
110	Tirupati	Moderate	112	03	1
111	Udaipur	Moderate	194	PM <sub>2.5</sub>	1
112	Vapi	Moderate	198	PM <sub>10</sub>	1
113	Varanasi	Very Poor	346	PM <sub>2.5</sub>	1
114	Vatva	Moderate	188	PM <sub>10</sub>	1
115	Vijayapura	Satisfactory	54	СО	1
116	Visakhapatnam	Moderate	143	PM <sub>2.5</sub>	1
117	Yadgir	Moderate	104	PM <sub>10</sub>	1
118	Yamunanagar	Poor	218	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Chamarajanagar,
  Chikkamagaluru, Coimbatore, Davanagere, Dewas, Gadag, Gummidipoondi,
  Gwalior, Hapur, Hubballi, Indore, Jabalpur, Kochi, Muzaffarnagar, Nagpur,
  Nandesari, Panipat, Ramanagara, Rupnagar, Shillong, Shivamogga, Singrauli,
  Solapur, Ujjain as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.