



Air Quality Index on Jan 06, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	289	PM _{2.5}	1
2	Agra	Poor	244	PM _{2.5}	5
3	Ahmedabad	Moderate	109	PM _{2.5} , PM ₁₀	7
4	Aizawl	Good	12	CO	1
5	Ajmer	Moderate	126	PM _{2.5}	1
6	Alwar	Moderate	114	PM _{2.5}	1
7	Amaravati	Satisfactory	86	PM _{2.5}	1
8	Ambala	Satisfactory	80	PM _{2.5}	1
9	Amritsar	Satisfactory	52	PM ₁₀	1
10	Ankleshwar	Poor	256	PM _{2.5}	1
11	Araria	Poor	235	PM _{2.5}	1
12	Arrah	Very Poor	302	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Khanna, Kozhikode, Manesar, Manguraha, Nandesari, Nashik, Purnia, Saharsa, Solapur, Thane, Udupi, Ujjain, Vatva as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jan 06, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Poor	284	PM _{2.5}	1
14	Aurangabad	Moderate	114	PM ₁₀	1
15	Bagalkot	Satisfactory	51	PM ₁₀	1
16	Baghpat	Poor	254	PM _{2.5}	1
17	Bahadurgarh	Moderate	199	PM _{2.5}	1
18	Ballabgarh	Poor	268	PM _{2.5}	1
19	Bathinda	Moderate	127	PM ₁₀	1
20	Bengaluru	Satisfactory	86	PM _{2.5} , PM ₁₀	9
21	Bettiah	Very Poor	315	PM ₁₀	1
22	Bhagalpur	Very Poor	352	PM _{2.5} , PM ₁₀	2
23	Bhilai	Satisfactory	53	PM ₁₀	1
24	Bhiwadi	Moderate	170	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Khanna, Kozhikode, Manesar, Manguraha, Nandesari, Nashik, Purnia, Saharsa, Solapur, Thane, Udupi, Ujjain, Vatva as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jan 06, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhiwani	Poor	219	PM _{2.5}	1
26	Bhopal	Very Poor	392	PM _{2.5}	1
27	Bidar	Satisfactory	86	PM ₁₀	1
28	Bihar Sharif	Very Poor	340	PM _{2.5}	1
29	Bilaspur	Moderate	120	PM ₁₀	1
30	Brajrajnagar	Satisfactory	95	PM ₁₀	1
31	Bulandshahr	Poor	213	PM _{2.5}	1
32	Buxar	Severe	454	PM ₁₀	1
33	Chamarajanagar	Good	32	PM ₁₀	1
34	Chandigarh	Good	49	O ₃	1
35	Chandrapur	Moderate	146	O ₃ , PM _{2.5}	2
36	Charkhi Dadri	Poor	236	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Khanna, Kozhikode, Manesar, Manguraha, Nandesari, Nashik, Purnia, Saharsa, Solapur, Thane, Udupi, Ujjain, Vatva as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jan 06, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chennai	Satisfactory	66	PM ₁₀	8
38	Chhapra	Severe	414	PM _{2.5}	1
39	Chikkaballapur	Satisfactory	79	PM _{2.5}	1
40	Chikkamagaluru	Satisfactory	59	PM ₁₀	1
41	Coimbatore	Moderate	121	PM _{2.5}	1
42	Damoh	Moderate	186	PM _{2.5}	1
43	Darbhanga	Very Poor	364	PM _{2.5}	1
44	Davanagere	Satisfactory	100	PM ₁₀	1
45	Delhi	Poor	258	PM _{2.5}	29
46	Dewas	Poor	236	PM _{2.5}	1
47	Dharuhera	Poor	221	PM _{2.5}	1
48	Durgapur	Very Poor	371	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Khanna, Kozhikode, Manesar, Manguraha, Nandesari, Nashik, Purnia, Saharsa, Solapur, Thane, Udupi, Ujjain, Vatva as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jan 06, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Eloor	Satisfactory	70	PM ₁₀	1
50	Ernakulam	Moderate	144	PM _{2.5}	1
51	Faridabad	Poor	219	PM _{2.5} , PM ₁₀	4
52	Fatehabad	Moderate	105	PM ₁₀	1
53	Firozabad	Poor	253	PM _{2.5}	1
54	Gadag	Satisfactory	79	PM _{2.5}	1
55	Gandhinagar	Satisfactory	95	PM _{2.5} , PM ₁₀	2
56	Gaya	Poor	239	PM _{2.5}	3
57	Ghaziabad	Moderate	179	PM _{2.5}	3
58	Gorakhpur	Poor	209	PM _{2.5}	1
59	Greater Noida	Moderate	182	O ₃ , PM _{2.5}	2
60	Gummidipoondi	Good	36	PM ₁₀	1

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Khanna, Kozhikode, Manesar, Manguraha, Nandesari, Nashik, Purnia, Saharsa, Solapur, Thane, Udupi, Ujjain, Vatva as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jan 06, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Gurugram	Poor	224	PM _{2.5} , PM ₁₀	3
62	Guwahati	Poor	230	PM _{2.5}	2
63	Gwalior	Poor	287	PM _{2.5}	1
64	Hajipur	Poor	256	PM _{2.5}	1
65	Haldia	Moderate	144	PM ₁₀	1
66	Hapur	Poor	210	PM _{2.5}	1
67	Hassan	Satisfactory	93	PM ₁₀	1
68	Hisar	Poor	296	PM _{2.5}	1
69	Howrah	Very Poor	317	PM _{2.5}	2
70	Hubballi	Moderate	114	PM ₁₀	1
71	Hyderabad	Moderate	119	PM _{2.5} , PM ₁₀	6
72	Indore	Poor	229	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Khanna, Kozhikode, Manesar, Manguraha, Nandesari, Nashik, Purnia, Saharsa, Solapur, Thane, Udupi, Ujjain, Vatva as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jan 06, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Jabalpur	Moderate	164	PM ₁₀	1
74	Jaipur	Poor	214	PM _{2.5}	3
75	Jalandhar	Satisfactory	70	PM ₁₀	1
76	Jind	Poor	263	PM _{2.5}	1
77	Jodhpur	Satisfactory	86	PM _{2.5}	1
78	Jorapokhar	Moderate	126	PM ₁₀	1
79	Kaithal	Moderate	153	PM _{2.5}	1
80	Kalaburgi	Satisfactory	91	PM _{2.5}	1
81	Kalyan	Poor	296	PM _{2.5}	1
82	Kannur	Satisfactory	100	PM _{2.5}	1
83	Kanpur	Moderate	152	NO ₂ , PM ₁₀	3
84	Karnal	Moderate	130	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Khanna, Kozhikode, Manesar, Manguraha, Nandesari, Nashik, Purnia, Saharsa, Solapur, Thane, Udupi, Ujjain, Vatva as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jan 06, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Katihar	Poor	277	PM _{2.5}	1
86	Katni	Poor	256	PM _{2.5}	1
87	Kishanganj	Very Poor	343	PM _{2.5}	1
88	Kochi	Poor	219	PM _{2.5}	1
89	Kohima	Satisfactory	55	PM ₁₀	1
90	Kolar	Satisfactory	64	PM ₁₀	1
91	Kolkata	Poor	268	PM _{2.5}	7
92	Kollam	Moderate	106	PM ₁₀	1
93	Koppal	Satisfactory	81	O ₃	1
94	Kota	Moderate	159	PM _{2.5}	1
95	Kurukshetra	Moderate	160	PM _{2.5}	1
96	Lucknow	Poor	239	PM _{2.5} , PM ₁₀	6

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Khanna, Kozhikode, Manesar, Manguraha, Nandesari, Nashik, Purnia, Saharsa, Solapur, Thane, Udupi, Ujjain, Vatva as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jan 06, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Ludhiana	Satisfactory	81	CO	1
98	Madikeri	Satisfactory	67	PM ₁₀	1
99	Maihar	Satisfactory	74	PM ₁₀	1
100	Mandi Gobindgarh	Good	43	PM ₁₀	1
101	Mandideep	Moderate	119	PM _{2.5}	1
102	Mandikhera	Satisfactory	92	PM _{2.5}	1
103	Manglore	Good	50	PM _{2.5}	1
104	Meerut	Moderate	184	PM _{2.5}	3
105	Moradabad	Moderate	161	PM _{2.5}	3
106	Motihari	Very Poor	316	PM _{2.5}	1
107	Mumbai	Moderate	170	PM _{2.5}	16
108	Munger	Severe	445	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Khanna, Kozhikode, Manesar, Manguraha, Nandesari, Nashik, Purnia, Saharsa, Solapur, Thane, Udupi, Ujjain, Vatva as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jan 06, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Muzaffarnagar	Poor	241	PM _{2.5}	1
110	Muzaffarpur	Very Poor	382	PM _{2.5}	3
111	Mysuru	Satisfactory	65	PM ₁₀	1
112	Nagpur	Moderate	117	CO	1
113	Naharlagun	Moderate	110	PM ₁₀	1
114	Narnaul	Moderate	141	PM _{2.5}	1
115	Navi Mumbai	Poor	279	PM _{2.5}	3
116	Noida	Poor	252	PM _{2.5}	3
117	Pali	Moderate	114	PM _{2.5}	1
118	Palwal	Satisfactory	60	PM _{2.5}	1
119	Panchkula	Good	32	PM _{2.5}	1
120	Panipat	Moderate	133	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Khanna, Kozhikode, Manesar, Manguraha, Nandesari, Nashik, Purnia, Saharsa, Solapur, Thane, Udupi, Ujjain, Vatva as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jan 06, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Patiala	Satisfactory	87	PM _{2.5}	1
122	Patna	Very Poor	352	PM _{2.5} , PM ₁₀	5
123	Pithampur	Moderate	175	PM _{2.5}	1
124	Prayagraj	Poor	282	PM _{2.5}	3
125	Puducherry	Satisfactory	52	PM ₁₀	1
126	Pune	Moderate	131	PM _{2.5}	3
127	Raichur	Moderate	102	PM ₁₀	1
128	Rajamahendravaram	Moderate	117	PM _{2.5}	1
129	Rajgir	Very Poor	354	PM _{2.5}	1
130	Ramanagara	Satisfactory	70	PM ₁₀	1
131	Ratlam	Moderate	103	PM ₁₀	1
132	Rohtak	Poor	207	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Khanna, Kozhikode, Manesar, Manguraha, Nandesari, Nashik, Purnia, Saharsa, Solapur, Thane, Udupi, Ujjain, Vatva as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jan 06, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Rupnagar	Satisfactory	62	PM _{2.5}	1
134	Sagar	Satisfactory	87	PM _{2.5}	1
135	Sasaram	Very Poor	394	PM _{2.5}	1
136	Satna	Satisfactory	59	PM ₁₀	1
137	Shillong	Good	13	PM ₁₀	1
138	Shivamogga	Good	48	PM ₁₀	1
139	Siliguri	Moderate	132	PM ₁₀	1
140	Singrauli	Poor	290	PM _{2.5}	1
141	Sirsa	Satisfactory	79	PM ₁₀	1
142	Siwan	Severe	404	PM _{2.5}	1
143	Sonipat	Moderate	151	PM ₁₀	1
144	Srinagar	Moderate	124	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Khanna, Kozhikode, Manesar, Manguraha, Nandesari, Nashik, Purnia, Saharsa, Solapur, Thane, Udupi, Ujjain, Vatva as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jan 06, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Talcher	Moderate	153	PM _{2.5}	1
146	Thiruvananthapuram	Satisfactory	84	PM _{2.5}	1
147	Thoothukudi	Good	40	PM ₁₀	1
148	Thrissur	Moderate	111	PM ₁₀	1
149	Tirupati	Satisfactory	85	PM _{2.5}	1
150	Udaipur	Moderate	184	PM _{2.5}	1
151	Vapi	Poor	273	PM _{2.5}	1
152	Varanasi	Moderate	148	PM _{2.5}	4
153	Vijayapura	Satisfactory	51	PM ₁₀	1
154	Visakhapatnam	Moderate	185	PM _{2.5}	1
155	Vrindavan	Poor	203	PM _{2.5}	1
156	Yadgir	Satisfactory	86	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Khanna, Kozhikode, Manesar, Manguraha, Nandesari, Nashik, Purnia, Saharsa, Solapur, Thane, Udupi, Ujjain, Vatva as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jan 06, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Yamunanagar	Satisfactory	73	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Khanna, Kozhikode, Manesar, Manguraha, Nandesari, Nashik, Purnia, Saharsa, Solapur, Thane, Udupi, Ujjain, Vatva as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.