

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	206	PM _{2.5}	1
2	Agra	Poor	222	PM _{2.5}	1
3	Ahmedabad	Moderate	126	PM ₁₀	1
4	Aizawl	Good	48	PM ₁₀	1
5	Ajmer	Satisfactory	88	PM ₁₀	1
6	Alwar	Satisfactory	88	PM ₁₀	1
7	Amaravati	Good	31	O ₃	1
8	Ambala	Moderate	112	PM ₁₀	1
9	Amritsar	Satisfactory	82	PM ₁₀	1
10	Ankleshwar	Moderate	127	PM ₁₀	1
11	Asansol	Poor	225	PM _{2.5}	1
12	Aurangabad	Satisfactory	85	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Chamarajanagar, Charkhi Dadri, Coimbatore, Ramanagara, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bagalkot	Good	43	O ₃	1
14	Baghpat	Poor	229	PM ₁₀	1
15	Bahadurgarh	Poor	258	PM _{2.5}	1
16	Ballabgarh	Moderate	152	PM ₁₀	1
17	Bathinda	Moderate	138	PM ₁₀	1
18	Bengaluru	Satisfactory	68	PM _{2.5} , PM ₁₀	10
19	Bhiwadi	Poor	284	PM _{2.5}	1
20	Bhiwani	Moderate	161	PM ₁₀	1
21	Bhopal	Moderate	161	PM _{2.5}	1
22	Brajrajnagar	Satisfactory	99	PM _{2.5}	1
23	Bulandshahr	Poor	250	PM _{2.5}	1
24	Chandigarh	Satisfactory	83	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Chamarajanagar, Charkhi Dadri, Coimbatore, Ramanagara, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chandrapur	Satisfactory	60	O ₃ , PM ₁₀	2
26	Chennai	Satisfactory	66	PM _{2.5} , PM ₁₀ , O ₃	7
27	Chikkaballapur	Satisfactory	65	PM ₁₀	1
28	Chikkamagaluru	Satisfactory	59	O ₃	1
29	Damoh	Moderate	111	PM _{2.5}	1
30	Delhi	Poor	251	PM _{2.5}	34
31	Dewas	Moderate	143	PM _{2.5}	1
32	Dharuhera	Poor	201	PM ₁₀	1
33	Eloor	Good	37	со	1
34	Ernakulam	Moderate	102	СО	1
35	Faridabad	Poor	246	PM _{2.5}	3
36	Fatehabad	Very Poor	318	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Chamarajanagar, Charkhi Dadri, Coimbatore, Ramanagara, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Gandhinagar	Satisfactory	83	PM ₁₀	1
38	Gaya	Satisfactory	88	O ₃ , PM _{2.5}	2
39	Ghaziabad	Poor	238	PM _{2.5}	4
40	Greater Noida	Poor	228	PM _{2.5}	2
41	Gurugram	Poor	256	PM _{2.5}	4
42	Guwahati	Moderate	164	PM _{2.5}	1
43	Gwalior	Poor	223	PM _{2.5}	1
44	Hajipur	Satisfactory	85	PM ₁₀	1
45	Hapur	Moderate	155	PM ₁₀	1
46	Hisar	Poor	292	PM _{2.5}	1
47	Howrah	Poor	208	PM _{2.5}	3
48	Hubballi	Satisfactory	97	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Chamarajanagar, Charkhi Dadri, Coimbatore, Ramanagara, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hyderabad	Satisfactory	70	PM ₁₀ , NO ₂	5
50	Indore	Moderate	119	PM _{2.5}	1
51	Jabalpur	Poor	230	PM _{2.5}	1
52	Jaipur	Moderate	159	PM _{2.5}	3
53	Jalandhar	Moderate	127	PM ₁₀	1
54	Jind	Poor	257	PM _{2.5}	1
55	Jodhpur	Moderate	189	PM _{2.5}	1
56	Jorapokhar	Satisfactory	59	PM ₁₀	1
57	Kaithal	Moderate	106	PM ₁₀	1
58	Kalaburgi	Satisfactory	63	PM ₁₀	1
59	Kalyan	Moderate	153	PM _{2.5}	1
60	Kannur	Satisfactory	60	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Chamarajanagar, Charkhi Dadri, Coimbatore, Ramanagara, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kanpur	Poor	252	PM _{2.5}	1
62	Karnal	Satisfactory	83	PM _{2.5}	1
63	Katni	Moderate	199	PM _{2.5}	1
64	Khanna	Satisfactory	100	PM ₁₀	1
65	Kochi	Satisfactory	89	со	1
66	Kohima	Satisfactory	87	PM ₁₀	1
67	Kolkata	Moderate	190	PM _{2.5}	6
68	Kollam	Good	50	со	1
69	Kota	Moderate	170	PM _{2.5}	1
70	Kozhikode	Good	49	PM ₁₀	1
71	Kurukshetra	Moderate	114	PM _{2.5}	1
72	Lucknow	Poor	219	PM _{2.5}	4

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Poor Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Chamarajanagar, Charkhi Dadri, Coimbatore, Ramanagara, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Ludhiana	Moderate	105	PM ₁₀	1
74	Maihar	Good	47	PM ₁₀	1
75	Mandi Gobindgarh	Poor	249	PM _{2.5}	1
76	Mandideep	Satisfactory	77	O ₃	1
77	Mandikhera	Satisfactory	77	PM ₁₀	1
78	Manesar	Moderate	152	PM _{2.5}	1
79	Medikeri	Good	46	O ₃	1
80	Meerut	Moderate	190	PM _{2.5} , PM ₁₀	3
81	Moradabad	Moderate	168	PM _{2.5}	1
82	Mumbai	Moderate	160	PM _{2.5} , PM ₁₀	16
83	Muzaffarnagar	Moderate	141	PM ₁₀	1
84	Muzaffarpur	Poor	217	PM _{2.5} , PM ₁₀	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Chamarajanagar, Charkhi Dadri, Coimbatore, Ramanagara, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Mysuru	Satisfactory	63	O ₃	1
86	Nagpur	Satisfactory	83	PM _{2.5}	1
87	Nandesari	Moderate	162	со	1
88	Narnaul	Moderate	165	PM _{2.5}	1
89	Nashik	Satisfactory	73	O ₃	1
90	Navi Mumbai	Moderate	158	PM _{2.5}	1
91	Noida	Poor	231	PM _{2.5}	4
92	Pali	Moderate	103	PM ₁₀	1
93	Palwal	Moderate	116	PM ₁₀	1
94	Panchkula	Moderate	152	PM _{2.5}	1
95	Panipat	Moderate	132	PM ₁₀	1
96	Patiala	Satisfactory	84	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Chamarajanagar, Charkhi Dadri, Coimbatore, Ramanagara, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Patna	Moderate	186	PM _{2.5} , O ₃	6
98	Pithampur	Moderate	189	PM _{2.5}	1
99	Pune	Satisfactory	64	PM ₁₀	1
100	Rajamahendravaram	Satisfactory	73	PM ₁₀	1
101	Ratlam	Moderate	144	PM ₁₀	1
102	Rohtak	Poor	208	PM _{2.5}	1
103	Rupnagar	Satisfactory	94	PM ₁₀	1
104	Sagar	Satisfactory	69	PM _{2.5}	1
105	Satna	Satisfactory	65	PM ₁₀	1
106	Shillong	Satisfactory	77	PM _{2.5}	1
107	Shivamogga	Good	35	NO ₂	1
108	Siliguri	Moderate	172	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Chamarajanagar, Charkhi Dadri, Coimbatore, Ramanagara, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Singrauli	Poor	220	PM _{2.5}	1
110	Sirsa	Moderate	155	PM _{2.5}	1
111	Solapur	Satisfactory	78	PM ₁₀	1
112	Sonipat	Moderate	128	PM ₁₀	1
113	Talcher	Satisfactory	89	PM ₁₀	1
114	Thane	Moderate	158	PM ₁₀	1
115	Thiruvananthapuram	Good	48	CO, PM ₁₀	2
116	Thoothukudi	Good	46	O ₃	1
117	Thrissur	Satisfactory	65	PM ₁₀	1
118	Tirupati	Good	45	NO ₂	1
119	Udaipur	Moderate	104	PM ₁₀	1
120	Ujjain	Poor	271	O ₃	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Chamarajanagar, Charkhi Dadri, Coimbatore, Ramanagara, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Vapi	Moderate	188	PM _{2.5}	1
122	Varanasi	Moderate	196	PM _{2.5}	1
123	Vatva	Moderate	101	PM ₁₀	1
124	Vijayapura	Satisfactory	57	со	1
125	Visakhapatnam	Moderate	132	PM _{2.5}	1
126	Yamunanagar	Moderate	149	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	atisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Chamarajanagar, Charkhi Dadri, Coimbatore, Ramanagara, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.