

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	226	PM _{2.5}	1
2	Agra	Poor	244	PM _{2.5}	1
3	Ahmedabad	Moderate	173	PM ₁₀	1
4	Aizawl	Satisfactory	83	PM _{2.5}	1
5	Ajmer	Moderate	104	PM ₁₀	1
6	Alwar	Moderate	106	PM ₁₀	1
7	Amaravati	Satisfactory	74	PM _{2.5}	1
8	Ambala	Poor	238	PM _{2.5}	1
9	Amritsar	Poor	205	PM _{2.5}	1
10	Ankleshwar	Poor	226	PM _{2.5}	1
11	Asansol	Poor	208	PM _{2.5}	1
12	Bagalkot	Good	37	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bidar, Coimbatore, Davanagere, Dewas, Dharuhera, Gadag, Hajipur, Hapur, Jind, Kalaburgi, Kochi, Muzaffarnagar, Nagpur, Panipat, Raichur, Ramanagara, Rupnagar, Shillong as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baghpat	Very Poor	358	PM _{2.5}	1
14	Bahadurgarh	Very Poor	315	PM _{2.5}	1
15	Ballabgarh	Moderate	166	PM _{2.5}	1
16	Bathinda	Moderate	131	PM ₁₀	1
17	Bengaluru	Satisfactory	87	PM ₁₀ , PM _{2.5} , CO	9
18	Bhiwadi	Poor	288	PM _{2.5}	1
19	Bhiwani	Moderate	156	PM ₁₀	1
20	Bhopal	Moderate	122	PM ₁₀	1
21	Brajrajnagar	Satisfactory	87	PM _{2.5}	1
22	Bulandshahr	Very Poor	358	PM _{2.5}	1
23	Chamarajanagar	Satisfactory	56	PM ₁₀	1
24	Chandigarh	Moderate	146	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bidar, Coimbatore, Davanagere, Dewas, Dharuhera, Gadag, Hajipur, Hapur, Jind, Kalaburgi, Kochi, Muzaffarnagar, Nagpur, Panipat, Raichur, Ramanagara, Rupnagar, Shillong as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chandrapur	Moderate	110	PM ₁₀	2
26	Charkhi Dadri	Very Poor	314	PM _{2.5}	1
27	Chennai	Satisfactory	64	PM ₁₀ , PM _{2.5} , CO	8
28	Chikkaballapur	Moderate	109	PM _{2.5}	1
29	Chikkamagaluru	Satisfactory	70	PM _{2.5}	1
30	Damoh	Moderate	117	PM _{2.5}	1
31	Delhi	Very Poor	352	PM _{2.5} , PM ₁₀	34
32	Durgapur	Very Poor	328	PM _{2.5}	1
33	Eloor	Good	50	PM ₁₀	1
34	Ernakulam	Moderate	118	PM _{2.5}	1
35	Faridabad	Very Poor	352	PM _{2.5}	1
36	Fatehabad	Moderate	182	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bidar, Coimbatore, Davanagere, Dewas, Dharuhera, Gadag, Hajipur, Hapur, Jind, Kalaburgi, Kochi, Muzaffarnagar, Nagpur, Panipat, Raichur, Ramanagara, Rupnagar, Shillong as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Gandhinagar	Satisfactory	78	PM ₁₀	1
38	Gaya	Moderate	162	O ₃ , PM _{2.5}	2
39	Ghaziabad	Severe	412	PM _{2.5}	2
40	Greater Noida	Very Poor	384	PM _{2.5}	1
41	Gummidipoondi	Moderate	147	PM _{2.5}	1
42	Gurugram	Poor	271	PM _{2.5}	3
43	Guwahati	Very Poor	339	PM _{2.5}	1
44	Gwalior	Poor	204	PM _{2.5}	1
45	Haldia	Moderate	183	PM _{2.5}	1
46	Hisar	Poor	250	PM _{2.5}	1
47	Howrah	Poor	293	PM _{2.5}	3
48	Hubballi	Moderate	120	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bidar, Coimbatore, Davanagere, Dewas, Dharuhera, Gadag, Hajipur, Hapur, Jind, Kalaburgi, Kochi, Muzaffarnagar, Nagpur, Panipat, Raichur, Ramanagara, Rupnagar, Shillong as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hyderabad	Moderate	149	PM _{2.5}	6
50	Indore	Moderate	120	PM ₁₀	1
51	Jabalpur	Poor	206	PM ₁₀	1
52	Jaipur	Moderate	122	PM _{2.5} , PM ₁₀	3
53	Jalandhar	Moderate	120	PM ₁₀	1
54	Jodhpur	Poor	228	PM _{2.5}	1
55	Jorapokhar	Moderate	127	PM ₁₀	1
56	Kaithal	Poor	249	PM _{2.5}	1
57	Kalyan	Poor	254	PM _{2.5}	1
58	Kannur	Moderate	119	PM _{2.5}	1
59	Kanpur	Very Poor	323	PM _{2.5}	2
60	Karnal	Poor	285	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bidar, Coimbatore, Davanagere, Dewas, Dharuhera, Gadag, Hajipur, Hapur, Jind, Kalaburgi, Kochi, Muzaffarnagar, Nagpur, Panipat, Raichur, Ramanagara, Rupnagar, Shillong as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Katni	Poor	205	PM _{2.5}	1
62	Khanna	Moderate	119	PM ₁₀	1
63	Kohima	Moderate	125	PM _{2.5}	1
64	Kolar	Good	48	03	1
65	Kolkata	Poor	281	PM _{2.5}	6
66	Kollam	Moderate	107	PM _{2.5}	1
67	Koppal	Satisfactory	82	PM ₁₀	1
68	Kota	Poor	205	PM _{2.5}	1
69	Kozhikode	Satisfactory	70	PM ₁₀	1
70	Kurukshetra	Very Poor	306	PM _{2.5}	1
71	Lucknow	Very Poor	308	PM ₁₀ , PM _{2.5}	4
72	Ludhiana	Poor	203	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bidar, Coimbatore, Davanagere, Dewas, Dharuhera, Gadag, Hajipur, Hapur, Jind, Kalaburgi, Kochi, Muzaffarnagar, Nagpur, Panipat, Raichur, Ramanagara, Rupnagar, Shillong as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Maihar	Satisfactory	69	PM ₁₀	1
74	Mandi Gobindgarh	Moderate	141	PM _{2.5}	1
75	Mandideep	Moderate	152	PM _{2.5}	1
76	Mandikhera	Poor	251	PM _{2.5}	1
77	Manesar	Poor	243	PM _{2.5}	1
78	Manglore	Moderate	111	PM _{2.5}	1
79	Medikeri	Satisfactory	83	PM ₁₀	1
80	Meerut	Very Poor	337	PM _{2.5}	2
81	Moradabad	Severe	421	PM _{2.5}	1
82	Mumbai	Moderate	184	PM _{2.5}	20
83	Muzaffarpur	Poor	275	PM _{2.5}	1
84	Mysuru	Satisfactory	73	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bidar, Coimbatore, Davanagere, Dewas, Dharuhera, Gadag, Hajipur, Hapur, Jind, Kalaburgi, Kochi, Muzaffarnagar, Nagpur, Panipat, Raichur, Ramanagara, Rupnagar, Shillong as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Nandesari	Good	37	со	1
86	Narnaul	Poor	291	PM ₁₀	1
87	Nashik	Moderate	150	PM _{2.5}	1
88	Navi Mumbai	Moderate	155	PM _{2.5} , CO	3
89	Noida	Very Poor	369	PM ₁₀ , PM _{2.5}	4
90	Pali	Moderate	151	PM _{2.5}	1
91	Palwal	Moderate	119	PM ₁₀	1
92	Panchkula	Moderate	151	PM _{2.5}	1
93	Patiala	Poor	220	PM _{2.5}	1
94	Patna	Poor	287	PM _{2.5} , PM ₁₀	6
95	Pithampur	Moderate	108	PM _{2.5}	1
96	Puducherry	Good	48	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bidar, Coimbatore, Davanagere, Dewas, Dharuhera, Gadag, Hajipur, Hapur, Jind, Kalaburgi, Kochi, Muzaffarnagar, Nagpur, Panipat, Raichur, Ramanagara, Rupnagar, Shillong as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Pune	Moderate	178	PM _{2.5} , PM ₁₀	3
98	Rajamahendravaram	Moderate	122	PM _{2.5}	1
99	Ratlam	Moderate	123	PM ₁₀	1
100	Rohtak	Very Poor	316	PM _{2.5}	1
101	Sagar	Good	49	PM _{2.5}	1
102	Satna	Moderate	120	PM ₁₀	1
103	Shivamogga	Satisfactory	69	PM ₁₀	1
104	Siliguri	Very Poor	336	PM _{2.5}	1
105	Singrauli	Poor	258	PM _{2.5}	1
106	Sirsa	Moderate	114	PM _{2.5}	1
107	Solapur	Moderate	131	PM ₁₀	1
108	Sonipat	Poor	262	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bidar, Coimbatore, Davanagere, Dewas, Dharuhera, Gadag, Hajipur, Hapur, Jind, Kalaburgi, Kochi, Muzaffarnagar, Nagpur, Panipat, Raichur, Ramanagara, Rupnagar, Shillong as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Talcher	Moderate	126	PM ₁₀	1
110	Thane	Poor	224	PM ₁₀	1
111	Thiruvananthapuram	Satisfactory	90	PM ₁₀	1
112	Thoothukudi	Good	38	PM ₁₀	1
113	Thrissur	Moderate	103	PM _{2.5}	1
114	Tirupati	Satisfactory	68	PM _{2.5}	1
115	Udaipur	Moderate	160	PM _{2.5}	1
116	Ujjain	Poor	223	PM _{2.5}	1
117	Vapi	Moderate	183	PM ₁₀	1
118	Varanasi	Poor	288	PM _{2.5}	1
119	Vatva	Moderate	144	PM ₁₀	1
120	Vijayapura	Satisfactory	59	СО	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bidar, Coimbatore, Davanagere, Dewas, Dharuhera, Gadag, Hajipur, Hapur, Jind, Kalaburgi, Kochi, Muzaffarnagar, Nagpur, Panipat, Raichur, Ramanagara, Rupnagar, Shillong as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Visakhapatnam	Poor	267	PM _{2.5}	1
122	Yadgir	Satisfactory	93	PM ₁₀	1
123	Yamunanagar	Very Poor	334	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bidar, Coimbatore, Davanagere, Dewas, Dharuhera, Gadag, Hajipur, Hapur, Jind, Kalaburgi, Kochi, Muzaffarnagar, Nagpur, Panipat, Raichur, Ramanagara, Rupnagar, Shillong as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.