

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	64	PM ₁₀	2
2	Agra	Moderate	161	PM ₁₀ , PM _{2.5}	6
3	Ahmedabad	Moderate	135	PM _{2.5} , PM ₁₀	8
4	Aizawl	Satisfactory	72	PM ₁₀	1
5	Ajmer	Moderate	128	PM _{2.5}	1
6	Alwar	Satisfactory	93	PM ₁₀	1
7	Amaravati	Good	18	O ₃	1
8	Ambala	Moderate	128	PM ₁₀	1
9	Amritsar	Moderate	111	PM ₁₀	1
10	Ankleshwar	Moderate	127	PM _{2.5}	1
11	Araria	Moderate	112	PM _{2.5}	1
12	Arrah	Very Poor	330	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhilai, Buxar, Chikkamagaluru, Gummidipoondi, Jorapokhar, Katihar, Kozhikode, Maihar, Naharlagun, Panipat, Rajgir, Shillong, Sonipat, Thrissur, Udupi, Vapi, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Satisfactory	69	PM ₁₀	1
14	Aurangabad	Poor	256	PM ₁₀	1
15	Aurangabad	Moderate	101	PM ₁₀	1
16	Baddi	Moderate	147	PM ₁₀	1
17	Bagalkot	Good	50	PM _{2.5}	1
18	Baghpat	Poor	233	PM ₁₀	1
19	Bahadurgarh	Poor	220	PM _{2.5}	1
20	Ballabgarh	Moderate	161	PM _{2.5}	1
21	Bathinda	Satisfactory	87	PM ₁₀	1
22	Begusarai	Moderate	197	PM _{2.5}	1
23	Bengaluru	Satisfactory	94	PM ₁₀ , CO, PM _{2.5}	9
24	Bettiah	Poor	244	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhilai, Buxar,
 Chikkamagaluru, Gummidipoondi, Jorapokhar, Katihar, Kozhikode, Maihar,
 Naharlagun, Panipat, Rajgir, Shillong, Sonipat, Thrissur, Udupi, Vapi,
 Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhagalpur	Poor	260	PM ₁₀ , PM _{2.5}	2
26	Bhiwadi	Very Poor	327	PM _{2.5}	1
27	Bhiwani	Poor	206	PM _{2.5}	1
28	Bhopal	Moderate	134	PM ₁₀	1
29	Bidar	Satisfactory	100	PM ₁₀	1
30	Bihar Sharif	Very Poor	312	PM ₁₀	1
31	Bilaspur	Satisfactory	54	PM ₁₀	1
32	Brajrajnagar	Moderate	120	PM _{2.5}	1
33	Bulandshahr	Moderate	182	PM ₁₀	1
34	Chamarajanagar	Satisfactory	59	со	1
35	Chandigarh	Moderate	151	O ₃ , PM ₁₀	3
36	Chandrapur	Satisfactory	96	PM ₁₀	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhilai, Buxar, Chikkamagaluru, Gummidipoondi, Jorapokhar, Katihar, Kozhikode, Maihar, Naharlagun, Panipat, Rajgir, Shillong, Sonipat, Thrissur, Udupi, Vapi, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Charkhi Dadri	Poor	259	PM _{2.5}	1
38	Chennai	Good	34	CO, PM ₁₀	7
39	Chhapra	Poor	270	PM ₁₀	1
40	Chikkaballapur	Satisfactory	81	PM ₁₀	1
41	Coimbatore	Satisfactory	52	PM _{2.5}	1
42	Damoh	Satisfactory	67	PM ₁₀	1
43	Darbhanga	Poor	204	PM ₁₀	1
44	Davanagere	Moderate	102	PM ₁₀	1
45	Delhi	Poor	233	PM ₁₀ , PM _{2.5}	38
46	Dewas	Moderate	135	PM _{2.5}	1
47	Dharuhera	Very Poor	329	PM ₁₀	1
48	Durgapur	Moderate	120	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhilai, Buxar, Chikkamagaluru, Gummidipoondi, Jorapokhar, Katihar, Kozhikode, Maihar, Naharlagun, Panipat, Rajgir, Shillong, Sonipat, Thrissur, Udupi, Vapi, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Eloor	Satisfactory	63	PM ₁₀	1
50	Ernakulam	Satisfactory	60	PM _{2.5}	1
51	Faridabad	Poor	277	PM _{2.5} , O ₃ , PM ₁₀	3
52	Fatehabad	Moderate	141	PM ₁₀	1
53	Firozabad	Moderate	199	O ₃	1
54	Gadag	Moderate	110	PM _{2.5}	1
55	Gandhinagar	Moderate	149	PM _{2.5} , PM ₁₀	3
56	Gaya	Moderate	170	PM ₁₀	2
57	Ghaziabad	Moderate	195	PM ₁₀	3
58	Gorakhpur	Satisfactory	85	PM ₁₀	1
59	Greater Noida	Poor	246	PM ₁₀	2
60	Gurugram	Moderate	176	PM _{2.5}	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhilai, Buxar, Chikkamagaluru, Gummidipoondi, Jorapokhar, Katihar, Kozhikode, Maihar, Naharlagun, Panipat, Rajgir, Shillong, Sonipat, Thrissur, Udupi, Vapi, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Guwahati	Satisfactory	54	O ₃ , PM _{2.5}	2
62	Gwalior	Moderate	130	03	1
63	Hajipur	Poor	211	PM _{2.5}	1
64	Haldia	Good	50	PM ₁₀	1
65	Hapur	Moderate	123	PM _{2.5}	1
66	Hassan	Moderate	109	PM ₁₀	1
67	Hisar	Moderate	178	PM ₁₀	1
68	Howrah	Satisfactory	64	PM ₁₀	3
69	Hubballi	Moderate	136	PM ₁₀	1
70	Hyderabad	Satisfactory	92	PM ₁₀ , PM _{2.5}	6
71	Indore	Moderate	132	PM ₁₀	1
72	Jabalpur	Poor	209	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhilai, Buxar, Chikkamagaluru, Gummidipoondi, Jorapokhar, Katihar, Kozhikode, Maihar, Naharlagun, Panipat, Rajgir, Shillong, Sonipat, Thrissur, Udupi, Vapi, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Jaipur	Moderate	144	PM _{2.5} , PM ₁₀	3
74	Jalandhar	Moderate	120	PM ₁₀	1
75	Jhansi	Satisfactory	83	PM _{2.5}	1
76	Jind	Moderate	130	PM ₁₀	1
77	Jodhpur	Moderate	156	PM _{2.5}	1
78	Kaithal	Moderate	124	PM _{2.5}	1
79	Kalaburgi	Moderate	104	PM ₁₀	1
80	Kalyan	Moderate	135	PM ₁₀	1
81	Kannur	Satisfactory	82	PM ₁₀	1
82	Kanpur	Moderate	128	PM ₁₀	3
83	Karnal	Moderate	115	PM ₁₀	1
84	Katni	Poor	271	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhilai, Buxar, Chikkamagaluru, Gummidipoondi, Jorapokhar, Katihar, Kozhikode, Maihar, Naharlagun, Panipat, Rajgir, Shillong, Sonipat, Thrissur, Udupi, Vapi, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Khanna	Moderate	113	PM ₁₀	1
86	Kishanganj	Satisfactory	82	PM ₁₀	1
87	Kochi	Satisfactory	55	PM _{2.5}	1
88	Kohima	Moderate	116	PM ₁₀	1
89	Kolar	Satisfactory	87	PM _{2.5}	1
90	Kolkata	Satisfactory	55	PM ₁₀ , NO ₂	7
91	Kollam	Satisfactory	77	PM ₁₀	1
92	Koppal	Satisfactory	55	PM ₁₀	1
93	Kota	Moderate	140	PM _{2.5}	1
94	Kurukshetra	Moderate	169	O ₃	1
95	Lucknow	Moderate	162	PM _{2.5} , PM ₁₀	5
96	Ludhiana	Moderate	116	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhilai, Buxar, Chikkamagaluru, Gummidipoondi, Jorapokhar, Katihar, Kozhikode, Maihar, Naharlagun, Panipat, Rajgir, Shillong, Sonipat, Thrissur, Udupi, Vapi, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Madikeri	Satisfactory	83	PM ₁₀	1
98	Mandi Gobindgarh	Good	44	PM ₁₀	1
99	Mandideep	Moderate	165	PM ₁₀	1
100	Mandikhera	Satisfactory	89	PM ₁₀	1
101	Manesar	Poor	236	PM _{2.5}	1
102	Manglore	Satisfactory	74	PM _{2.5}	1
103	Manguraha	Poor	212	PM ₁₀	1
104	Meerut	Poor	278	PM ₁₀ , PM _{2.5}	2
105	Moradabad	Moderate	134	PM ₁₀ , PM _{2.5}	3
106	Motihari	Poor	211	PM ₁₀	1
107	Mumbai	Moderate	108	PM ₁₀	15
108	Munger	Very Poor	305	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhilai, Buxar, Chikkamagaluru, Gummidipoondi, Jorapokhar, Katihar, Kozhikode, Maihar, Naharlagun, Panipat, Rajgir, Shillong, Sonipat, Thrissur, Udupi, Vapi, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Muzaffarnagar	Poor	228	03	1
110	Muzaffarpur	Poor	244	PM ₁₀ , PM _{2.5}	3
111	Mysuru	Satisfactory	58	PM ₁₀	1
112	Nagpur	Satisfactory	98	со	1
113	Nandesari	Satisfactory	87	PM _{2.5}	1
114	Narnaul	Moderate	153	PM ₁₀	1
115	Nashik	Satisfactory	80	PM ₁₀	1
116	Navi Mumbai	Moderate	140	O ₃ , PM ₁₀	2
117	Noida	Poor	236	PM ₁₀	4
118	Pali	Moderate	126	PM _{2.5}	1
119	Palwal	Moderate	150	PM ₁₀	1
120	Panchkula	Moderate	155	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhilai, Buxar, Chikkamagaluru, Gummidipoondi, Jorapokhar, Katihar, Kozhikode, Maihar, Naharlagun, Panipat, Rajgir, Shillong, Sonipat, Thrissur, Udupi, Vapi, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Patiala	Moderate	157	03	1
122	Patna	Poor	283	PM ₁₀ , PM _{2.5}	6
123	Pithampur	Moderate	112	PM ₁₀	1
124	Prayagraj	Moderate	133	PM ₁₀	3
125	Puducherry	Good	29	PM ₁₀	1
126	Pune	Moderate	126	PM _{2.5} , PM ₁₀	5
127	Purnia	Satisfactory	82	NO ₂	1
128	Raichur	Moderate	109	PM ₁₀	1
129	Rajamahendravaram	Good	24	PM ₁₀	1
130	Ramanagara	Satisfactory	96	PM ₁₀	1
131	Ratlam	Moderate	132	PM ₁₀	1
132	Rohtak	Moderate	178	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhilai, Buxar, Chikkamagaluru, Gummidipoondi, Jorapokhar, Katihar, Kozhikode, Maihar, Naharlagun, Panipat, Rajgir, Shillong, Sonipat, Thrissur, Udupi, Vapi, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Rupnagar	Moderate	127	PM ₁₀	1
134	Sagar	Moderate	132	PM ₁₀	1
135	Saharsa	Poor	205	PM ₁₀	1
136	Samastipur	Poor	281	PM _{2.5}	1
137	Sasaram	Moderate	191	03	1
138	Satna	Satisfactory	65	PM ₁₀	1
139	Shivamogga	Satisfactory	78	PM ₁₀	1
140	Siliguri	Satisfactory	82	PM ₁₀	1
141	Singrauli	Severe	407	PM ₁₀	1
142	Sirsa	Moderate	119	O ₃	1
143	Siwan	Poor	287	PM ₁₀	1
144	Solapur	Satisfactory	82	СО	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhilai, Buxar, Chikkamagaluru, Gummidipoondi, Jorapokhar, Katihar, Kozhikode, Maihar, Naharlagun, Panipat, Rajgir, Shillong, Sonipat, Thrissur, Udupi, Vapi, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Srinagar	Good	40	PM ₁₀	1
146	Talcher	Good	32	O ₃	1
147	Thane	Poor	276	PM ₁₀	1
148	Thiruvananthapuram	Good	40	PM ₁₀ , CO	2
149	Thoothukudi	Satisfactory	57	PM ₁₀	1
150	Tirupati	Good	45	PM ₁₀	1
151	Udaipur	Moderate	108	PM ₁₀	1
152	Ujjain	Moderate	147	PM ₁₀	1
153	Varanasi	Moderate	131	PM ₁₀	4
154	Vatva	Moderate	147	PM _{2.5}	1
155	Vijayapura	Satisfactory	51	PM ₁₀	1
156	Vrindavan	Moderate	158	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhilai, Buxar, Chikkamagaluru, Gummidipoondi, Jorapokhar, Katihar, Kozhikode, Maihar, Naharlagun, Panipat, Rajgir, Shillong, Sonipat, Thrissur, Udupi, Vapi, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Yadgir	Satisfactory	81	PM ₁₀	1
158	Yamunanagar	Moderate	188	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhilai, Buxar, Chikkamagaluru, Gummidipoondi, Jorapokhar, Katihar, Kozhikode, Maihar, Naharlagun, Panipat, Rajgir, Shillong, Sonipat, Thrissur, Udupi, Vapi, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.