

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	82	PM _{2.5} , PM ₁₀	2
2	Agra	Satisfactory	92	PM ₁₀ , PM _{2.5}	6
3	Ahmedabad	Satisfactory	69	O ₃ , PM ₁₀	2
4	Aizawl	Good	28	PM ₁₀	1
5	Ajmer	Satisfactory	67	PM ₁₀	1
6	Alwar	Satisfactory	73	PM ₁₀	1
7	Amaravati	Good	41	03	1
8	Amritsar	Satisfactory	51	PM ₁₀	1
9	Anantapur	Satisfactory	61	PM _{2.5}	1
10	Araria	Moderate	129	PM _{2.5}	1
11	Arrah	Satisfactory	67	NO ₂	1
12	Asansol	Moderate	110	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Ankleshwar, Notes: Aurangabad (Bihar), Bahadurgarh, Begusarai, Bettiah, Bhilai, Bidar, Brajrajnagar, Buxar, Charkhi Dadri, Dehradun, Ernakulam, Fatehabad, Gummidipoondi, Jorapokhar, Kalaburgi, Kolar, Naharlagun, Nandesari, Panchkula, Pune, Saharsa, Salem, Siwan, Udupi, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Aurangabad (Maharashtra)	Satisfactory	92	PM ₁₀	1
14	Baddi	Moderate	161	PM ₁₀	1
15	Bagalkot	Good	38	СО	1
16	Baghpat	Moderate	149	PM _{2.5}	1
17	Ballabgarh	Moderate	200	PM _{2.5}	1
18	Bareilly	Moderate	176	PM _{2.5}	2
19	Bathinda	Satisfactory	97	PM ₁₀	1
20	Belgaum	Satisfactory	71	PM _{2.5}	1
21	Bengaluru	Satisfactory	66	PM ₁₀	6
22	Bhagalpur	Satisfactory	81	NO ₂ , CO	2
23	Bhiwadi	Poor	220	PM _{2.5}	1
24	Bhiwani	Moderate	138	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Ankleshwar, Notes: Aurangabad (Bihar), Bahadurgarh, Begusarai, Bettiah, Bhilai, Bidar, Brajrajnagar, Buxar, Charkhi Dadri, Dehradun, Ernakulam, Fatehabad, Gummidipoondi, Jorapokhar, Kalaburgi, Kolar, Naharlagun, Nandesari, Panchkula, Pune, Saharsa, Salem, Siwan, Udupi, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhopal	Moderate	120	PM ₁₀	2
26	Bihar Sharif	Satisfactory	91	СО	1
27	Bilaspur	Satisfactory	53	СО	1
28	Bulandshahr	Moderate	155	PM _{2.5}	1
29	Chamarajanagar	Good	38	PM ₁₀	1
30	Chandigarh	Satisfactory	93	PM _{2.5} , O ₃ , PM ₁₀	3
31	Chandrapur	Satisfactory	60	PM ₁₀	2
32	Chengalpattu	Satisfactory	73	SO ₂	1
33	Chennai	Satisfactory	74	CO, PM ₁₀	8
34	Chhapra	Satisfactory	91	PM ₁₀	1
35	Chikkaballapur	Good	45	PM ₁₀	1
36	Chikkamagaluru	Good	32	O ₃	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes: Aurangabad (Bihar), Bahadurgarh, Begusarai, Bettiah, Bhilai, Bidar,

Aurangabad (Binar), Bahadurgarh, Begusarai, Bettiah, Bhilai, Bidar, Brajrajnagar, Buxar, Charkhi Dadri, Dehradun, Ernakulam, Fatehabad, Gummidipoondi, Jorapokhar, Kalaburgi, Kolar, Naharlagun, Nandesari, Panchkula, Pune, Saharsa, Salem, Siwan, Udupi, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Coimbatore	Good	36	PM _{2.5} , SO ₂	2
38	Damoh	Satisfactory	81	PM _{2.5}	1
39	Darbhanga	Satisfactory	88	PM ₁₀	1
40	Davanagere	Good	20	PM ₁₀	1
41	Delhi	Moderate	173	PM ₁₀ , PM _{2.5}	33
42	Dewas	Satisfactory	77	PM ₁₀	1
43	Dharuhera	Poor	228	PM _{2.5}	1
44	Dindigul	Good	45	SO ₂	1
45	Durgapur	Moderate	103	PM ₁₀	1
46	Eloor	Satisfactory	59	PM ₁₀	1
47	Faridabad	Moderate	161	PM ₁₀	3
48	Firozabad	Moderate	108	PM ₁₀	2

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ambala, Ankleshwar, Notes: Aurangabad (Bihar), Bahadurgarh, Begusarai, Bettiah, Bhilai, Bidar, Brajrajnagar, Buxar, Charkhi Dadri, Dehradun, Ernakulam, Fatehabad, Gummidipoondi, Jorapokhar, Kalaburgi, Kolar, Naharlagun, Nandesari, Panchkula, Pune, Saharsa, Salem, Siwan, Udupi, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Gadag	Good	28	PM ₁₀	1
50	Gandhinagar	Good	50	PM ₁₀	1
51	Gangtok	Good	21	03	1
52	Gaya	Satisfactory	66	NO ₂ , CO, PM ₁₀	3
53	Ghaziabad	Moderate	190	PM _{2.5} , PM ₁₀	4
54	Gorakhpur	Moderate	103	PM _{2.5}	1
55	Greater Noida	Moderate	177	PM _{2.5} , PM ₁₀	2
56	Gurugram	Moderate	153	PM _{2.5}	3
57	Guwahati	Satisfactory	68	PM ₁₀	3
58	Gwalior	Moderate	118	PM ₁₀	1
59	Hajipur	Satisfactory	86	PM ₁₀	1
60	Haldia	Satisfactory	53	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Ankleshwar, Notes: Aurangabad (Bihar), Bahadurgarh, Begusarai, Bettiah, Bhilai, Bidar, Brajrajnagar, Buxar, Charkhi Dadri, Dehradun, Ernakulam, Fatehabad, Gummidipoondi, Jorapokhar, Kalaburgi, Kolar, Naharlagun, Nandesari, Panchkula, Pune, Saharsa, Salem, Siwan, Udupi, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hapur	Moderate	172	PM _{2.5}	1
62	Hassan	Good	34	NO ₂	1
63	Haveri	Good	31	со	1
64	Hisar	Moderate	131	PM _{2.5}	1
65	Hosur	Satisfactory	97	со	1
66	Howrah	Satisfactory	80	PM _{2.5} , PM ₁₀	3
67	Hubballi	Satisfactory	59	со	1
68	Hyderabad	Satisfactory	71	CO, PM _{2.5} , PM ₁₀	12
69	Imphal	Satisfactory	90	O ₃ , SO ₂	2
70	Indore	Satisfactory	85	PM ₁₀	1
71	Jabalpur	Moderate	107	PM ₁₀	1
72	Jaipur	Moderate	111	PM _{2.5} , NO ₂	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes: Aurangabad (Bihar), Bahadurgarh, Begusarai, Bettiah, Bhilai, Bidar,

Aurangabad (Bihar), Bahadurgarh, Begusarai, Bettiah, Bhilai, Bidar, Brajrajnagar, Buxar, Charkhi Dadri, Dehradun, Ernakulam, Fatehabad, Gummidipoondi, Jorapokhar, Kalaburgi, Kolar, Naharlagun, Nandesari, Panchkula, Pune, Saharsa, Salem, Siwan, Udupi, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Jalandhar	Satisfactory	61	PM ₁₀	1
74	Jhansi	Moderate	109	PM ₁₀	1
75	Jind	Moderate	143	PM _{2.5}	1
76	Jodhpur	Satisfactory	67	PM ₁₀	1
77	Kaithal	Moderate	154	O ₃	1
78	Kalyan	Moderate	119	PM ₁₀	1
79	Kannur	Satisfactory	67	PM ₁₀	1
80	Kanpur	Satisfactory	92	PM ₁₀ , PM _{2.5}	4
81	Karnal	Moderate	171	PM ₁₀	1
82	Katihar	Moderate	118	PM ₁₀	1
83	Katni	Moderate	144	PM ₁₀	1
84	Khanna	Satisfactory	79	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes: Aurangabad (Bihar), Bahadurgarh, Begusarai, Bettiah, Bhilai, Bidar, Brajrajnagar, Buxar, Charkhi Dadri, Dehradun, Ernakulam, Fatehabad, Gummidipoondi, Jorapokhar, Kalaburgi, Kolar, Naharlagun, Nandesari, Panchkula, Pune, Saharsa, Salem, Siwan, Udupi, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Khurja	Poor	226	PM _{2.5}	1
86	Kishanganj	Satisfactory	88	03	1
87	Kochi	Moderate	136	PM _{2.5}	1
88	Kohima	Satisfactory	68	PM ₁₀	1
89	Kolkata	Satisfactory	79	O ₃ , PM ₁₀	7
90	Kollam	Good	48	PM ₁₀	1
91	Koppal	Satisfactory	98	O ₃	1
92	Kota	Satisfactory	88	PM ₁₀	1
93	Kozhikode	Satisfactory	70	PM ₁₀	1
94	Kurukshetra	Moderate	102	PM _{2.5}	1
95	Lucknow	Moderate	110	PM ₁₀ , PM _{2.5}	6
96	Ludhiana	Moderate	125	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ambala, Ankleshwar,

Notes: Aurangabad (Bihar), Bahadurgarh, Begusarai, Bettiah, Bhilai, Bidar, Brajrajnagar, Buxar, Charkhi Dadri, Dehradun, Ernakulam, Fatehabad, Gummidipoondi, Jorapokhar, Kalaburgi, Kolar, Naharlagun, Nandesari, Panchkula, Pune, Saharsa, Salem, Siwan, Udupi, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Madikeri	Good	22	O ₃	1
98	Maihar	Good	35	PM ₁₀	1
99	Mandi Gobindgarh	Satisfactory	87	PM ₁₀	1
100	Mandideep	Satisfactory	97	PM ₁₀	1
101	Mandikhera	Good	30	PM ₁₀	1
102	Manesar	Moderate	132	PM _{2.5}	1
103	Manglore	Satisfactory	57	СО	1
104	Manguraha	Satisfactory	54	PM ₁₀	1
105	Meerut	Moderate	161	PM ₁₀ , PM _{2.5}	3
106	Moradabad	Moderate	103	PM _{2.5} , PM ₁₀	6
107	Motihari	Satisfactory	69	O ₃	1
108	Mumbai	Satisfactory	70	PM ₁₀ , NO ₂ , PM _{2.5}	14

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ambala, Ankleshwar, Notes: Aurangabad (Bihar), Bahadurgarh, Begusarai, Bettiah, Bhilai, Bidar, Brajrajnagar, Buxar, Charkhi Dadri, Dehradun, Ernakulam, Fatehabad, Gummidipoondi, Jorapokhar, Kalaburgi, Kolar, Naharlagun, Nandesari, Panchkula, Pune, Saharsa, Salem, Siwan, Udupi, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Munger	Satisfactory	66	PM ₁₀	1
110	Muzaffarnagar	Moderate	182	PM _{2.5}	1
111	Muzaffarpur	Satisfactory	98	PM ₁₀	2
112	Mysuru	Good	45	PM ₁₀	1
113	Nagpur	Satisfactory	97	03	1
114	Narnaul	Satisfactory	93	PM ₁₀	1
115	Nashik	Good	45	O ₃	1
116	Navi Mumbai	Moderate	138	PM _{2.5} , PM ₁₀	3
117	Noida	Moderate	160	PM _{2.5} , PM ₁₀	4
118	Ooty	Good	48	PM ₁₀	1
119	Pali	Satisfactory	79	PM ₁₀	1
120	Palwal	Moderate	134	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes: Aurangabad (Bihar), Bahadurgarh, Begusarai, Bettiah, Bhilai, Bidar, Brajrajnagar, Buxar, Charkhi Dadri, Dehradun, Ernakulam, Fatehabad, Gummidipoondi, Jorapokhar, Kalaburgi, Kolar, Naharlagun, Nandesari, Panchkula, Pune, Saharsa, Salem, Siwan, Udupi, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Panipat	Moderate	126	PM ₁₀	1
122	Patiala	Satisfactory	96	PM ₁₀	1
123	Patna	Satisfactory	77	PM ₁₀ , PM _{2.5}	6
124	Pithampur	Moderate	122	PM ₁₀	1
125	Prayagraj	Moderate	118	PM ₁₀	3
126	Puducherry	Satisfactory	62	PM ₁₀	1
127	Purnia	Satisfactory	78	PM ₁₀	1
128	Raichur	Satisfactory	93	СО	1
129	Rajamahendravaram	Good	29	СО	1
130	Rajgir	Satisfactory	69	со	1
131	Ramanagara	Good	50	O ₃	1
132	Ramanathapuram	Good	37	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Ankleshwar, Notes: Aurangabad (Bihar), Bahadurgarh, Begusarai, Bettiah, Bhilai, Bidar, Brajrajnagar, Buxar, Charkhi Dadri, Dehradun, Ernakulam, Fatehabad, Gummidipoondi, Jorapokhar, Kalaburgi, Kolar, Naharlagun, Nandesari, Panchkula, Pune, Saharsa, Salem, Siwan, Udupi, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Ratlam	Satisfactory	63	PM ₁₀	1
134	Rohtak	Moderate	134	PM _{2.5}	1
135	Rupnagar	Moderate	108	PM _{2.5}	1
136	Sagar	Good	42	со	1
137	Samastipur	Satisfactory	83	PM ₁₀	1
138	Sasaram	Satisfactory	96	со	1
139	Satna	Good	34	PM ₁₀	1
140	Shillong	Good	24	PM _{2.5}	1
141	Shivamogga	Good	45	PM ₁₀	1
142	Siliguri	Satisfactory	63	PM ₁₀	1
143	Singrauli	Moderate	108	NO ₂	1
144	Sirsa	Satisfactory	96	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ambala, Ankleshwar, Notes: Aurangabad (Bihar), Bahadurgarh, Begusarai, Bettiah, Bhilai, Bidar,

Aurangabad (Binar), Banadurgarn, Begusarai, Bettian, Bhilai, Bidar, Brajrajnagar, Buxar, Charkhi Dadri, Dehradun, Ernakulam, Fatehabad, Gummidipoondi, Jorapokhar, Kalaburgi, Kolar, Naharlagun, Nandesari, Panchkula, Pune, Saharsa, Salem, Siwan, Udupi, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Sivasagar	Satisfactory	55	со	1
146	Solapur	Satisfactory	84	PM ₁₀	1
147	Sonipat	Moderate	123	PM ₁₀	1
148	Srinagar	Good	50	PM ₁₀	1
149	Talcher	Satisfactory	94	СО	1
150	Thane	Moderate	171	O ₃	1
151	Thiruvananthapuram	Good	45	CO, PM ₁₀	2
152	Thoothukudi	Good	43	PM ₁₀	1
153	Thrissur	Good	48	PM ₁₀	1
154	Tirupati	Good	42	со	1
155	Tiruppur	Poor	245	PM ₁₀	1
156	Udaipur	Satisfactory	82	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Ankleshwar, Notes: Aurangabad (Bihar), Bahadurgarh, Begusarai, Bettiah, Bhilai, Bidar, Brajrajnagar, Buxar, Charkhi Dadri, Dehradun, Ernakulam, Fatehabad, Gummidipoondi, Jorapokhar, Kalaburgi, Kolar, Naharlagun, Nandesari, Panchkula, Pune, Saharsa, Salem, Siwan, Udupi, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Ujjain	Moderate	104	PM ₁₀	1
158	Vapi	Moderate	107	PM _{2.5}	1
159	Varanasi	Satisfactory	90	PM ₁₀	4
160	Vatva	Satisfactory	65	PM ₁₀	1
161	Vijayapura	Good	39	PM ₁₀	1
162	Visakhapatnam	Good	47	PM ₁₀	1
163	Vrindavan	Satisfactory	79	PM ₁₀	1
164	Yadgir	Good	32	PM _{2.5}	1
165	Yamunanagar	Moderate	126	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Ankleshwar, Notes: Aurangabad (Bihar), Bahadurgarh, Begusarai, Bettiah, Bhilai, Bidar, Brajrajnagar, Buxar, Charkhi Dadri, Dehradun, Ernakulam, Fatehabad, Gummidipoondi, Jorapokhar, Kalaburgi, Kolar, Naharlagun, Nandesari, Panchkula, Pune, Saharsa, Salem, Siwan, Udupi, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.