

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	23	SO ₂	1
2	Agra	Satisfactory	78	PM ₁₀ , O ₃	4
3	Ahmedabad	Satisfactory	74	PM _{2.5} , PM ₁₀	6
4	Aizawl	Good	18	SO ₂	1
5	Ajmer	Satisfactory	83	PM ₁₀	1
6	Alwar	Moderate	106	PM ₁₀	1
7	Amaravati	Good	35	PM ₁₀	1
8	Ambala	Poor	215	PM ₁₀	1
9	Amritsar	Satisfactory	96	PM ₁₀	1
10	Aurangabad	Satisfactory	59	со	1
11	Bagalkot	Good	26	со	1
12	Baghpat	Satisfactory	82	PM ₁₀	1

Possible Health Impacts

Notes:

Good	Minimal Impact			
Satisfactory	Minor breathing discomfort to sensitive people			
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases			
Poor	Breathing discomfort to most people on prolonged exposure			
Very Poor	Respiratory illness on prolonged exposure			
Severe	Affects healthy people and seriously impacts those with existing diseases			

* AQI is not calculated for today's bulletin for Ankleshwar, Asansol, Bettiah, Bidar, Bihar Sharif, Coimbatore, Darbhanga, Davanagere, Durgapur, Hisar, Jorapokhar, Kalyan, Manglore, Motihari, Nagpur, Nandesari, Narnaul, Nashik, Ratlam, Thrissur as data was not available.

[#] Some stations have data available at 3PM

^{*} In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

^{*} The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bahadurgarh	Moderate	130	PM _{2.5}	1
14	Ballabgarh	Moderate	102	СО	1
15	Bathinda	Satisfactory	55	PM ₁₀	1
16	Bengaluru	Satisfactory	57	CO, PM ₁₀ , PM _{2.5}	9
17	Bhiwadi	Moderate	126	PM _{2.5}	1
18	Bhiwani	Moderate	114	PM _{2.5}	1
19	Bhopal	Good	49	PM ₁₀	1
20	Brajrajnagar	Good	44	со	1
21	Bulandshahr	Satisfactory	55	PM _{2.5}	1
22	Chamarajanagar	Good	42	PM ₁₀	1
23	Chandigarh	Satisfactory	64	O ₃ , PM ₁₀	2
24	Chandrapur	Good	33	PM ₁₀	2

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Asansol, Bettiah, Bidar, Bihar Sharif, Coimbatore, Darbhanga, Davanagere, Durgapur, Hisar, Jorapokhar, Kalyan, Manglore, Motihari, Nagpur, Nandesari, Narnaul, Nashik, Ratlam, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Charkhi Dadri	Moderate	122	PM _{2.5}	1
26	Chennai	Satisfactory	52	PM ₁₀ , CO, O ₃	7
27	Chikkaballapur	Good	30	NO ₂	1
28	Chikkamagaluru	Good	35	PM ₁₀	1
29	Damoh	Good	31	PM _{2.5}	1
30	Delhi	Moderate	111	PM ₁₀ , PM _{2.5}	23
31	Dewas	Good	31	PM ₁₀	1
32	Dharuhera	Satisfactory	93	PM ₁₀	1
33	Eloor	Satisfactory	70	со	1
34	Ernakulam	Good	44	PM ₁₀	1
35	Faridabad	Moderate	116	PM _{2.5} , PM ₁₀ , O ₃	3
36	Fatehabad	Moderate	119	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Asansol, Bettiah, Bidar, Bihar Sharif, Coimbatore, Darbhanga, Davanagere, Durgapur, Hisar, Jorapokhar, Kalyan, Manglore, Motihari, Nagpur, Nandesari, Narnaul, Nashik, Ratlam, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Firozabad	Good	41	PM ₁₀	1
38	Gadag	Good	18	со	1
39	Gandhinagar	Satisfactory	68	PM ₁₀ , PM _{2.5}	3
40	Gaya	Satisfactory	66	PM _{2.5} , PM ₁₀	2
41	Ghaziabad	Moderate	114	PM _{2.5} , PM ₁₀	4
42	Gorakhpur	Good	21	PM _{2.5}	1
43	Greater Noida	Satisfactory	92	PM ₁₀	2
44	Gummidipoondi	Satisfactory	77	PM ₁₀	1
45	Gurugram	Moderate	167	PM _{2.5}	3
46	Guwahati	Satisfactory	54	SO ₂	2
47	Gwalior	Satisfactory	77	PM ₁₀	2
48	Hajipur	Satisfactory	81	СО	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Asansol, Bettiah, Bidar, Bihar Sharif, Coimbatore, Darbhanga, Davanagere, Durgapur, Hisar, Jorapokhar, Kalyan, Manglore, Motihari, Nagpur, Nandesari, Narnaul, Nashik, Ratlam, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Haldia	Good	29	PM ₁₀	1
50	Hapur	Satisfactory	66	PM _{2.5}	1
51	Hassan	Satisfactory	81	PM ₁₀	1
52	Howrah	Good	32	CO, PM ₁₀	3
53	Hubballi	Satisfactory	57	PM ₁₀	1
54	Hyderabad	Good	50	NO ₂ , CO, PM _{2.5}	6
55	Indore	Good	48	PM ₁₀	1
56	Jabalpur	Satisfactory	54	PM ₁₀	1
57	Jaipur	Satisfactory	96	PM ₁₀	3
58	Jalandhar	Satisfactory	77	PM ₁₀	1
59	Jind	Moderate	112	PM ₁₀	1
60	Jodhpur	Moderate	108	PM _{2.5}	1

Possible Health Impacts

in impacte

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Asansol, Bettiah, Bidar, Bihar Sharif, Coimbatore, Darbhanga, Davanagere, Durgapur, Hisar, Jorapokhar, Kalyan, Manglore, Motihari, Nagpur, Nandesari, Narnaul, Nashik, Ratlam, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kaithal	Moderate	122	PM ₁₀	1
62	Kalaburgi	Good	34	PM ₁₀	1
63	Kannur	Good	44	PM ₁₀	1
64	Kanpur	Good	36	PM _{2.5}	2
65	Karnal	Satisfactory	68	PM ₁₀	1
66	Katni	Satisfactory	73	PM ₁₀	1
67	Khanna	Satisfactory	61	PM ₁₀	1
68	Kochi	Good	49	PM ₁₀	1
69	Kohima	Good	37	PM ₁₀	1
70	Kolar	Good	48	SO ₂	1
71	Kolkata	Good	36	O ₃ , PM ₁₀ , CO	7
72	Kollam	Satisfactory	99	СО	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Asansol, Bettiah, Bidar, Bihar Sharif, Coimbatore, Darbhanga, Davanagere, Durgapur, Hisar, Jorapokhar, Kalyan, Manglore, Motihari, Nagpur, Nandesari, Narnaul, Nashik, Ratlam, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Koppal	Good	43	со	1
74	Kota	Satisfactory	71	PM _{2.5}	1
75	Kozhikode	Satisfactory	55	со	1
76	Kurukshetra	Satisfactory	77	PM _{2.5}	1
77	Lucknow	Good	49	PM ₁₀ , CO, PM _{2.5}	6
78	Ludhiana	Satisfactory	88	PM _{2.5}	1
79	Maihar	Good	28	PM _{2.5}	1
80	Mandi Gobindgarh	Satisfactory	61	PM _{2.5}	1
81	Mandideep	Good	42	PM ₁₀	1
82	Mandikhera	Satisfactory	94	PM _{2.5}	1
83	Manesar	Moderate	160	PM _{2.5}	1
84	Medikeri	Good	29	03	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Asansol, Bettiah, Bidar, Bihar Sharif, Coimbatore, Darbhanga, Davanagere, Durgapur, Hisar, Jorapokhar, Kalyan, Manglore, Motihari, Nagpur, Nandesari, Narnaul, Nashik, Ratlam, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Meerut	Satisfactory	67	PM ₁₀ , CO	3
86	Moradabad	Satisfactory	68	PM ₁₀	1
87	Mumbai	Good	45	CO, PM _{2.5}	19
88	Muzaffarnagar	Satisfactory	79	со	1
89	Muzaffarpur	Satisfactory	52	со	1
90	Mysuru	Good	31	PM ₁₀	1
91	Naharlagun	Good	38	SO ₂	1
92	Navi Mumbai	Satisfactory	53	CO, PM ₁₀	3
93	Noida	Moderate	103	PM ₁₀	3
94	Pali	Satisfactory	69	PM ₁₀	1
95	Palwal	Satisfactory	89	PM ₁₀	1
96	Panchkula	Satisfactory	55	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Asansol, Bettiah, Bidar, Bihar Sharif, Coimbatore, Darbhanga, Davanagere, Durgapur, Hisar, Jorapokhar, Kalyan, Manglore, Motihari, Nagpur, Nandesari, Narnaul, Nashik, Ratlam, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Panipat	Moderate	101	PM ₁₀	1
98	Patiala	Satisfactory	72	PM ₁₀	1
99	Patna	Satisfactory	100	O ₃ , PM _{2.5} , PM ₁₀	5
100	Pithampur	Satisfactory	67	PM ₁₀	1
101	Prayagraj	Good	38	PM ₁₀ , PM _{2.5}	3
102	Puducherry	Good	45	03	1
103	Pune	Satisfactory	67	СО	7
104	Raichur	Good	36	PM ₁₀	1
105	Rajamahendravaram	Good	38	PM ₁₀	1
106	Ramanagara	Good	41	PM ₁₀	1
107	Rohtak	Moderate	147	PM _{2.5}	1
108	Rupnagar	Satisfactory	98	PM ₁₀	1

Possible Health Impacts

Severe

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Asansol, Bettiah, Bidar, Bihar Sharif, Coimbatore, Darbhanga, Davanagere, Durgapur, Hisar, Jorapokhar, Kalyan, Manglore, Motihari, Nagpur, Nandesari, Narnaul, Nashik, Ratlam, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Sagar	Good	30	NO ₂	1
110	Satna	Good	45	PM ₁₀	1
111	Shillong	Good	16	SO ₂	1
112	Shivamogga	Good	42	PM ₁₀	1
113	Siliguri	Good	30	со	1
114	Singrauli	Good	42	PM ₁₀	1
115	Sirsa	Moderate	111	PM ₁₀	1
116	Solapur	Satisfactory	55	PM ₁₀	1
117	Sonipat	Moderate	138	PM ₁₀	1
118	Srinagar	Satisfactory	71	PM ₁₀	1
119	Talcher	Satisfactory	56	NO ₂	1
120	Thane	Satisfactory	58	O ₃	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Asansol, Bettiah, Bidar, Bihar Sharif, Coimbatore, Darbhanga, Davanagere, Durgapur, Hisar, Jorapokhar, Kalyan, Manglore, Motihari, Nagpur, Nandesari, Narnaul, Nashik, Ratlam, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Thiruvananthapuram	Good	42	PM ₁₀ , CO	2
122	Thoothukudi	Satisfactory	59	PM ₁₀	1
123	Tirupati	Good	40	со	1
124	Udaipur	Satisfactory	71	PM ₁₀	1
125	Udupi	Satisfactory	99	со	1
126	Ujjain	Satisfactory	55	03	1
127	Vapi	Good	26	PM ₁₀	1
128	Varanasi	Good	30	NO ₂ , PM ₁₀	3
129	Vatva	Satisfactory	100	PM ₁₀	1
130	Vijayapura	Satisfactory	53	со	1
131	Visakhapatnam	Satisfactory	74	PM ₁₀	1
132	Vrindavan	Satisfactory	79	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Asansol, Bettiah, Bidar, Bihar Sharif, Coimbatore, Darbhanga, Davanagere, Durgapur, Hisar, Jorapokhar, Kalyan, Manglore, Motihari, Nagpur, Nandesari, Narnaul, Nashik, Ratlam, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Yadgir	Good	33	PM ₁₀	1
134	Yamunanagar	Satisfactory	88	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Asansol, Bettiah, Bidar, Bihar Sharif, Coimbatore, Darbhanga, Davanagere, Durgapur, Hisar, Jorapokhar, Kalyan, Manglore, Motihari, Nagpur, Nandesari, Narnaul, Nashik, Ratlam, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.