

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	27	PM ₁₀	1
2	Agra	Good	43	PM _{2.5} , PM ₁₀	4
3	Ahmedabad	Satisfactory	53	O ₃ , NO ₂ , CO	9
4	Aizawl	Good	21	SO ₂	1
5	Ajmer	Good	46	PM ₁₀	1
6	Alwar	Satisfactory	62	PM ₁₀	1
7	Amaravati	Good	32	PM ₁₀	1
8	Ambala	Satisfactory	70	PM ₁₀	1
9	Amritsar	Satisfactory	61	PM ₁₀	1
10	Ankleshwar	Satisfactory	68	PM _{2.5}	1
11	Asansol	Good	41	03	1
12	Aurangabad	Satisfactory	61	СО	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ballabgarh, Bathinda,
 Bettiah, Bihar Sharif, Brajrajnagar, Charkhi Dadri, Coimbatore, Darbhanga,
 Davanagere, Jalandhar, Jorapokhar, Kalyan, Maihar, Manglore, Moradabad,
 Motihari, Mysuru, Nagpur, Naharlagun, Panipat, Raichur, Shivamogga,
 Solapur, Talcher, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bagalkot	Good	39	PM ₁₀	1
14	Baghpat	Good	27	PM ₁₀	1
15	Bahadurgarh	Good	41	NO ₂	1
16	Bengaluru	Satisfactory	67	PM _{2.5} , PM ₁₀ , CO	9
17	Bhiwadi	Satisfactory	58	PM ₁₀	1
18	Bhiwani	Satisfactory	56	03	1
19	Bhopal	Good	42	PM ₁₀	1
20	Bidar	Good	49	SO ₂	1
21	Bulandshahr	Good	22	O ₃	1
22	Chamarajanagar	Good	41	PM ₁₀	1
23	Chandigarh	Good	46	O ₃ , CO	2
24	Chandrapur	Good	31	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ballabgarh, Bathinda,
 Bettiah, Bihar Sharif, Brajrajnagar, Charkhi Dadri, Coimbatore, Darbhanga,
 Davanagere, Jalandhar, Jorapokhar, Kalyan, Maihar, Manglore, Moradabad,
 Motihari, Mysuru, Nagpur, Naharlagun, Panipat, Raichur, Shivamogga,
 Solapur, Talcher, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chennai	Satisfactory	71	SO ₂ , CO, PM ₁₀	7
26	Chikkaballapur	Satisfactory	56	NO ₂	1
27	Chikkamagaluru	Good	35	PM ₁₀	1
28	Damoh	Good	26	PM _{2.5}	1
29	Delhi	Satisfactory	64	PM ₁₀ , CO, PM _{2.5}	27
30	Dewas	Good	23	PM ₁₀	1
31	Dharuhera	Satisfactory	81	СО	1
32	Durgapur	Satisfactory	79	PM ₁₀	1
33	Eloor	Satisfactory	70	со	1
34	Ernakulam	Good	42	со	1
35	Faridabad	Good	42	03	1
36	Fatehabad	Good	38	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ballabgarh, Bathinda,
 Bettiah, Bihar Sharif, Brajrajnagar, Charkhi Dadri, Coimbatore, Darbhanga,
 Davanagere, Jalandhar, Jorapokhar, Kalyan, Maihar, Manglore, Moradabad,
 Motihari, Mysuru, Nagpur, Naharlagun, Panipat, Raichur, Shivamogga,
 Solapur, Talcher, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Firozabad	Moderate	108	PM ₁₀	1
38	Gadag	Good	19	со	1
39	Gandhinagar	Good	33	PM _{2.5} , CO	3
40	Gaya	Satisfactory	78	PM ₁₀ , CO	2
41	Ghaziabad	Good	49	CO, PM ₁₀	4
42	Gorakhpur	Good	29	PM _{2.5}	1
43	Greater Noida	Good	32	CO, O ₃	2
44	Gummidipoondi	Moderate	116	PM ₁₀	1
45	Gurugram	Good	34	PM ₁₀	1
46	Guwahati	Satisfactory	60	SO ₂ , PM ₁₀	2
47	Gwalior	Satisfactory	68	PM ₁₀	2
48	Hajipur	Satisfactory	62	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ballabgarh, Bathinda,
 Bettiah, Bihar Sharif, Brajrajnagar, Charkhi Dadri, Coimbatore, Darbhanga,
 Davanagere, Jalandhar, Jorapokhar, Kalyan, Maihar, Manglore, Moradabad,
 Motihari, Mysuru, Nagpur, Naharlagun, Panipat, Raichur, Shivamogga,
 Solapur, Talcher, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Haldia	Good	33	PM ₁₀	1
50	Hapur	Satisfactory	52	СО	1
51	Hassan	Satisfactory	77	PM ₁₀	1
52	Hisar	Good	42	PM _{2.5}	1
53	Howrah	Good	41	CO, NO ₂	3
54	Hubballi	Good	44	PM ₁₀	1
55	Hyderabad	Good	43	NO ₂ , PM _{2.5} , PM ₁₀	6
56	Indore	Good	41	NO ₂	1
57	Jabalpur	Good	45	со	1
58	Jaipur	Good	40	PM ₁₀ , O ₃	2
59	Jind	Good	40	со	1
60	Jodhpur	Satisfactory	79	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ballabgarh, Bathinda,
 Bettiah, Bihar Sharif, Brajrajnagar, Charkhi Dadri, Coimbatore, Darbhanga,
 Davanagere, Jalandhar, Jorapokhar, Kalyan, Maihar, Manglore, Moradabad,
 Motihari, Mysuru, Nagpur, Naharlagun, Panipat, Raichur, Shivamogga,
 Solapur, Talcher, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kaithal	Satisfactory	56	PM ₁₀	1
62	Kalaburgi	Good	32	O ₃	1
63	Kannur	Good	42	PM _{2.5}	1
64	Kanpur	Satisfactory	66	NO ₂ , O ₃ , PM ₁₀	3
65	Karnal	Good	36	NO ₂	1
66	Katni	Good	47	PM ₁₀	1
67	Khanna	Good	35	PM ₁₀	1
68	Kochi	Good	49	PM ₁₀	1
69	Kohima	Satisfactory	64	PM ₁₀	1
70	Kolar	Satisfactory	67	PM ₁₀	1
71	Kolkata	Good	42	PM ₁₀ , O ₃ , CO	6
72	Kollam	Satisfactory	100	СО	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ballabgarh, Bathinda,
 Bettiah, Bihar Sharif, Brajrajnagar, Charkhi Dadri, Coimbatore, Darbhanga,
 Davanagere, Jalandhar, Jorapokhar, Kalyan, Maihar, Manglore, Moradabad,
 Motihari, Mysuru, Nagpur, Naharlagun, Panipat, Raichur, Shivamogga,
 Solapur, Talcher, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Koppal	Satisfactory	53	со	1
74	Kota	Satisfactory	54	PM ₁₀	1
75	Kozhikode	Good	39	PM ₁₀	1
76	Kurukshetra	Satisfactory	57	PM ₁₀	1
77	Lucknow	Satisfactory	63	PM ₁₀ , O ₃	6
78	Ludhiana	Satisfactory	62	PM ₁₀	1
79	Mandi Gobindgarh	Good	32	PM _{2.5}	1
80	Mandideep	Satisfactory	80	PM ₁₀	1
81	Mandikhera	Satisfactory	60	PM ₁₀	1
82	Manesar	Satisfactory	65	PM ₁₀	1
83	Medikeri	Good	29	03	1
84	Meerut	Satisfactory	60	NO ₂ , PM ₁₀	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ballabgarh, Bathinda,
 Bettiah, Bihar Sharif, Brajrajnagar, Charkhi Dadri, Coimbatore, Darbhanga,
 Davanagere, Jalandhar, Jorapokhar, Kalyan, Maihar, Manglore, Moradabad,
 Motihari, Mysuru, Nagpur, Naharlagun, Panipat, Raichur, Shivamogga,
 Solapur, Talcher, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Mumbai	Satisfactory	54	PM ₁₀ , CO	17
86	Muzaffarnagar	Satisfactory	85	со	1
87	Muzaffarpur	Good	48	CO, PM _{2.5}	2
88	Nandesari	Moderate	196	PM _{2.5}	1
89	Narnaul	Satisfactory	51	PM _{2.5}	1
90	Nashik	Good	27	NO ₂	1
91	Navi Mumbai	Good	40	со	2
92	Noida	Good	42	PM ₁₀ , CO	2
93	Pali	Satisfactory	57	PM ₁₀	1
94	Palwal	Good	45	PM ₁₀	1
95	Panchkula	Satisfactory	99	со	1
96	Patiala	Good	36	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ballabgarh, Bathinda,
 Bettiah, Bihar Sharif, Brajrajnagar, Charkhi Dadri, Coimbatore, Darbhanga,
 Davanagere, Jalandhar, Jorapokhar, Kalyan, Maihar, Manglore, Moradabad,
 Motihari, Mysuru, Nagpur, Naharlagun, Panipat, Raichur, Shivamogga,
 Solapur, Talcher, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Patna	Satisfactory	60	PM ₁₀ , PM _{2.5}	5
98	Pithampur	Satisfactory	80	PM ₁₀	1
99	Prayagraj	Good	45	PM ₁₀	3
100	Puducherry	Good	41	PM ₁₀	1
101	Pune	Satisfactory	70	SO ₂ , CO, PM _{2.5}	6
102	Rajamahendravaram	Good	30	СО	1
103	Ramanagara	Good	44	PM ₁₀	1
104	Ratlam	Good	39	PM ₁₀	1
105	Rohtak	Satisfactory	83	NO ₂	1
106	Rupnagar	Satisfactory	53	PM ₁₀	1
107	Sagar	Good	22	NO ₂	1
108	Satna	Good	44	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ballabgarh, Bathinda,
 Bettiah, Bihar Sharif, Brajrajnagar, Charkhi Dadri, Coimbatore, Darbhanga,
 Davanagere, Jalandhar, Jorapokhar, Kalyan, Maihar, Manglore, Moradabad,
 Motihari, Mysuru, Nagpur, Naharlagun, Panipat, Raichur, Shivamogga,
 Solapur, Talcher, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Shillong	Good	16	SO ₂	1
110	Siliguri	Good	47	PM ₁₀	1
111	Singrauli	Good	37	со	1
112	Sirsa	Good	36	NO ₂	1
113	Sonipat	Good	50	NO ₂	1
114	Srinagar	Satisfactory	89	PM ₁₀	1
115	Thane	Satisfactory	54	PM ₁₀	1
116	Thiruvananthapuram	Moderate	184	PM _{2.5} , PM ₁₀	2
117	Thoothukudi	Satisfactory	53	со	1
118	Thrissur	Satisfactory	62	со	1
119	Tirupati	Good	50	PM ₁₀	1
120	Udaipur	Satisfactory	61	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ballabgarh, Bathinda,
 Bettiah, Bihar Sharif, Brajrajnagar, Charkhi Dadri, Coimbatore, Darbhanga,
 Davanagere, Jalandhar, Jorapokhar, Kalyan, Maihar, Manglore, Moradabad,
 Motihari, Mysuru, Nagpur, Naharlagun, Panipat, Raichur, Shivamogga,
 Solapur, Talcher, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Udupi	Satisfactory	100	со	1
122	Ujjain	Satisfactory	59	PM ₁₀	1
123	Vapi	Good	20	SO ₂	1
124	Varanasi	Good	48	PM ₁₀	4
125	Vatva	Satisfactory	58	PM ₁₀	1
126	Visakhapatnam	Satisfactory	63	PM ₁₀	1
127	Vrindavan	Good	24	PM ₁₀	1
128	Yadgir	Good	35	PM ₁₀	1
129	Yamunanagar	Moderate	111	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ballabgarh, Bathinda,
 Bettiah, Bihar Sharif, Brajrajnagar, Charkhi Dadri, Coimbatore, Darbhanga,
 Davanagere, Jalandhar, Jorapokhar, Kalyan, Maihar, Manglore, Moradabad,
 Motihari, Mysuru, Nagpur, Naharlagun, Panipat, Raichur, Shivamogga,
 Solapur, Talcher, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.