

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	24	SO ₂	1
2	Agra	Moderate	118	PM ₁₀	3
3	Ahmedabad	Satisfactory	76	PM ₁₀ , CO	6
4	Aizawl	Good	21	SO ₂	1
5	Ajmer	Moderate	102	PM ₁₀	1
6	Alwar	Satisfactory	100	PM ₁₀	1
7	Amaravati	Good	25	со	1
8	Ambala	Satisfactory	68	PM ₁₀	1
9	Amritsar	Moderate	103	PM ₁₀	1
10	Ankleshwar	Satisfactory	86	PM ₁₀	1
11	Asansol	Good	46	PM ₁₀	1
12	Bagalkot	Good	32	PM ₁₀	1

Possible Health Impacts

Very Poor

Severe

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

Respiratory illness on prolonged exposure

- * AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bettiah, Bidar, Bihar Sharif, Coimbatore, Darbhanga, Jorapokhar, Manglore, Motihari, Mysuru, Nagpur, Narnaul, Solapur, Thane, Thrissur, Udupi, Vapi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baghpat	Moderate	142	PM ₁₀	1
14	Bahadurgarh	Moderate	140	PM ₁₀	1
15	Ballabgarh	Moderate	118	PM ₁₀	1
16	Bengaluru	Good	43	CO, PM _{2.5} , NO ₂	8
17	Bhiwadi	Moderate	164	PM ₁₀	1
18	Bhiwani	Satisfactory	87	PM ₁₀	1
19	Bhopal	Satisfactory	81	PM ₁₀	1
20	Brajrajnagar	Good	44	со	1
21	Bulandshahr	Moderate	113	PM ₁₀	1
22	Chamarajanagar	Good	38	PM ₁₀	1
23	Chandigarh	Moderate	102	PM ₁₀	2
24	Chandrapur	Good	50	PM ₁₀	2

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bettiah, Bidar, Bihar Sharif, Coimbatore, Darbhanga, Jorapokhar, Manglore, Motihari, Mysuru, Nagpur, Narnaul, Solapur, Thane, Thrissur, Udupi, Vapi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Charkhi Dadri	Satisfactory	63	PM ₁₀	1
26	Chennai	Satisfactory	62	O ₃ , CO, PM ₁₀	6
27	Chikkaballapur	Good	40	NO ₂	1
28	Chikkamagaluru	Good	26	03	1
29	Damoh	Satisfactory	64	PM _{2.5}	1
30	Davanagere	Good	19	03	1
31	Delhi	Moderate	147	PM ₁₀	36
32	Dewas	Satisfactory	90	PM ₁₀	1
33	Dharuhera	Satisfactory	100	PM ₁₀	1
34	Durgapur	Good	47	PM ₁₀	1
35	Eloor	Satisfactory	70	со	1
36	Ernakulam	Good	34	СО	1

Possible Health Impacts

Severe

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bettiah, Bidar, Bihar Sharif, Coimbatore, Darbhanga, Jorapokhar, Manglore, Motihari, Mysuru, Nagpur, Narnaul, Solapur, Thane, Thrissur, Udupi, Vapi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Faridabad	Moderate	150	PM _{2.5} , PM ₁₀ , O ₃	4
38	Fatehabad	Moderate	129	PM ₁₀	1
39	Firozabad	Satisfactory	87	PM ₁₀	1
40	Gadag	Good	19	со	1
41	Gandhinagar	Satisfactory	74	PM ₁₀ , PM _{2.5}	3
42	Gaya	Satisfactory	68	O ₃ , CO	2
43	Ghaziabad	Moderate	164	PM ₁₀	4
44	Gorakhpur	Good	27	PM ₁₀	1
45	Greater Noida	Moderate	159	PM ₁₀	2
46	Gummidipoondi	Good	46	PM ₁₀	1
47	Gurugram	Moderate	107	PM ₁₀ , PM _{2.5}	3
48	Guwahati	Satisfactory	52	SO ₂	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bathinda,
 Bettiah, Bidar, Bihar Sharif, Coimbatore, Darbhanga, Jorapokhar, Manglore,
 Motihari, Mysuru, Nagpur, Narnaul, Solapur, Thane, Thrissur, Udupi, Vapi,
 Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Gwalior	Moderate	112	PM ₁₀	1
50	Hajipur	Satisfactory	57	СО	1
51	Haldia	Good	45	PM ₁₀	1
52	Hapur	Moderate	117	PM ₁₀	1
53	Hassan	Good	50	PM ₁₀	1
54	Hisar	Moderate	141	PM ₁₀	1
55	Howrah	Good	45	PM ₁₀ , CO	3
56	Hubballi	Good	37	PM ₁₀	1
57	Hyderabad	Good	42	NO ₂ , PM _{2.5} , PM ₁₀	5
58	Indore	Moderate	113	PM ₁₀	1
59	Jabalpur	Moderate	126	PM ₁₀	1
60	Jaipur	Moderate	114	PM ₁₀	3

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bettiah, Bidar, Bihar Sharif, Coimbatore, Darbhanga, Jorapokhar, Manglore, Motihari, Mysuru, Nagpur, Narnaul, Solapur, Thane, Thrissur, Udupi, Vapi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Jalandhar	Moderate	109	PM ₁₀	1
62	Jind	Moderate	126	PM ₁₀	1
63	Jodhpur	Moderate	166	PM _{2.5}	1
64	Kaithal	Moderate	136	PM ₁₀	1
65	Kalaburgi	Good	26	PM ₁₀	1
66	Kalyan	Good	43	PM _{2.5}	1
67	Kannur	Good	37	PM ₁₀	1
68	Kanpur	Moderate	112	O ₃ , PM ₁₀ , PM _{2.5}	3
69	Karnal	Satisfactory	99	PM ₁₀	1
70	Katni	Satisfactory	100	PM ₁₀	1
71	Khanna	Satisfactory	97	PM ₁₀	1
72	Kochi	Good	43	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bettiah, Bidar, Bihar Sharif, Coimbatore, Darbhanga, Jorapokhar, Manglore, Motihari, Mysuru, Nagpur, Narnaul, Solapur, Thane, Thrissur, Udupi, Vapi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kohima	Satisfactory	68	PM ₁₀	1
74	Kolar	Good	42	со	1
75	Kolkata	Good	45	PM ₁₀ , CO	5
76	Kollam	Satisfactory	100	со	1
77	Koppal	Satisfactory	51	со	1
78	Kota	Satisfactory	82	PM ₁₀	1
79	Kozhikode	Satisfactory	57	СО	1
80	Kurukshetra	Moderate	121	PM ₁₀	1
81	Lucknow	Satisfactory	74	PM ₁₀ , PM _{2.5}	6
82	Ludhiana	Moderate	127	PM ₁₀	1
83	Maihar	Good	35	PM ₁₀	1
84	Mandi Gobindgarh	Good	47	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bettiah, Bidar, Bihar Sharif, Coimbatore, Darbhanga, Jorapokhar, Manglore, Motihari, Mysuru, Nagpur, Narnaul, Solapur, Thane, Thrissur, Udupi, Vapi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Mandideep	Satisfactory	72	PM ₁₀	1
86	Mandikhera	Satisfactory	61	PM ₁₀	1
87	Manesar	Moderate	173	PM _{2.5}	1
88	Medikeri	Good	29	03	1
89	Meerut	Moderate	108	NO ₂ , PM ₁₀	3
90	Moradabad	Satisfactory	81	PM ₁₀	1
91	Mumbai	Satisfactory	69	PM ₁₀ , PM _{2.5}	17
92	Muzaffarnagar	Moderate	131	PM ₁₀	1
93	Muzaffarpur	Satisfactory	51	со	1
94	Naharlagun	Good	38	SO ₂	1
95	Nandesari	Moderate	148	PM _{2.5}	1
96	Nashik	Good	39	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bettiah, Bidar, Bihar Sharif, Coimbatore, Darbhanga, Jorapokhar, Manglore, Motihari, Mysuru, Nagpur, Narnaul, Solapur, Thane, Thrissur, Udupi, Vapi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Navi Mumbai	Satisfactory	82	PM ₁₀ , CO	3
98	Noida	Moderate	160	PM ₁₀	3
99	Pali	Moderate	102	PM ₁₀	1
100	Palwal	Moderate	128	PM ₁₀	1
101	Panchkula	Satisfactory	84	PM _{2.5}	1
102	Panipat	Moderate	151	PM ₁₀	1
103	Patiala	Moderate	107	PM ₁₀	1
104	Patna	Moderate	102	O ₃ , CO, PM ₁₀	5
105	Pithampur	Satisfactory	83	PM _{2.5}	1
106	Prayagraj	Satisfactory	60	PM ₁₀	3
107	Puducherry	Good	39	O ₃	1
108	Pune	Satisfactory	67	CO, NO ₂ , PM _{2.5}	6

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bathinda,
 Bettiah, Bidar, Bihar Sharif, Coimbatore, Darbhanga, Jorapokhar, Manglore,
 Motihari, Mysuru, Nagpur, Narnaul, Solapur, Thane, Thrissur, Udupi, Vapi,
 Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Raichur	Good	30	PM ₁₀	1
110	Rajamahendravaram	Good	37	PM ₁₀	1
111	Ramanagara	Good	26	03	1
112	Ratlam	Satisfactory	93	PM ₁₀	1
113	Rohtak	Moderate	141	со	1
114	Rupnagar	Satisfactory	79	PM ₁₀	1
115	Sagar	Good	42	PM _{2.5}	1
116	Satna	Satisfactory	53	PM ₁₀	1
117	Shillong	Good	15	SO ₂	1
118	Shivamogga	Good	34	PM ₁₀	1
119	Siliguri	Good	31	со	1
120	Singrauli	Moderate	101	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bettiah, Bidar, Bihar Sharif, Coimbatore, Darbhanga, Jorapokhar, Manglore, Motihari, Mysuru, Nagpur, Narnaul, Solapur, Thane, Thrissur, Udupi, Vapi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Sirsa	Moderate	123	PM ₁₀	1
122	Sonipat	Poor	275	PM ₁₀	1
123	Srinagar	Satisfactory	71	PM ₁₀	1
124	Talcher	Good	50	со	1
125	Thiruvananthapuram	Moderate	102	PM _{2.5} , O ₃	2
126	Thoothukudi	Satisfactory	69	со	1
127	Tirupati	Good	41	СО	1
128	Udaipur	Moderate	131	PM ₁₀	1
129	Ujjain	Moderate	122	PM ₁₀	1
130	Varanasi	Good	50	PM ₁₀	4
131	Vatva	Moderate	104	PM ₁₀	1
132	Visakhapatnam	Satisfactory	84	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bettiah, Bidar, Bihar Sharif, Coimbatore, Darbhanga, Jorapokhar, Manglore, Motihari, Mysuru, Nagpur, Narnaul, Solapur, Thane, Thrissur, Udupi, Vapi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Vrindavan	Moderate	103	PM ₁₀	1
134	Yadgir	Good	18	PM _{2.5}	1
135	Yamunanagar	Moderate	142	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bathinda,
 Bettiah, Bidar, Bihar Sharif, Coimbatore, Darbhanga, Jorapokhar, Manglore,
 Motihari, Mysuru, Nagpur, Narnaul, Solapur, Thane, Thrissur, Udupi, Vapi,
 Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.