

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	88	PM <sub>2.5</sub>	1
2	Agra	Satisfactory	77	PM <sub>10</sub>	6
3	Ahmedabad	Satisfactory	66	PM <sub>10</sub> , CO	6
4	Aizawl	Good	22	PM <sub>10</sub>	1
5	Ajmer	Satisfactory	71	PM <sub>10</sub>	1
6	Akola	Moderate	101	PM <sub>10</sub>	1
7	Alwar	Satisfactory	59	PM <sub>10</sub>	1
8	Amaravati	Satisfactory	86	PM <sub>10</sub>	1
9	Amravati	Satisfactory	98	PM <sub>10</sub>	2
10	Amritsar	Satisfactory	91	PM <sub>10</sub>	1
11	Anantapur	Satisfactory	71	PM <sub>10</sub>	1
12	Araria	Satisfactory	79	PM <sub>10</sub>	1

Notes:

## Possible Health Impacts

Good Minimal Impact

Satisfactory Minor breathing discomfort to sensitive people

Moderate Breathing discomfort to the people with lungs, asthma and heart diseases

Poor Breathing discomfort to most people on prolonged exposure

Very Poor Respiratory illness on prolonged exposure

Severe Affects healthy people and seriously impacts those with existing diseases

## \* AOL is not calculated for today's bulletin for Ahmednagar, Ambala

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ariyalur	Satisfactory	51	PM <sub>10</sub>	1
14	Arrah	Moderate	196	PM <sub>10</sub>	1
15	Aurangabad (Bihar)	Moderate	117	PM <sub>10</sub>	1
16	Aurangabad (Maharashtra)	Satisfactory	79	PM <sub>10</sub>	3
17	Baddi	Moderate	167	O <sub>3</sub>	1
18	Bagalkot	Good	46	PM <sub>10</sub>	1
19	Baghpat	Moderate	131	PM <sub>10</sub>	1
20	Bahadurgarh	Moderate	102	PM <sub>10</sub>	1
21	Ballabgarh	Satisfactory	70	PM <sub>10</sub>	1
22	Banswara	Moderate	155	PM <sub>10</sub>	1
23	Bareilly	Satisfactory	56	PM <sub>10</sub>	2
24	Barmer	Satisfactory	53	PM <sub>10</sub>	1

Notes:

## Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

## \* AQI is not calculated for today's bulletin for Ahmednagar, Ambala,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bathinda	Satisfactory	88	PM <sub>10</sub>	1
26	Belgaum	Good	46	со	1
27	Bengaluru	Satisfactory	55	PM <sub>10</sub> , CO	11
28	Bhagalpur	Poor	250	PM <sub>10</sub>	1
29	Bharatpur	Satisfactory	97	PM <sub>10</sub>	1
30	Bhilai	Satisfactory	60	PM <sub>10</sub>	3
31	Bhilwara	Satisfactory	89	со	1
32	Bhiwadi	Moderate	126	PM <sub>2.5</sub>	1
33	Bhiwani	Moderate	119	PM <sub>10</sub>	1
34	Bhopal	Satisfactory	78	PM <sub>10</sub>	3
35	Bidar	Good	49	NH <sub>3</sub>	1
36	Bihar Sharif	Moderate	124	PM <sub>10</sub>	1

Notes:

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

## AQI is not calculated for today's bulletin for Ahmednagar, Ambala,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bikaner	Moderate	141	PM <sub>10</sub>	1
38	Bilaspur	Satisfactory	91	СО	1
39	Bileipada	Moderate	130	PM <sub>10</sub>	1
40	Brajrajnagar	Satisfactory	61	PM <sub>10</sub>	1
41	Bulandshahr	Satisfactory	85	PM <sub>10</sub>	1
42	Bundi	Satisfactory	99	PM <sub>10</sub>	1
43	Chamarajanagar	Good	41	PM <sub>10</sub>	1
44	Chandigarh	Moderate	107	O <sub>3</sub> , PM <sub>10</sub>	3
45	Charkhi Dadri	Moderate	102	PM <sub>10</sub>	1
46	Chennai	Satisfactory	78	NO <sub>2</sub> , PM <sub>10</sub>	7
47	Chhal	Good	49	PM <sub>10</sub>	1
48	Chhapra	Very Poor	372	PM <sub>10</sub>	1

Notes:

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

## \* AQI is not calculated for today's bulletin for Ahmednagar, Ambala

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chikkaballapur	Satisfactory	54	PM <sub>10</sub>	1
50	Chikkamagaluru	Good	38	03	1
51	Chittoor	Good	43	03	1
52	Chittorgarh	Satisfactory	71	PM <sub>10</sub>	1
53	Churu	Satisfactory	90	PM <sub>10</sub>	1
54	Cuddalore	Good	26	PM <sub>2.5</sub>	1
55	Damoh	Good	26	PM <sub>10</sub>	1
56	Dausa	Moderate	103	PM <sub>10</sub>	1
57	Davanagere	Satisfactory	53	PM <sub>10</sub>	1
58	Dehradun	Satisfactory	67	PM <sub>10</sub>	1
59	Delhi	Moderate	119	PM <sub>2.5</sub> , PM <sub>10</sub>	37
60	Dewas	Moderate	112	PM <sub>10</sub>	1

Notes:

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

## AQI is not calculated for today's bulletin for Ahmednagar, Ambala,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Dhanbad	Moderate	160	СО	1
62	Dharuhera	Moderate	136	PM <sub>10</sub>	1
63	Dharwad	Satisfactory	95	PM <sub>10</sub>	1
64	Dholpur	Satisfactory	91	PM <sub>10</sub>	1
65	Durgapur	Moderate	105	PM <sub>2.5</sub>	1
66	Eloor	Satisfactory	68	PM <sub>10</sub>	1
67	Faridabad	Moderate	103	PM <sub>2.5</sub>	4
68	Fatehabad	Moderate	154	03	1
69	Firozabad	Satisfactory	96	PM <sub>10</sub>	2
70	Gadag	Good	48	SO <sub>2</sub>	1
71	Gandhinagar	Satisfactory	56	PM <sub>2.5</sub> , PM <sub>10</sub>	3
72	Gangtok	Good	42	SO <sub>2</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

## AQI is not calculated for today's bulletin for Ahmednagar, Ambala,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Gaya	Satisfactory	99	PM <sub>10</sub> , CO	3
74	Ghaziabad	Moderate	114	PM <sub>10</sub>	4
75	Gorakhpur	Moderate	166	PM <sub>10</sub>	1
76	Greater Noida	Moderate	122	PM <sub>10</sub>	2
77	Gummidipoondi	Satisfactory	85	PM <sub>10</sub>	1
78	Gurugram	Moderate	135	PM <sub>2.5</sub>	4
79	Guwahati	Good	39	O <sub>3</sub> , SO <sub>2</sub>	4
80	Gwalior	Satisfactory	62	PM <sub>10</sub> , PM <sub>2.5</sub>	4
81	Hajipur	Poor	279	PM <sub>10</sub>	1
82	Haldia	Satisfactory	58	PM <sub>10</sub>	1
83	Hanumangarh	Satisfactory	97	PM <sub>10</sub>	1
84	Hapur	Satisfactory	74	O <sub>3</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

## \* AQI is not calculated for today's bulletin for Ahmednagar, Ambala,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Hassan	Satisfactory	54	PM <sub>10</sub>	1
86	Haveri	Good	39	PM <sub>10</sub>	1
87	Hisar	Satisfactory	70	03	1
88	Hosur	Satisfactory	66	PM <sub>10</sub>	1
89	Howrah	Satisfactory	75	PM <sub>10</sub>	3
90	Hubballi	Moderate	174	со	2
91	Hyderabad	Satisfactory	80	CO, PM <sub>10</sub>	13
92	Indore	Moderate	103	PM <sub>10</sub>	2
93	Jabalpur	Moderate	107	PM <sub>10</sub>	1
94	Jaipur	Satisfactory	78	PM <sub>10</sub>	5
95	Jaisalmer	Satisfactory	68	PM <sub>10</sub>	1
96	Jalandhar	Moderate	131	PM <sub>2.5</sub>	1

Notes:

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

## AQI is not calculated for today's bulletin for Ahmednagar, Ambala,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Jalgaon	Moderate	112	PM <sub>10</sub>	1
98	Jalna	Moderate	104	PM <sub>10</sub>	1
99	Jhalawar	Satisfactory	66	PM <sub>10</sub>	1
100	Jhansi	Moderate	117	PM <sub>10</sub>	1
101	Jhunjhunu	Satisfactory	80	PM <sub>10</sub>	1
102	Jind	Satisfactory	67	со	1
103	Jodhpur	Satisfactory	77	PM <sub>10</sub>	5
104	Kadapa	Good	34	PM <sub>2.5</sub>	1
105	Kaithal	Satisfactory	63	PM <sub>10</sub>	1
106	Kanchipuram	Satisfactory	62	PM <sub>10</sub>	1
107	Kannur	Satisfactory	78	PM <sub>10</sub>	1
108	Kanpur	Moderate	117	PM <sub>10</sub> , CO	3

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

## AQI is not calculated for today's bulletin for Ahmednagar, Ambala,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Karauli	Satisfactory	63	O <sub>3</sub>	1
110	Karnal	Satisfactory	62	PM <sub>10</sub>	1
111	Katihar	Moderate	165	PM <sub>10</sub>	1
112	Katni	Moderate	116	PM <sub>10</sub>	1
113	Keonjhar	Satisfactory	89	PM <sub>10</sub>	1
114	Khanna	Satisfactory	65	PM <sub>10</sub>	1
115	Khurja	Satisfactory	60	PM <sub>2.5</sub>	1
116	Kishanganj	Satisfactory	56	PM <sub>10</sub>	1
117	Kochi	Satisfactory	75	со	1
118	Kohima	Good	48	PM <sub>10</sub>	1
119	Kolhapur	Satisfactory	56	PM <sub>10</sub>	2
120	Kolkata	Satisfactory	67	O <sub>3</sub> , PM <sub>10</sub>	7

Notes:

## Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

## \* AQI is not calculated for today's bulletin for Ahmednagar, Ambala,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Korba	Satisfactory	74	CO, PM <sub>10</sub>	2
122	Kota	Satisfactory	91	PM <sub>10</sub>	3
123	Kunjemura	Moderate	108	PM <sub>10</sub>	1
124	Latur	Satisfactory	80	PM <sub>10</sub>	1
125	Lucknow	Moderate	155	PM <sub>2.5</sub>	6
126	Ludhiana	Satisfactory	87	PM <sub>10</sub>	1
127	Madikeri	Good	32	PM <sub>10</sub>	1
128	Maihar	Good	49	PM <sub>2.5</sub>	1
129	Mandi Gobindgarh	Satisfactory	89	PM <sub>10</sub>	1
130	Mandideep	Satisfactory	84	PM <sub>10</sub>	1
131	Mandikhera	Satisfactory	61	PM <sub>10</sub>	1
132	Manesar	Satisfactory	97	PM <sub>10</sub>	1

Notes:

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

## \* AQI is not calculated for today's bulletin for Ahmednagar, Ambala,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Mangalore	Satisfactory	72	PM <sub>10</sub>	1
134	Manguraha	Moderate	170	PM <sub>10</sub>	1
135	Meerut	Moderate	105	PM <sub>10</sub>	3
136	Milupara	Satisfactory	56	PM <sub>10</sub>	1
137	Moradabad	Satisfactory	85	PM <sub>10</sub>	6
138	Motihari	Poor	272	PM <sub>10</sub>	1
139	Mumbai	Satisfactory	84	SO <sub>2</sub> , PM <sub>10</sub>	18
140	Munger	Moderate	182	PM <sub>10</sub>	1
141	Muzaffarnagar	Satisfactory	94	PM <sub>10</sub>	1
142	Muzaffarpur	Poor	215	PM <sub>10</sub> , O <sub>3</sub>	3
143	Mysuru	Satisfactory	63	O <sub>3</sub>	1
144	Nagaon	Good	46	O <sub>3</sub>	1

Notes:

## Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

## AQI is not calculated for today's bulletin for Ahmednagar, Ambala,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Nagaur	Satisfactory	79	PM <sub>10</sub>	1
146	Nagpur	Satisfactory	73	PM <sub>10</sub>	3
147	Naharlagun	Good	27	PM <sub>10</sub>	1
148	Nalbari	Good	20	NO <sub>2</sub>	1
149	Narnaul	Satisfactory	77	PM <sub>10</sub>	1
150	Nashik	Satisfactory	83	PM <sub>10</sub>	4
151	Navi Mumbai	Moderate	148	PM <sub>10</sub>	2
152	Nayagarh	Moderate	124	PM <sub>10</sub>	1
153	Noida	Moderate	117	PM <sub>10</sub>	4
154	Ooty	Good	50	SO <sub>2</sub>	1
155	Pali	Satisfactory	98	PM <sub>10</sub>	1
156	Palkalaiperur	Satisfactory	62	SO <sub>2</sub>	1

Notes:

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

## AQI is not calculated for today's bulletin for Ahmednagar, Ambala,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Panipat	Satisfactory	76	PM <sub>10</sub>	1
158	Patiala	Satisfactory	55	O <sub>3</sub>	1
159	Patna	Poor	211	PM <sub>2.5</sub> , NO <sub>2</sub>	6
160	Pimpri Chinchwad	Satisfactory	77	PM <sub>10</sub>	2
161	Pithampur	Satisfactory	98	PM <sub>10</sub>	1
162	Pratapgarh	Moderate	111	PM <sub>10</sub>	1
163	Prayagraj	Satisfactory	78	PM <sub>10</sub>	3
164	Pune	Moderate	106	NO <sub>2</sub> , PM <sub>10</sub>	6
165	Purnia	Satisfactory	98	PM <sub>10</sub>	1
166	Raipur	Satisfactory	80	PM <sub>10</sub>	4
167	Rairangpur	Satisfactory	92	O <sub>3</sub>	1
168	Rajamahendravaram	Satisfactory	94	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

## \* AQI is not calculated for today's bulletin for Ahmednagar, Ambala,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Rajgir	Moderate	120	PM <sub>10</sub>	1
170	Rajsamand	Satisfactory	74	PM <sub>10</sub>	1
171	Ramanagara	Good	50	PM <sub>10</sub>	1
172	Ramanathapuram	Satisfactory	90	со	1
173	Ratlam	Satisfactory	86	PM <sub>10</sub>	1
174	Rishikesh	Good	50	PM <sub>10</sub>	1
175	Rohtak	Satisfactory	51	PM <sub>2.5</sub>	1
176	Rourkela	Moderate	126	PM <sub>10</sub>	1
177	Rupnagar	Satisfactory	84	PM <sub>10</sub>	1
178	Sagar	Satisfactory	88	PM <sub>10</sub>	1
179	Saharsa	Poor	245	PM <sub>2.5</sub>	1
180	Samastipur	Poor	222	PM <sub>10</sub>	1

Notes:

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

## \* AQI is not calculated for today's bulletin for Ahmednagar, Ambala,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Sangli	Satisfactory	54	PM <sub>10</sub>	1
182	Satna	Moderate	114	PM <sub>10</sub>	1
183	Sawai Madhopur	Satisfactory	86	PM <sub>10</sub>	1
184	Shillong	Good	45	PM <sub>10</sub>	1
185	Shivamogga	Good	48	03	1
186	Sikar	Satisfactory	71	PM <sub>10</sub>	1
187	Silchar	Good	28	СО	1
188	Siliguri	Good	38	PM <sub>10</sub>	1
189	Singrauli	Satisfactory	97	PM <sub>10</sub>	1
190	Sirohi	Satisfactory	53	PM <sub>10</sub>	1
191	Sivasagar	Satisfactory	68	со	1
192	Siwan	Poor	255	PM <sub>10</sub>	1

Notes:

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

## \* AQI is not calculated for today's bulletin for Ahmednagar, Ambala,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Solapur	Satisfactory	98	PM <sub>10</sub>	3
194	Sonipat	Moderate	126	PM <sub>10</sub>	1
195	Sri Ganganagar	Moderate	136	PM <sub>10</sub>	1
196	Srinagar	Satisfactory	51	PM <sub>10</sub>	1
197	Suakati	Satisfactory	98	PM <sub>10</sub>	1
198	Surat	Good	32	PM <sub>2.5</sub>	1
199	Talcher	Satisfactory	77	PM <sub>10</sub>	1
200	Tensa	Satisfactory	89	PM <sub>10</sub>	1
201	Thane	Moderate	107	PM <sub>10</sub>	1
202	Thiruvananthapuram	Good	40	PM <sub>10</sub>	2
203	Thoothukudi	Satisfactory	54	03	1
204	Thrissur	Satisfactory	70	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

## AQI is not calculated for today's bulletin for Ahmednagar, Ambala,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
205	Tirupati	Satisfactory	60	PM <sub>10</sub>	1
206	Tirupur	Good	44	PM <sub>10</sub>	1
207	Tonk	Satisfactory	99	PM <sub>10</sub>	1
208	Tumakuru	Moderate	116	PM <sub>10</sub>	1
209	Udaipur	Satisfactory	98	PM <sub>10</sub>	1
210	Ujjain	Satisfactory	98	PM <sub>2.5</sub>	1
211	Vapi	Good	42	PM <sub>10</sub>	1
212	Varanasi	Satisfactory	70	PM <sub>10</sub>	4
213	Vatva	Satisfactory	75	PM <sub>10</sub>	1
214	Vijayapura	Good	49	PM <sub>10</sub>	1
215	Vijayawada	Satisfactory	61	PM <sub>10</sub>	1
216	Visakhapatnam	Moderate	155	PM <sub>10</sub>	1

Notes:

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

## \* AQI is not calculated for today's bulletin for Ahmednagar, Ambala,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
217	Yadgir	Good	47	PM <sub>10</sub>	1
218	Yamunanagar	Satisfactory	63	PM <sub>10</sub>	1

Notes:

## Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.