

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	71	PM _{2.5} , PM ₁₀	2
2	Agra	Moderate	107	PM ₁₀ , PM _{2.5}	5
3	Ahmedabad	Moderate	128	NO ₂	1
4	Aizawl	Good	20	SO ₂	1
5	Ajmer	Moderate	101	PM ₁₀	1
6	Alwar	Satisfactory	68	PM ₁₀	1
7	Amaravati	Satisfactory	55	O ₃	1
8	Ambala	Moderate	123	PM ₁₀	1
9	Amritsar	Moderate	163	PM _{2.5}	1
10	Anantapur	Satisfactory	52	PM ₁₀	1
11	Ankleshwar	Moderate	104	PM _{2.5}	1
12	Araria	Moderate	153	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhilai, Bidar, Brajrajnagar, Chengalpattu, Dehradun, Jorapokhar, Kalaburgi, Kolar, Naharlagun, Nandesari, Rohtak, Salem, Vapi, Vijayapura, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Arrah	Moderate	143	O ₃	1
14	Asansol	Moderate	131	PM ₁₀	1
15	Aurangabad (Bihar)	Moderate	123	PM ₁₀	1
16	Aurangabad (Maharashtra)	Satisfactory	82	PM ₁₀	1
17	Baddi	Poor	228	O ₃	1
18	Bagalkot	Good	43	PM ₁₀	1
19	Baghpat	Poor	262	PM _{2.5}	1
20	Bahadurgarh	Poor	235	PM _{2.5}	1
21	Ballabgarh	Satisfactory	98	PM ₁₀	1
22	Bareilly	Moderate	182	PM _{2.5}	2
23	Bathinda	Poor	219	PM ₁₀	1
24	Begusarai	Poor	250	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhilai, Bidar, Brajrajnagar, Chengalpattu, Dehradun, Jorapokhar, Kalaburgi, Kolar, Naharlagun, Nandesari, Rohtak, Salem, Vapi, Vijayapura, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Belgaum	Good	48	СО	1
26	Bengaluru	Satisfactory	54	PM _{2.5} , O ₃ , PM ₁₀	8
27	Bettiah	Poor	207	PM _{2.5}	1
28	Bhagalpur	Moderate	148	PM _{2.5}	2
29	Bhiwadi	Poor	295	PM ₁₀	1
30	Bhiwani	Moderate	156	PM _{2.5}	1
31	Bhopal	Moderate	174	PM _{2.5}	2
32	Bihar Sharif	Moderate	132	PM ₁₀	1
33	Bilaspur	Satisfactory	56	PM ₁₀	1
34	Bulandshahr	Poor	245	PM _{2.5}	1
35	Buxar	Moderate	149	PM ₁₀	1
36	Chamarajanagar	Good	39	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhilai, Bidar, Brajrajnagar, Chengalpattu, Dehradun, Jorapokhar, Kalaburgi, Kolar, Naharlagun, Nandesari, Rohtak, Salem, Vapi, Vijayapura, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chandigarh	Moderate	164	O ₃ , PM _{2.5} , PM ₁₀	3
38	Chandrapur	Good	35	со	1
39	Charkhi Dadri	Moderate	168	PM ₁₀	1
40	Chennai	Satisfactory	66	CO, PM ₁₀	8
41	Chhapra	Moderate	155	PM ₁₀	1
42	Chikkaballapur	Good	48	PM ₁₀	1
43	Chikkamagaluru	Good	48	PM ₁₀	1
44	Coimbatore	Good	47	со	1
45	Damoh	Good	46	PM _{2.5}	1
46	Darbhanga	Moderate	186	PM _{2.5}	1
47	Davanagere	Good	26	PM ₁₀	1
48	Delhi	Poor	241	PM _{2.5} , PM ₁₀	33

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhilai, Bidar, Brajrajnagar, Chengalpattu, Dehradun, Jorapokhar, Kalaburgi, Kolar, Naharlagun, Nandesari, Rohtak, Salem, Vapi, Vijayapura, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Dewas	Moderate	156	PM ₁₀	1
50	Dharuhera	Poor	250	PM _{2.5}	1
51	Dindigul	Good	44	SO ₂	1
52	Durgapur	Moderate	110	PM ₁₀	1
53	Eloor	Satisfactory	67	PM ₁₀	1
54	Ernakulam	Good	33	со	1
55	Faridabad	Poor	258	PM _{2.5} , O ₃	4
56	Fatehabad	Moderate	164	PM _{2.5}	1
57	Firozabad	Satisfactory	93	PM _{2.5}	2
58	Gadag	Good	24	SO ₂	1
59	Gandhinagar	Satisfactory	98	PM ₁₀	1
60	Gangtok	Good	30	O ₃	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhilai, Bidar, Brajrajnagar, Chengalpattu, Dehradun, Jorapokhar, Kalaburgi, Kolar, Naharlagun, Nandesari, Rohtak, Salem, Vapi, Vijayapura, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Gaya	Satisfactory	83	PM _{2.5}	2
62	Ghaziabad	Poor	254	PM _{2.5} , O ₃ , PM ₁₀	4
63	Gorakhpur	Moderate	130	PM _{2.5}	1
64	Greater Noida	Poor	216	O ₃ , PM _{2.5}	2
65	Gummidipoondi	Good	20	NO ₂	1
66	Gurugram	Poor	258	PM _{2.5}	3
67	Guwahati	Satisfactory	98	PM _{2.5} , PM ₁₀	3
68	Gwalior	Moderate	128	PM _{2.5}	1
69	Hajipur	Moderate	136	PM ₁₀	1
70	Haldia	Satisfactory	96	PM ₁₀	1
71	Hapur	Poor	299	PM _{2.5}	1
72	Hassan	Good	39	NO ₂	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhilai, Bidar, Brajrajnagar, Chengalpattu, Dehradun, Jorapokhar, Kalaburgi, Kolar, Naharlagun, Nandesari, Rohtak, Salem, Vapi, Vijayapura, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Haveri	Good	33	со	1
74	Hisar	Poor	206	PM _{2.5}	1
75	Hosur	Satisfactory	95	со	1
76	Howrah	Moderate	128	PM _{2.5} , PM ₁₀	3
77	Hubballi	Satisfactory	62	со	1
78	Hyderabad	Satisfactory	57	CO, PM ₁₀ , PM _{2.5}	12
79	Imphal	Moderate	108	O ₃ , SO ₂	2
80	Indore	Moderate	133	PM ₁₀	1
81	Jabalpur	Satisfactory	85	PM ₁₀	1
82	Jaipur	Satisfactory	96	O ₃	2
83	Jalandhar	Moderate	104	PM ₁₀	1
84	Jhansi	Moderate	148	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhilai, Bidar, Brajrajnagar, Chengalpattu, Dehradun, Jorapokhar, Kalaburgi, Kolar, Naharlagun, Nandesari, Rohtak, Salem, Vapi, Vijayapura, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Jind	Poor	234	PM _{2.5}	1
86	Jodhpur	Moderate	175	PM _{2.5}	1
87	Kaithal	Moderate	129	PM ₁₀	1
88	Kalyan	Satisfactory	63	PM ₁₀	1
89	Kannur	Satisfactory	67	PM ₁₀	1
90	Kanpur	Satisfactory	98	PM _{2.5} , PM ₁₀ , CO	4
91	Karnal	Moderate	167	PM _{2.5}	1
92	Katihar	Poor	221	PM _{2.5}	1
93	Katni	Moderate	122	PM ₁₀	1
94	Khanna	Moderate	161	PM _{2.5}	1
95	Khurja	Moderate	178	PM ₁₀	1
96	Kishanganj	Satisfactory	83	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhilai, Bidar, Brajrajnagar, Chengalpattu, Dehradun, Jorapokhar, Kalaburgi, Kolar, Naharlagun, Nandesari, Rohtak, Salem, Vapi, Vijayapura, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Kochi	Satisfactory	57	PM _{2.5}	1
98	Kohima	Satisfactory	57	PM ₁₀	1
99	Kolkata	Moderate	101	PM _{2.5} , PM ₁₀	7
100	Kollam	Satisfactory	71	PM ₁₀	1
101	Koppal	Satisfactory	94	PM _{2.5}	1
102	Kota	Moderate	119	PM _{2.5}	1
103	Kozhikode	Satisfactory	73	PM ₁₀	1
104	Kurukshetra	Moderate	194	03	1
105	Lucknow	Moderate	121	PM _{2.5} , PM ₁₀	6
106	Ludhiana	Moderate	154	PM _{2.5}	1
107	Madikeri	Good	25	03	1
108	Maihar	Satisfactory	84	СО	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhilai, Bidar,
 Brajrajnagar, Chengalpattu, Dehradun, Jorapokhar, Kalaburgi, Kolar,
 Naharlagun, Nandesari, Rohtak, Salem, Vapi, Vijayapura, vellore as data
 was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Mandi Gobindgarh	Moderate	143	PM ₁₀	1
110	Mandideep	Moderate	126	PM ₁₀	1
111	Mandikhera	Moderate	112	PM ₁₀	1
112	Manesar	Poor	247	PM _{2.5}	1
113	Manglore	Satisfactory	52	со	1
114	Manguraha	Satisfactory	51	со	1
115	Meerut	Poor	298	PM ₁₀ , PM _{2.5}	3
116	Moradabad	Poor	209	PM _{2.5}	5
117	Motihari	Moderate	109	PM ₁₀	1
118	Mumbai	Satisfactory	81	PM ₁₀ , CO, NO ₂	18
119	Munger	Moderate	166	PM _{2.5}	1
120	Muzaffarnagar	Poor	298	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhilai, Bidar, Brajrajnagar, Chengalpattu, Dehradun, Jorapokhar, Kalaburgi, Kolar, Naharlagun, Nandesari, Rohtak, Salem, Vapi, Vijayapura, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Muzaffarpur	Moderate	136	PM ₁₀ , PM _{2.5}	3
122	Mysuru	Good	49	PM ₁₀	1
123	Nagpur	Satisfactory	52	со	1
124	Narnaul	Moderate	115	PM ₁₀	1
125	Nashik	Satisfactory	55	PM ₁₀	1
126	Navi Mumbai	Satisfactory	89	PM _{2.5} , PM ₁₀	3
127	Noida	Poor	242	PM ₁₀ , PM _{2.5}	3
128	Ooty	Good	48	SO ₂	1
129	Pali	Satisfactory	75	PM ₁₀	1
130	Palwal	Moderate	132	PM ₁₀	1
131	Panchkula	Satisfactory	71	PM _{2.5}	1
132	Panipat	Moderate	198	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhilai, Bidar, Brajrajnagar, Chengalpattu, Dehradun, Jorapokhar, Kalaburgi, Kolar, Naharlagun, Nandesari, Rohtak, Salem, Vapi, Vijayapura, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Patiala	Moderate	126	PM ₁₀	1
134	Patna	Moderate	168	PM _{2.5} , PM ₁₀	6
135	Pithampur	Moderate	190	PM _{2.5}	1
136	Prayagraj	Satisfactory	92	PM _{2.5} , PM ₁₀	3
137	Puducherry	Good	36	PM ₁₀	1
138	Pune	Moderate	107	СО	1
139	Purnia	Moderate	129	PM ₁₀	1
140	Raichur	Satisfactory	79	СО	1
141	Rajamahendravaram	Good	39	PM ₁₀	1
142	Rajgir	Satisfactory	90	PM ₁₀	1
143	Ramanagara	Good	43	O ₃	1
144	Ramanathapuram	Good	25	со	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhilai, Bidar, Brajrajnagar, Chengalpattu, Dehradun, Jorapokhar, Kalaburgi, Kolar, Naharlagun, Nandesari, Rohtak, Salem, Vapi, Vijayapura, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Ratlam	Moderate	101	PM ₁₀	1
146	Rupnagar	Moderate	145	PM _{2.5}	1
147	Sagar	Satisfactory	56	СО	1
148	Saharsa	Moderate	175	PM _{2.5}	1
149	Samastipur	Moderate	175	PM ₁₀	1
150	Sasaram	Satisfactory	89	NO ₂	1
151	Satna	Good	15	NO ₂	1
152	Shillong	Good	26	PM _{2.5}	1
153	Shivamogga	Good	47	PM ₁₀	1
154	Siliguri	Satisfactory	76	PM ₁₀	1
155	Singrauli	Moderate	152	PM _{2.5}	1
156	Sirsa	Moderate	124	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhilai, Bidar, Brajrajnagar, Chengalpattu, Dehradun, Jorapokhar, Kalaburgi, Kolar, Naharlagun, Nandesari, Rohtak, Salem, Vapi, Vijayapura, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Sivasagar	Good	26	PM ₁₀	1
158	Siwan	Moderate	130	PM _{2.5}	1
159	Solapur	Satisfactory	76	PM ₁₀	1
160	Sonipat	Moderate	151	PM ₁₀	1
161	Srinagar	Satisfactory	77	PM ₁₀	1
162	Talcher	Moderate	102	PM ₁₀	1
163	Thane	Satisfactory	67	PM ₁₀	1
164	Thiruvananthapuram	Good	28	CO, NO ₂	2
165	Thoothukudi	Good	32	PM ₁₀	1
166	Thrissur	Satisfactory	58	PM ₁₀	1
167	Tirupati	Good	44	со	1
168	Tiruppur	Moderate	124	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhilai, Bidar, Brajrajnagar, Chengalpattu, Dehradun, Jorapokhar, Kalaburgi, Kolar, Naharlagun, Nandesari, Rohtak, Salem, Vapi, Vijayapura, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Udaipur	Moderate	126	PM ₁₀	1
170	Udupi	Satisfactory	77	СО	1
171	Ujjain	Moderate	137	PM ₁₀	1
172	Varanasi	Moderate	126	PM _{2.5} , PM ₁₀	4
173	Vatva	Moderate	162	PM _{2.5}	1
174	Visakhapatnam	Moderate	120	PM ₁₀	1
175	Vrindavan	Satisfactory	81	O ₃	1
176	Yadgir	Good	32	СО	1
177	Yamunanagar	Moderate	141	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhilai, Bidar, Brajrajnagar, Chengalpattu, Dehradun, Jorapokhar, Kalaburgi, Kolar, Naharlagun, Nandesari, Rohtak, Salem, Vapi, Vijayapura, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.