

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	46	PM ₁₀	2
2	Agra	Moderate	135	PM ₁₀ , SO ₂	5
3	Ahmedabad	Satisfactory	85	PM ₁₀ , PM _{2.5}	6
4	Aizawl	Good	49	PM ₁₀	1
5	Alwar	Moderate	106	PM ₁₀	1
6	Amaravati	Good	33	03	1
7	Ambala	Moderate	192	PM _{2.5}	1
8	Amritsar	Moderate	109	PM ₁₀	1
9	Ankleshwar	Satisfactory	92	PM _{2.5}	1
10	Araria	Moderate	122	PM _{2.5}	1
11	Arrah	Poor	245	PM ₁₀	1
12	Asansol	Moderate	195	O ₃	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ajmer, Baghpat, Begusarai, Notes: Bettiah, Bhilai, Brajrajnagar, Chikkamagaluru, Ernakulam, Gadag, Gangtok, Gummidipoondi, Gwalior, Haveri, Jorapokhar, Kannur, Kohima, Kolar, Kollam, Kurukshetra, Maihar, Manguraha, Muzaffarnagar, Naharlagun, Purnia, Sagar, Shillong, Solapur, Sonipat, Thrissur, Udupi, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Aurangabad	Moderate	108	PM ₁₀	1
14	Baddi	Moderate	113	PM ₁₀	1
15	Bagalkot	Good	50	PM _{2.5}	1
16	Bahadurgarh	Poor	286	PM ₁₀	1
17	Ballabgarh	Poor	294	PM ₁₀	1
18	Bathinda	Satisfactory	88	PM ₁₀	1
19	Bengaluru	Satisfactory	76	CO, PM ₁₀ , NO ₂	7
20	Bhagalpur	Moderate	189	PM ₁₀	2
21	Bhiwadi	Very Poor	308	PM _{2.5}	1
22	Bhiwani	Very Poor	309	PM _{2.5}	1
23	Bhopal	Moderate	142	PM ₁₀	1
24	Bidar	Moderate	102	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ajmer, Baghpat, Begusarai, Notes: Bettiah, Bhilai, Brajrajnagar, Chikkamagaluru, Ernakulam, Gadag, Gangtok, Gummidipoondi, Gwalior, Haveri, Jorapokhar, Kannur, Kohima, Kolar, Kollam, Kurukshetra, Maihar, Manguraha, Muzaffarnagar, Naharlagun, Purnia, Sagar, Shillong, Solapur, Sonipat, Thrissur, Udupi, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bihar Sharif	Very Poor	328	PM ₁₀	1
26	Bilaspur	Satisfactory	52	PM ₁₀	1
27	Bulandshahr	Poor	251	PM ₁₀	1
28	Buxar	Poor	299	PM ₁₀	1
29	Chamarajanagar	Good	43	PM ₁₀	1
30	Chandigarh	Moderate	146	O ₃ , PM ₁₀	3
31	Chandrapur	Moderate	112	PM ₁₀	2
32	Charkhi Dadri	Poor	225	PM _{2.5}	1
33	Chennai	Good	47	PM _{2.5} , CO, PM ₁₀	7
34	Chhapra	Moderate	189	PM ₁₀	1
35	Chikkaballapur	Satisfactory	51	03	1
36	Coimbatore	Good	33	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ajmer, Baghpat, Begusarai, Notes: Bettiah, Bhilai, Brajrajnagar, Chikkamagaluru, Ernakulam, Gadag, Gangtok,

Gummidipoondi, Gwalior, Haveri, Jorapokhar, Kannur, Kohima, Kolar, Kollam, Kurukshetra, Maihar, Manguraha, Muzaffarnagar, Naharlagun, Purnia, Sagar, Shillong, Solapur, Sonipat, Thrissur, Udupi, Vapi as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Damoh	Good	49	PM ₁₀	1
38	Darbhanga	Poor	243	PM ₁₀	1
39	Davanagere	Good	37	PM ₁₀	1
40	Delhi	Poor	257	PM ₁₀	37
41	Dewas	Moderate	172	PM _{2.5}	1
42	Dharuhera	Very Poor	312	PM ₁₀	1
43	Durgapur	Poor	204	PM _{2.5}	1
44	Eloor	Satisfactory	73	PM ₁₀	1
45	Faridabad	Very Poor	308	PM ₁₀	2
46	Fatehabad	Poor	256	PM ₁₀	1
47	Firozabad	Poor	264	03	1
48	Gandhinagar	Moderate	115	PM _{2.5} , PM ₁₀	3

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ajmer, Baghpat, Begusarai, Notes: Bettiah, Bhilai, Brajrajnagar, Chikkamagaluru, Ernakulam, Gadag, Gangtok, Gummidipoondi, Gwalior, Haveri, Jorapokhar, Kannur, Kohima, Kolar, Kollam, Kurukshetra, Maihar, Manguraha, Muzaffarnagar, Naharlagun, Purnia, Sagar, Shillong, Solapur, Sonipat, Thrissur, Udupi, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Gaya	Moderate	149	PM ₁₀ , PM _{2.5}	3
50	Ghaziabad	Poor	244	PM ₁₀	2
51	Gorakhpur	Satisfactory	85	PM ₁₀	1
52	Greater Noida	Poor	287	PM ₁₀	2
53	Gurugram	Poor	238	PM ₁₀ , PM _{2.5}	4
54	Guwahati	Satisfactory	61	O ₃ , PM _{2.5}	2
55	Hajipur	Poor	266	PM _{2.5}	1
56	Haldia	Good	38	PM ₁₀	1
57	Hapur	Poor	236	PM ₁₀	1
58	Hassan	Good	44	NO ₂	1
59	Hisar	Poor	257	PM ₁₀	1
60	Howrah	Satisfactory	79	O ₃ , PM ₁₀	3

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

Notes:

- * AQI is not calculated for today's bulletin for Ajmer, Baghpat, Begusarai, Bettiah, Bhilai, Brajrajnagar, Chikkamagaluru, Ernakulam, Gadag, Gangtok, Gummidipoondi, Gwalior, Haveri, Jorapokhar, Kannur, Kohima, Kolar, Kollam, Kurukshetra, Maihar, Manguraha, Muzaffarnagar, Naharlagun, Purnia, Sagar, Shillong, Solapur, Sonipat, Thrissur, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hubballi	Satisfactory	54	СО	1
62	Hyderabad	Moderate	104	PM ₁₀ , PM _{2.5}	6
63	Indore	Moderate	170	PM _{2.5}	1
64	Jabalpur	Moderate	182	PM ₁₀	1
65	Jaipur	Moderate	197	PM _{2.5} , PM ₁₀	3
66	Jalandhar	Moderate	145	PM ₁₀	1
67	Jhansi	Moderate	178	PM ₁₀	1
68	Jind	Moderate	197	PM _{2.5}	1
69	Jodhpur	Moderate	178	PM _{2.5}	1
70	Kaithal	Poor	211	PM ₁₀	1
71	Kalaburgi	Satisfactory	97	PM ₁₀	1
72	Kalyan	Moderate	117	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ajmer, Baghpat, Begusarai, Notes: Bettiah, Bhilai, Brajrajnagar, Chikkamagaluru, Ernakulam, Gadag, Gangtok, Gummidipoondi, Gwalior, Haveri, Jorapokhar, Kannur, Kohima, Kolar, Kollam, Kurukshetra, Maihar, Manguraha, Muzaffarnagar, Naharlagun, Purnia, Sagar, Shillong, Solapur, Sonipat, Thrissur, Udupi, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kanpur	Moderate	130	PM _{2.5} , PM ₁₀	3
74	Karnal	Moderate	199	PM _{2.5}	1
75	Katihar	Moderate	176	PM ₁₀	1
76	Katni	Poor	202	PM ₁₀	1
77	Khanna	Moderate	110	PM ₁₀	1
78	Kishanganj	Moderate	123	PM ₁₀	1
79	Kochi	Good	49	СО	1
80	Kolkata	Satisfactory	63	PM ₁₀ , O ₃	6
81	Koppal	Satisfactory	64	PM ₁₀	1
82	Kota	Moderate	114	PM _{2.5}	1
83	Kozhikode	Satisfactory	51	PM ₁₀	1
84	Lucknow	Moderate	189	PM _{2.5} , PM ₁₀	6

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ajmer, Baghpat, Begusarai, Notes: Bettiah, Bhilai, Brajrajnagar, Chikkamagaluru, Ernakulam, Gadag, Gangtok, Gummidipoondi, Gwalior, Haveri, Jorapokhar, Kannur, Kohima, Kolar, Kollam, Kurukshetra, Maihar, Manguraha, Muzaffarnagar, Naharlagun, Purnia, Sagar, Shillong, Solapur, Sonipat, Thrissur, Udupi, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Ludhiana	Satisfactory	98	O ₃	1
86	Madikeri	Good	46	03	1
87	Mandi Gobindgarh	Poor	203	PM _{2.5}	1
88	Mandideep	Satisfactory	87	PM ₁₀	1
89	Mandikhera	Satisfactory	99	PM ₁₀	1
90	Manesar	Poor	264	PM _{2.5}	1
91	Manglore	Good	38	со	1
92	Meerut	Moderate	199	PM ₁₀ , O ₃	3
93	Moradabad	Moderate	122	PM ₁₀	4
94	Motihari	Poor	263	O ₃	1
95	Mumbai	Satisfactory	83	PM _{2.5} , CO, PM ₁₀	17
96	Munger	Poor	262	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ajmer, Baghpat, Begusarai, Notes: Bettiah, Bhilai, Brajrajnagar, Chikkamagaluru, Ernakulam, Gadag, Gangtok, Gummidipoondi, Gwalior, Haveri, Jorapokhar, Kannur, Kohima, Kolar, Kollam,

Kurukshetra, Maihar, Manguraha, Muzaffarnagar, Naharlagun, Purnia, Sagar, Shillong, Solapur, Sonipat, Thrissur, Udupi, Vapi as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Muzaffarpur	Poor	259	PM _{2.5} , PM ₁₀	3
98	Mysuru	Satisfactory	52	03	1
99	Nagpur	Moderate	189	PM _{2.5}	1
100	Nandesari	Satisfactory	60	PM _{2.5}	1
101	Narnaul	Moderate	146	PM ₁₀	1
102	Nashik	Satisfactory	64	PM ₁₀	1
103	Navi Mumbai	Moderate	112	PM ₁₀ , CO	2
104	Noida	Poor	276	PM ₁₀	4
105	Pali	Moderate	111	PM _{2.5}	1
106	Palwal	Poor	204	PM ₁₀	1
107	Panchkula	Satisfactory	91	PM _{2.5}	1
108	Panipat	Poor	271	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ajmer, Baghpat, Begusarai, Notes: Bettiah, Bhilai, Brajrajnagar, Chikkamagaluru, Ernakulam, Gadag, Gangtok,

Gummidipoondi, Gwalior, Haveri, Jorapokhar, Kannur, Kohima, Kolar, Kollam, Kurukshetra, Maihar, Manguraha, Muzaffarnagar, Naharlagun, Purnia, Sagar, Shillong, Solapur, Sonipat, Thrissur, Udupi, Vapi as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Patiala	Moderate	150	03	1
110	Patna	Very Poor	310	PM ₁₀ , PM _{2.5}	5
111	Pithampur	Moderate	140	PM ₁₀	1
112	Prayagraj	Moderate	136	PM ₁₀	3
113	Puducherry	Satisfactory	91	со	1
114	Pune	Satisfactory	82	PM _{2.5} , CO, PM ₁₀	6
115	Raichur	Satisfactory	83	PM ₁₀	1
116	Rajamahendravaram	Good	28	PM ₁₀	1
117	Rajgir	Moderate	194	PM ₁₀	1
118	Ramanagara	Satisfactory	52	PM ₁₀	1
119	Ratlam	Moderate	126	PM ₁₀	1
120	Rohtak	Poor	268	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ajmer, Baghpat, Begusarai, Notes: Bettiah, Bhilai, Brajrajnagar, Chikkamagaluru, Ernakulam, Gadag, Gangtok, Gummidipoondi, Gwalior, Haveri, Jorapokhar, Kannur, Kohima, Kolar, Kollam, Kurukshetra, Maihar, Manguraha, Muzaffarnagar, Naharlagun, Purnia, Sagar, Shillong, Solapur, Sonipat, Thrissur, Udupi, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Rupnagar	Moderate	122	PM ₁₀	1
122	Saharsa	Poor	217	PM ₁₀	1
123	Samastipur	Very Poor	367	PM ₁₀	1
124	Sasaram	Moderate	198	PM _{2.5}	1
125	Satna	Satisfactory	63	PM ₁₀	1
126	Shivamogga	Satisfactory	81	PM ₁₀	1
127	Siliguri	Satisfactory	78	PM ₁₀	1
128	Singrauli	Very Poor	340	PM ₁₀	1
129	Sirsa	Poor	219	PM ₁₀	1
130	Siwan	Poor	249	PM ₁₀	1
131	Srinagar	Good	41	NH ₃	1
132	Talcher	Satisfactory	67	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ajmer, Baghpat, Begusarai, Notes: Bettiah, Bhilai, Brajrajnagar, Chikkamagaluru, Ernakulam, Gadag, Gangtok, Gummidipoondi, Gwalior, Haveri, Jorapokhar, Kannur, Kohima, Kolar, Kollam, Kurukshetra, Maihar, Manguraha, Muzaffarnagar, Naharlagun, Purnia, Sagar, Shillong, Solapur, Sonipat, Thrissur, Udupi, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Thane	Poor	211	O ₃	1
134	Thiruvananthapuram	Good	38	CO, PM ₁₀	2
135	Thoothukudi	Good	23	PM ₁₀	1
136	Tirupati	Satisfactory	81	PM ₁₀	1
137	Udaipur	Moderate	132	PM ₁₀	1
138	Ujjain	Moderate	144	PM _{2.5}	1
139	Varanasi	Moderate	115	O ₃ , PM ₁₀	4
140	Vatva	Satisfactory	95	PM ₁₀	1
141	Vijayapura	Good	46	PM ₁₀	1
142	Visakhapatnam	Satisfactory	83	PM ₁₀	1
143	Vrindavan	Moderate	170	PM _{2.5}	1
144	Yadgir	Satisfactory	72	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ajmer, Baghpat, Begusarai, Notes: Bettiah, Bhilai, Brajrajnagar, Chikkamagaluru, Ernakulam, Gadag, Gangtok, Gummidipoondi, Gwalior, Haveri, Jorapokhar, Kannur, Kohima, Kolar, Kollam, Kurukshetra, Maihar, Manguraha, Muzaffarnagar, Naharlagun, Purnia, Sagar, Shillong, Solapur, Sonipat, Thrissur, Udupi, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Yamunanagar	Moderate	183	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ajmer, Baghpat, Begusarai, Notes: Bettiah, Bhilai, Brajrajnagar, Chikkamagaluru, Ernakulam, Gadag, Gangtok, Gummidipoondi, Gwalior, Haveri, Jorapokhar, Kannur, Kohima, Kolar, Kollam, Kurukshetra, Maihar, Manguraha, Muzaffarnagar, Naharlagun, Purnia, Sagar, Shillong, Solapur, Sonipat, Thrissur, Udupi, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.