

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	155	PM _{2.5}	1
2	Agra	Poor	254	PM _{2.5}	1
3	Ahmedabad	Moderate	121	PM ₁₀	1
4	Aizawl	Satisfactory	59	PM _{2.5}	1
5	Ajmer	Moderate	149	PM ₁₀	1
6	Alwar	Moderate	107	PM ₁₀	1
7	Amaravati	Moderate	122	PM _{2.5}	1
8	Ambala	Moderate	121	PM _{2.5}	1
9	Amritsar	Moderate	147	PM _{2.5}	1
10	Ankleshwar	Poor	226	PM _{2.5}	1
11	Asansol	Moderate	128	PM _{2.5}	1
12	Aurangabad	Satisfactory	78	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Chamarajanagar, Chikkamagaluru, Coimbatore, Gadag, Haldia, Indore, Rajamahendravaram, Ramanagara, Shillong, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bagalkot	Good	46	PM ₁₀	1
14	Baghpat	Poor	234	PM _{2.5}	1
15	Bahadurgarh	Poor	296	PM _{2.5}	1
16	Ballabgarh	Poor	282	PM _{2.5}	1
17	Bathinda	Moderate	123	PM ₁₀	1
18	Bengaluru	Satisfactory	79	PM _{2.5} , PM ₁₀ , CO	8
19	Bhiwadi	Very Poor	359	PM ₁₀	1
20	Bhiwani	Moderate	130	PM ₁₀	1
21	Bhopal	Moderate	141	PM ₁₀	1
22	Bidar	Satisfactory	98	PM ₁₀	1
23	Brajrajnagar	Satisfactory	60	PM ₁₀	1
24	Bulandshahr	Very Poor	302	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Chamarajanagar, Chikkamagaluru, Coimbatore, Gadag, Haldia, Indore, Rajamahendravaram, Ramanagara, Shillong, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chandigarh	Moderate	170	03	1
26	Chandrapur	Satisfactory	86	PM ₁₀	2
27	Charkhi Dadri	Poor	291	PM ₁₀	1
28	Chennai	Satisfactory	81	PM _{2.5} , PM ₁₀	8
29	Chikkaballapur	Moderate	102	PM _{2.5}	1
30	Damoh	Good	48	PM _{2.5}	1
31	Davanagere	Satisfactory	96	PM ₁₀	1
32	Delhi	Very Poor	302	PM _{2.5} , PM ₁₀	34
33	Dewas	Satisfactory	95	PM ₁₀	1
34	Dharuhera	Very Poor	322	PM ₁₀	1
35	Durgapur	Very Poor	317	PM _{2.5}	1
36	Eloor	Satisfactory	73	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	ory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Chamarajanagar, Chikkamagaluru, Coimbatore, Gadag, Haldia, Indore, Rajamahendravaram, Ramanagara, Shillong, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Ernakulam	Satisfactory	95	PM _{2.5}	1
38	Faridabad	Very Poor	307	PM ₁₀	3
39	Fatehabad	Moderate	114	PM ₁₀	1
40	Gandhinagar	Satisfactory	98	PM ₁₀	1
41	Gaya	Moderate	186	PM _{2.5} , O ₃	2
42	Ghaziabad	Very Poor	325	PM _{2.5}	4
43	Greater Noida	Very Poor	336	PM ₁₀	1
44	Gummidipoondi	Moderate	131	PM ₁₀	1
45	Gurugram	Poor	296	PM _{2.5}	4
46	Guwahati	Poor	211	PM _{2.5}	2
47	Gwalior	Moderate	167	PM _{2.5}	1
48	Hajipur	Poor	247	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Chamarajanagar, Chikkamagaluru, Coimbatore, Gadag, Haldia, Indore, Rajamahendravaram, Ramanagara, Shillong, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hapur	Moderate	122	PM ₁₀	1
50	Hisar	Poor	298	PM _{2.5}	1
51	Howrah	Poor	282	PM _{2.5}	3
52	Hubballi	Moderate	111	PM ₁₀	1
53	Hyderabad	Moderate	106	NO ₂ , PM ₁₀ , PM _{2.5}	6
54	Jabalpur	Satisfactory	87	PM ₁₀	1
55	Jaipur	Satisfactory	97	PM ₁₀ , PM _{2.5}	2
56	Jalandhar	Satisfactory	96	PM ₁₀	1
57	Jind	Moderate	168	PM _{2.5}	1
58	Jodhpur	Moderate	159	PM _{2.5}	1
59	Jorapokhar	Moderate	175	03	1
60	Kaithal	Moderate	111	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	ory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Chamarajanagar, Chikkamagaluru, Coimbatore, Gadag, Haldia, Indore, Rajamahendravaram, Ramanagara, Shillong, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kalaburgi	Satisfactory	89	PM ₁₀	1
62	Kalyan	Poor	254	PM _{2.5}	1
63	Kannur	Satisfactory	97	PM ₁₀	1
64	Kanpur	Moderate	195	PM _{2.5}	2
65	Karnal	Moderate	146	PM _{2.5}	1
66	Katni	Moderate	113	PM _{2.5}	1
67	Khanna	Satisfactory	70	PM ₁₀	1
68	Kochi	Moderate	149	PM _{2.5}	1
69	Kohima	Moderate	124	PM ₁₀	1
70	Kolar	Satisfactory	72	03	1
71	Kolkata	Poor	256	PM _{2.5}	7
72	Kollam	Moderate	116	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Chamarajanagar, Chikkamagaluru, Coimbatore, Gadag, Haldia, Indore, Rajamahendravaram, Ramanagara, Shillong, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Koppal	Satisfactory	97	PM ₁₀	1
74	Kota	Moderate	159	PM _{2.5}	1
75	Kozhikode	Satisfactory	87	PM ₁₀	1
76	Kurukshetra	Poor	248	PM _{2.5}	1
77	Lucknow	Poor	252	PM ₁₀ , PM _{2.5}	4
78	Ludhiana	Satisfactory	90	PM ₁₀	1
79	Maihar	Good	50	PM ₁₀	1
80	Mandi Gobindgarh	Moderate	123	PM ₁₀	1
81	Mandideep	Moderate	139	PM ₁₀	1
82	Mandikhera	Moderate	130	PM _{2.5}	1
83	Manesar	Poor	232	PM ₁₀	1
84	Manglore	Satisfactory	75	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Chamarajanagar, Chikkamagaluru, Coimbatore, Gadag, Haldia, Indore, Rajamahendravaram, Ramanagara, Shillong, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Medikeri	Satisfactory	52	PM ₁₀	1
86	Meerut	Very Poor	320	PM ₁₀ , PM _{2.5}	2
87	Moradabad	Very Poor	361	PM _{2.5}	1
88	Mumbai	Poor	206	PM _{2.5} , PM ₁₀	18
89	Muzaffarnagar	Poor	278	PM _{2.5}	1
90	Muzaffarpur	Very Poor	308	PM _{2.5}	2
91	Mysuru	Satisfactory	79	PM ₁₀	1
92	Nagpur	Good	48	PM _{2.5}	1
93	Nandesari	Moderate	112	со	1
94	Narnaul	Poor	297	PM ₁₀	1
95	Nashik	Moderate	105	PM _{2.5}	1
96	Navi Mumbai	Poor	226	PM _{2.5} , PM ₁₀	3

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Chamarajanagar, Chikkamagaluru, Coimbatore, Gadag, Haldia, Indore, Rajamahendravaram, Ramanagara, Shillong, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Noida	Very Poor	315	PM _{2.5}	3
98	Pali	Moderate	157	PM _{2.5}	1
99	Palwal	Moderate	134	PM ₁₀	1
100	Panchkula	Moderate	124	PM _{2.5}	1
101	Panipat	Poor	240	PM ₁₀	1
102	Patiala	Satisfactory	93	PM ₁₀	1
103	Patna	Poor	258	PM _{2.5} , PM ₁₀	6
104	Pithampur	Moderate	144	PM _{2.5}	1
105	Puducherry	Satisfactory	71	PM ₁₀	1
106	Pune	Moderate	113	PM _{2.5} , PM ₁₀	5
107	Raichur	Moderate	117	PM ₁₀	1
108	Ratlam	Moderate	143	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Chamarajanagar, Chikkamagaluru, Coimbatore, Gadag, Haldia, Indore, Rajamahendravaram, Ramanagara, Shillong, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Rohtak	Moderate	196	PM _{2.5}	1
110	Rupnagar	Moderate	129	PM ₁₀	1
111	Sagar	Good	43	PM _{2.5}	1
112	Satna	Satisfactory	89	PM ₁₀	1
113	Shivamogga	Satisfactory	75	NO ₂	1
114	Siliguri	Poor	278	PM _{2.5}	1
115	Singrauli	Moderate	172	PM _{2.5}	1
116	Sirsa	Moderate	139	PM _{2.5}	1
117	Solapur	Moderate	105	PM ₁₀	1
118	Sonipat	Moderate	169	PM ₁₀	1
119	Srinagar	Moderate	130	PM ₁₀	1
120	Talcher	Satisfactory	93	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Chamarajanagar, Chikkamagaluru, Coimbatore, Gadag, Haldia, Indore, Rajamahendravaram, Ramanagara, Shillong, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Thane	Moderate	189	PM ₁₀	1
122	Thiruvananthapuram	Satisfactory	74	PM ₁₀	1
123	Thoothukudi	Satisfactory	61	PM ₁₀	1
124	Thrissur	Satisfactory	75	PM _{2.5}	1
125	Tirupati	Satisfactory	88	PM _{2.5}	1
126	Udaipur	Moderate	130	PM _{2.5}	1
127	Udupi	Moderate	170	O ₃	1
128	Ujjain	Moderate	170	O ₃	1
129	Vapi	Moderate	173	PM ₁₀	1
130	Varanasi	Poor	203	O ₃	1
131	Vatva	Poor	210	PM ₁₀	1
132	Vijayapura	Satisfactory	63	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Chamarajanagar, Chikkamagaluru, Coimbatore, Gadag, Haldia, Indore, Rajamahendravaram, Ramanagara, Shillong, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Visakhapatnam	Moderate	114	PM ₁₀	1
134	Yadgir	Satisfactory	85	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Chamarajanagar, Chikkamagaluru, Coimbatore, Gadag, Haldia, Indore, Rajamahendravaram, Ramanagara, Shillong, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.