

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	158	PM <sub>2.5</sub>	2
2	Agra	Good	50	PM <sub>10</sub>	6
3	Ahmedabad	Satisfactory	80	PM <sub>10</sub> , NO <sub>2</sub>	6
4	Aizawl	Satisfactory	64	PM <sub>10</sub>	1
5	Ajmer	Satisfactory	91	PM <sub>10</sub>	1
6	Amaravati	Satisfactory	52	СО	1
7	Ambala	Satisfactory	59	PM <sub>10</sub>	1
8	Amritsar	Satisfactory	75	PM <sub>2.5</sub>	1
9	Anantapur	Good	50	PM <sub>10</sub>	1
10	Ankleshwar	Satisfactory	66	PM <sub>10</sub>	1
11	Araria	Poor	276	O <sub>3</sub>	1
12	Arrah	Poor	224	PM <sub>2.5</sub>	1

#### \* AQI is not calculated for today's bulletin for Alwar, Ariyalur,

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Moderate	108	PM <sub>2.5</sub>	1
14	Aurangabad (Bihar)	Moderate	154	PM <sub>10</sub>	1
15	Baddi	Satisfactory	78	PM <sub>2.5</sub>	1
16	Bagalkot	Satisfactory	56	03	1
17	Baghpat	Satisfactory	96	PM <sub>2.5</sub>	1
18	Bahadurgarh	Satisfactory	54	NO <sub>2</sub>	1
19	Ballabgarh	Good	40	PM <sub>2.5</sub>	1
20	Bareilly	Satisfactory	52	PM <sub>10</sub>	2
21	Baripada	Moderate	159	03	1
22	Barmer	Moderate	129	PM <sub>10</sub>	1
23	Bathinda	Satisfactory	58	PM <sub>2.5</sub>	1
24	Belgaum	Satisfactory	57	PM <sub>10</sub>	1

#### \* AQI is not calculated for today's bulletin for Alwar, Ariyalur

### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bengaluru	Satisfactory	58	PM <sub>10</sub> , NO <sub>2</sub>	7
26	Bettiah	Poor	277	PM <sub>2.5</sub>	1
27	Bhagalpur	Moderate	170	PM <sub>2.5</sub>	2
28	Bharatpur	Satisfactory	96	PM <sub>2.5</sub>	1
29	Bhilai	Satisfactory	68	PM <sub>10</sub>	2
30	Bhiwadi	Satisfactory	71	PM <sub>10</sub>	1
31	Bhiwani	Moderate	156	PM <sub>10</sub>	1
32	Bhopal	Satisfactory	82	O <sub>3</sub> , CO	3
33	Bidar	Moderate	108	СО	1
34	Bihar Sharif	Poor	269	PM <sub>10</sub>	1
35	Bikaner	Moderate	122	PM <sub>10</sub>	1
36	Bilaspur	Moderate	115	СО	1

#### \* AQI is not calculated for today's bulletin for Alwar, Ariyalur,

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

Chengalpattu, Churu, Darbhanga, Davanagere, Dharuhera, Dharwad, Ernakulam Faridabad, Fatehabad, Gummidipoondi, Hanumangarh, Hisar, Hosur, Kozhikode Kunjemura, Naharlagun, Narnaul, Ooty, Sonipat, Sri Ganganagar, Srinagar, Surat, Thane, Tumakuru, Vapi, Vijayawada, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bileipada	Moderate	146	PM <sub>10</sub>	1
38	Brajrajnagar	Satisfactory	90	со	1
39	Bulandshahr	Satisfactory	68	03	1
40	Byrnihat	Poor	295	PM <sub>2.5</sub>	1
41	Chamarajanagar	Good	41	PM <sub>10</sub>	1
42	Chandigarh	Satisfactory	62	PM <sub>2.5</sub>	3
43	Chandrapur	Satisfactory	64	PM <sub>2.5</sub>	1
44	Chennai	Good	41	CO, O <sub>3</sub>	7
45	Chhal	Satisfactory	90	PM <sub>10</sub>	1
46	Chhapra	Very Poor	337	PM <sub>10</sub>	1
47	Chikkaballapur	Good	47	PM <sub>10</sub>	1
48	Chikkamagaluru	Good	41	PM <sub>10</sub>	1

Notes:

### Possible Health Impacts

#### Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chittoor	Satisfactory	61	O <sub>3</sub>	1
50	Chittorgarh	Satisfactory	90	O <sub>3</sub>	1
51	Coimbatore	Satisfactory	97	со	1
52	Cuddalore	Good	48	NO <sub>2</sub>	2
53	Damoh	Good	28	PM <sub>2.5</sub>	1
54	Dausa	Moderate	109	PM <sub>10</sub>	1
55	Dehradun	Satisfactory	58	PM <sub>10</sub>	1
56	Delhi	Satisfactory	78	PM <sub>2.5</sub>	37
57	Dewas	Satisfactory	84	O <sub>3</sub>	1
58	Dhanbad	Poor	220	PM <sub>2.5</sub>	1
59	Dholpur	Moderate	118	PM <sub>2.5</sub>	1
60	Dindigul	Moderate	163	NO <sub>2</sub>	1

#### \* AQI is not calculated for today's bulletin for Alwar, Ariyalur

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes: Aurangabad (Maharashtra), Banswara, Begusarai, Buxar, Charkhi Dadri,

Chengalpattu, Churu, Darbhanga, Davanagere, Dharuhera, Dharwad, Ernakulam Faridabad, Fatehabad, Gummidipoondi, Hanumangarh, Hisar, Hosur, Kozhikode Kunjemura, Naharlagun, Narnaul, Ooty, Sonipat, Sri Ganganagar, Srinagar,

Surat, Thane, Tumakuru, Vapi, Vijayawada, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Durgapur	Moderate	123	PM <sub>10</sub>	1
62	Eloor	Satisfactory	81	PM <sub>10</sub>	1
63	Firozabad	Satisfactory	60	PM <sub>10</sub>	2
64	Gadag	Good	45	03	1
65	Gandhinagar	Satisfactory	67	PM <sub>2.5</sub> , PM <sub>10</sub>	3
66	Gangtok	Good	34	03	1
67	Gaya	Moderate	132	PM <sub>10</sub> , PM <sub>2.5</sub>	3
68	Ghaziabad	Satisfactory	64	CO, PM <sub>10</sub>	4
69	Gorakhpur	Satisfactory	93	PM <sub>2.5</sub>	1
70	Greater Noida	Satisfactory	68	NO <sub>2</sub> , PM <sub>10</sub>	2
71	Gurugram	Satisfactory	70	PM <sub>10</sub> , PM <sub>2.5</sub>	3
72	Guwahati	Satisfactory	88	PM <sub>10</sub> , PM <sub>2.5</sub>	4

Notes:

### Possible Health Impacts

#### Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Gwalior	Moderate	114	O <sub>3</sub> , PM <sub>2.5</sub>	3
74	Hajipur	Moderate	196	PM <sub>10</sub>	1
75	Haldia	Good	34	PM <sub>10</sub>	1
76	Hapur	Satisfactory	58	03	1
77	Hassan	Satisfactory	79	PM <sub>10</sub>	1
78	Haveri	Satisfactory	61	PM <sub>10</sub>	1
79	Howrah	Satisfactory	80	PM <sub>10</sub>	2
80	Hubballi	Satisfactory	76	PM <sub>10</sub>	2
81	Hyderabad	Satisfactory	85	PM <sub>10</sub> , CO	14
82	Imphal	Satisfactory	85	SO <sub>2</sub>	2
83	Indore	Satisfactory	78	PM <sub>10</sub>	2
84	Jabalpur	Moderate	110	PM <sub>10</sub>	1

Notes:

#### \* AQI is not calculated for today's bulletin for Alwar, Ariyalur,

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Aurangabad (Maharashtra), Banswara, Begusarai, Buxar, Charkhi Dadri, Chengalpattu, Churu, Darbhanga, Davanagere, Dharuhera, Dharwad, Ernakulam Faridabad, Fatehabad, Gummidipoondi, Hanumangarh, Hisar, Hosur, Kozhikode Kunjemura, Naharlagun, Narnaul, Ooty, Sonipat, Sri Ganganagar, Srinagar,

Surat, Thane, Tumakuru, Vapi, Vijayawada, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Jaipur	Satisfactory	90	PM <sub>10</sub>	5
86	Jalandhar	Good	48	PM <sub>10</sub>	1
87	Jhalawar	Satisfactory	81	PM <sub>10</sub>	1
88	Jhansi	Satisfactory	79	PM <sub>10</sub>	1
89	Jhunjhunu	Poor	232	03	1
90	Jind	Satisfactory	65	со	1
91	Jodhpur	Moderate	144	O <sub>3</sub>	2
92	Jorapokhar	Moderate	118	со	1
93	Kadapa	Moderate	103	PM <sub>2.5</sub>	1
94	Kaithal	Satisfactory	74	PM <sub>10</sub>	1
95	Kalaburgi	Satisfactory	73	PM <sub>10</sub>	1
96	Kalyan	Satisfactory	98	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Kanchipuram	Good	26	PM <sub>10</sub>	1
98	Kannur	Satisfactory	73	PM <sub>10</sub>	1
99	Kanpur	Satisfactory	86	PM <sub>10</sub>	3
100	Karauli	Good	45	03	1
101	Karnal	Good	46	PM <sub>10</sub>	1
102	Kashipur	Satisfactory	70	PM <sub>10</sub>	1
103	Katihar	Moderate	170	PM <sub>2.5</sub>	1
104	Katni	Moderate	153	PM <sub>10</sub>	1
105	Keonjhar	Moderate	131	PM <sub>2.5</sub>	1
106	Khanna	Satisfactory	70	PM <sub>10</sub>	1
107	Khurja	Satisfactory	74	PM <sub>2.5</sub>	1
108	Kishanganj	Moderate	109	PM <sub>10</sub>	1

#### \* AQI is not calculated for today's bulletin for Alwar, Ariyalur,

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

Chengalpattu, Churu, Darbhanga, Davanagere, Dharuhera, Dharwad, Ernakulam Faridabad, Fatehabad, Gummidipoondi, Hanumangarh, Hisar, Hosur, Kozhikode Kunjemura, Naharlagun, Narnaul, Ooty, Sonipat, Sri Ganganagar, Srinagar, Surat, Thane, Tumakuru, Vapi, Vijayawada, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Kochi	Satisfactory	64	PM <sub>10</sub>	1
110	Kohima	Satisfactory	86	PM <sub>10</sub>	1
111	Kolar	Satisfactory	58	03	1
112	Kolkata	Satisfactory	57	PM <sub>10</sub>	7
113	Kollam	Satisfactory	87	PM <sub>10</sub>	1
114	Koppal	Good	48	O <sub>3</sub>	1
115	Korba	Satisfactory	74	PM <sub>2.5</sub> , PM <sub>10</sub>	2
116	Kota	Satisfactory	69	PM <sub>10</sub>	3
117	Kurukshetra	Satisfactory	60	PM <sub>2.5</sub>	1
118	Lucknow	Satisfactory	95	PM <sub>2.5</sub>	6
119	Ludhiana	Satisfactory	71	PM <sub>10</sub>	1
120	Madikeri	Good	26	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Maihar	Good	38	PM <sub>2.5</sub>	1
122	Mandi Gobindgarh	Satisfactory	62	PM <sub>2.5</sub>	1
123	Mandideep	Moderate	103	PM <sub>10</sub>	1
124	Mandikhera	Good	36	PM <sub>10</sub>	1
125	Manesar	Satisfactory	53	03	1
126	Mangalore	Satisfactory	72	PM <sub>10</sub>	1
127	Manguraha	Satisfactory	86	03	1
128	Meerut	Satisfactory	68	PM <sub>2.5</sub> , PM <sub>10</sub>	3
129	Milupara	Satisfactory	52	PM <sub>2.5</sub>	1
130	Moradabad	Satisfactory	86	PM <sub>2.5</sub>	6
131	Motihari	Moderate	137	PM <sub>10</sub>	1
132	Mumbai	Satisfactory	88	PM <sub>2.5</sub> , NO <sub>2</sub>	18

#### \* AQI is not calculated for today's bulletin for Alwar, Ariyalur,

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

Aurangabad (Maharashtra), Banswara, Begusarai, Buxar, Charkhi Dadri,
Chengalpattu, Churu, Darbhanga, Davanagere, Dharuhera, Dharwad, Ernakulam Faridabad, Fatehabad, Gummidipoondi, Hanumangarh, Hisar, Hosur, Kozhikode Kunjemura, Naharlagun, Narnaul, Ooty, Sonipat, Sri Ganganagar, Srinagar,

Surat, Thane, Tumakuru, Vapi, Vijayawada, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Munger	Poor	248	PM <sub>10</sub>	1
134	Muzaffarnagar	Moderate	137	PM <sub>2.5</sub>	1
135	Muzaffarpur	Poor	219	PM <sub>10</sub>	3
136	Mysuru	Satisfactory	56	PM <sub>10</sub>	1
137	Nagaon	Moderate	157	PM <sub>10</sub>	1
138	Nagpur	Moderate	165	O <sub>3</sub>	1
139	Nalbari	Satisfactory	74	PM <sub>2.5</sub>	1
140	Nandesari	Good	38	СО	1
141	Nashik	Satisfactory	60	PM <sub>10</sub>	1
142	Navi Mumbai	Satisfactory	100	CO, PM <sub>10</sub>	3
143	Nayagarh	Moderate	199	PM <sub>10</sub>	1
144	Noida	Satisfactory	74	NO <sub>2</sub> , CO	4

#### \* AQI is not calculated for today's bulletin for Alwar, Ariyalur,

### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Pali	Satisfactory	95	03	1
146	Palkalaiperur	Satisfactory	52	SO <sub>2</sub>	1
147	Palwal	Good	47	PM <sub>10</sub>	1
148	Panchkula	Satisfactory	77	со	1
149	Panipat	Good	36	PM <sub>10</sub>	1
150	Patiala	Good	38	PM <sub>10</sub>	1
151	Patna	Poor	292	PM <sub>10</sub>	6
152	Pithampur	Moderate	101	PM <sub>10</sub>	1
153	Pratapgarh	Satisfactory	96	PM <sub>10</sub>	1
154	Prayagraj	Satisfactory	70	PM <sub>10</sub>	3
155	Puducherry	Good	25	PM <sub>10</sub>	1
156	Pune	Satisfactory	92	NO <sub>2</sub> , PM <sub>10</sub>	3

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Purnia	Moderate	152	PM <sub>10</sub>	1
158	Raichur	Satisfactory	96	PM <sub>10</sub>	1
159	Raipur	Satisfactory	82	PM <sub>2.5</sub> , PM <sub>10</sub>	4
160	Rairangpur	Moderate	118	PM <sub>10</sub>	1
161	Rajamahendravaram	Good	33	PM <sub>10</sub>	1
162	Rajgir	Moderate	134	PM <sub>2.5</sub>	1
163	Rajsamand	Satisfactory	62	PM <sub>10</sub>	1
164	Ramanagara	Satisfactory	52	PM <sub>10</sub>	1
165	Ramanathapuram	Good	17	PM <sub>10</sub>	1
166	Ratlam	Satisfactory	92	SO <sub>2</sub>	1
167	Rishikesh	Good	47	PM <sub>10</sub>	1
168	Rohtak	Satisfactory	53	PM <sub>2.5</sub>	1

#### \* AQI is not calculated for today's bulletin for Alwar, Ariyalur,

### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Rourkela	Moderate	199	PM <sub>2.5</sub>	3
170	Rupnagar	Satisfactory	77	PM <sub>10</sub>	1
171	Sagar	Satisfactory	69	03	1
172	Saharsa	Poor	201	PM <sub>10</sub>	1
173	Salem	Satisfactory	99	SO <sub>2</sub>	1
174	Samastipur	Poor	263	PM <sub>10</sub>	1
175	Sasaram	Moderate	148	PM <sub>2.5</sub>	1
176	Satna	Poor	235	PM <sub>10</sub>	1
177	Sawai Madhopur	Satisfactory	91	PM <sub>10</sub>	1
178	Shillong	Satisfactory	62	PM <sub>10</sub>	1
179	Shivamogga	Satisfactory	52	PM <sub>10</sub>	1
180	Sikar	Moderate	116	PM <sub>10</sub>	1

Notes:

### Possible Health Impacts

#### Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Silchar	Good	43	PM <sub>10</sub>	1
182	Siliguri	Satisfactory	56	PM <sub>10</sub>	1
183	Singrauli	Moderate	159	PM <sub>2.5</sub>	1
184	Sirohi	Satisfactory	73	03	1
185	Sirsa	Satisfactory	52	PM <sub>10</sub>	1
186	Sivasagar	Satisfactory	52	PM <sub>2.5</sub>	1
187	Siwan	Very Poor	304	PM <sub>2.5</sub>	1
188	Solapur	Moderate	125	PM <sub>10</sub>	1
189	Suakati	Satisfactory	88	PM <sub>2.5</sub>	1
190	Talcher	Good	46	PM <sub>10</sub>	1
191	Tensa	Satisfactory	87	PM <sub>2.5</sub>	1
192	Thiruvananthapuram	Good	40	PM <sub>10</sub>	2

#### \* AQI is not calculated for today's bulletin for Alwar, Ariyalur,

### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Thoothukudi	Satisfactory	56	PM <sub>10</sub>	1
194	Thrissur	Satisfactory	100	PM <sub>10</sub>	1
195	Tirupati	Satisfactory	66	PM <sub>2.5</sub>	2
196	Tirupur	Satisfactory	59	PM <sub>10</sub>	1
197	Tonk	Moderate	103	PM <sub>10</sub>	1
198	Tumidih	Satisfactory	86	PM <sub>2.5</sub>	1
199	Udaipur	Satisfactory	77	PM <sub>10</sub>	1
200	Udupi	Satisfactory	74	O <sub>3</sub>	1
201	Ujjain	Satisfactory	90	PM <sub>10</sub>	1
202	Varanasi	Satisfactory	78	PM <sub>10</sub>	4
203	Vatva	Moderate	103	PM <sub>10</sub>	1
204	Vijayapura	Good	42	PM <sub>10</sub>	1

Notes:

#### \* AQI is not calculated for today's bulletin for Alwar, Ariyalur

### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
205	Visakhapatnam	Satisfactory	65	PM <sub>10</sub>	1
206	Vrindavan	Moderate	101	PM <sub>10</sub>	1
207	Yadgir	Satisfactory	62	PM <sub>10</sub>	1
208	Yamunanagar	Satisfactory	85	PM <sub>10</sub>	1

Notes:

### Possible Health Impacts

#### Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.