

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	61	03	1
2	Ahmedabad	Satisfactory	94	PM _{2.5}	1
3	Aizawl	Good	38	PM ₁₀	1
4	Ajmer	Moderate	101	PM _{2.5}	1
5	Alwar	Satisfactory	53	PM ₁₀	1
6	Amaravati	Good	33	PM ₁₀	1
7	Ambala	Moderate	170	PM _{2.5}	1
8	Amritsar	Moderate	150	PM _{2.5}	1
9	Ankleshwar	Moderate	104	PM ₁₀	1
10	Asansol	Moderate	103	PM _{2.5}	1
11	Bagalkot	Satisfactory	57	PM ₁₀	1
12	Baghpat	Poor	279	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agra, Aurangabad,
 Bathinda, Bidar, Coimbatore, Davanagere, Gadag, Gummidipoondi, Jorapokhar,
 Kalaburgi, Kochi, Maihar, Mandi Gobindgarh, Moradabad, Mysuru, Naharlagun,
 Narnaul, Panchkula, Ramanagara, Shillong, Thane, Thoothukudi, Tirupati,
 Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bahadurgarh	Poor	215	PM _{2.5}	1
14	Ballabgarh	Satisfactory	94	PM ₁₀	1
15	Bengaluru	Satisfactory	78	CO, PM ₁₀ , PM _{2.5}	8
16	Bhiwadi	Moderate	198	PM _{2.5}	1
17	Bhiwani	Moderate	146	PM ₁₀	1
18	Bhopal	Moderate	127	03	1
19	Brajrajnagar	Satisfactory	82	PM ₁₀	1
20	Bulandshahr	Moderate	173	PM ₁₀	1
21	Chamarajanagar	Satisfactory	68	PM ₁₀	1
22	Chandigarh	Moderate	120	PM ₁₀	1
23	Chandrapur	Satisfactory	70	PM ₁₀	2
24	Charkhi Dadri	Moderate	135	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agra, Aurangabad,
 Bathinda, Bidar, Coimbatore, Davanagere, Gadag, Gummidipoondi, Jorapokhar,
 Kalaburgi, Kochi, Maihar, Mandi Gobindgarh, Moradabad, Mysuru, Naharlagun,
 Narnaul, Panchkula, Ramanagara, Shillong, Thane, Thoothukudi, Tirupati,
 Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chennai	Good	48	O ₃ , SO ₂ , CO	8
26	Chikkaballapur	Satisfactory	71	PM _{2.5}	1
27	Chikkamagaluru	Satisfactory	79	03	1
28	Damoh	Good	42	PM ₁₀	1
29	Delhi	Moderate	174	PM _{2.5} , PM ₁₀	27
30	Dewas	Moderate	102	PM ₁₀	1
31	Dharuhera	Moderate	172	PM ₁₀	1
32	Durgapur	Moderate	114	PM ₁₀	1
33	Eloor	Good	47	со	1
34	Ernakulam	Good	33	PM ₁₀	1
35	Faridabad	Moderate	168	PM _{2.5} , PM ₁₀	2
36	Fatehabad	Poor	297	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agra, Aurangabad,
 Bathinda, Bidar, Coimbatore, Davanagere, Gadag, Gummidipoondi, Jorapokhar,
 Kalaburgi, Kochi, Maihar, Mandi Gobindgarh, Moradabad, Mysuru, Naharlagun,
 Narnaul, Panchkula, Ramanagara, Shillong, Thane, Thoothukudi, Tirupati,
 Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Gandhinagar	Satisfactory	58	PM ₁₀	1
38	Gaya	Moderate	160	O ₃ , PM _{2.5}	2
39	Ghaziabad	Poor	241	PM ₁₀	3
40	Greater Noida	Moderate	194	PM ₁₀	2
41	Gurugram	Moderate	135	PM ₁₀ , PM _{2.5}	3
42	Guwahati	Moderate	112	PM ₁₀	2
43	Gwalior	Moderate	101	03	1
44	Hajipur	Moderate	116	PM ₁₀	1
45	Haldia	Satisfactory	87	PM ₁₀	1
46	Hapur	Moderate	124	PM ₁₀	1
47	Hassan	Satisfactory	96	PM ₁₀	1
48	Hisar	Moderate	136	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agra, Aurangabad,
 Bathinda, Bidar, Coimbatore, Davanagere, Gadag, Gummidipoondi, Jorapokhar,
 Kalaburgi, Kochi, Maihar, Mandi Gobindgarh, Moradabad, Mysuru, Naharlagun,
 Narnaul, Panchkula, Ramanagara, Shillong, Thane, Thoothukudi, Tirupati,
 Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Howrah	Satisfactory	77	PM ₁₀	3
50	Hubballi	Satisfactory	77	PM _{2.5}	1
51	Hyderabad	Satisfactory	77	PM ₁₀ , PM _{2.5}	6
52	Indore	Moderate	111	PM ₁₀	1
53	Jabalpur	Satisfactory	97	PM ₁₀	1
54	Jaipur	Moderate	123	PM _{2.5} , PM ₁₀	3
55	Jalandhar	Satisfactory	96	PM _{2.5}	1
56	Jind	Poor	280	PM _{2.5}	1
57	Jodhpur	Poor	264	PM ₁₀	1
58	Kaithal	Moderate	142	PM ₁₀	1
59	Kalyan	Satisfactory	73	PM _{2.5}	1
60	Kannur	Moderate	105	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agra, Aurangabad,
 Bathinda, Bidar, Coimbatore, Davanagere, Gadag, Gummidipoondi, Jorapokhar,
 Kalaburgi, Kochi, Maihar, Mandi Gobindgarh, Moradabad, Mysuru, Naharlagun,
 Narnaul, Panchkula, Ramanagara, Shillong, Thane, Thoothukudi, Tirupati,
 Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kanpur	Satisfactory	68	PM _{2.5}	2
62	Karnal	Satisfactory	59	PM _{2.5}	1
63	Katni	Moderate	115	03	1
64	Khanna	Satisfactory	89	PM ₁₀	1
65	Kohima	Satisfactory	81	PM _{2.5}	1
66	Kolar	Satisfactory	56	со	1
67	Kolkata	Satisfactory	77	CO, PM ₁₀ , O ₃	7
68	Kollam	Satisfactory	93	PM ₁₀	1
69	Koppal	Satisfactory	72	со	1
70	Kota	Satisfactory	93	PM _{2.5}	1
71	Kozhikode	Satisfactory	64	PM ₁₀	1
72	Kurukshetra	Moderate	164	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agra, Aurangabad,
 Bathinda, Bidar, Coimbatore, Davanagere, Gadag, Gummidipoondi, Jorapokhar,
 Kalaburgi, Kochi, Maihar, Mandi Gobindgarh, Moradabad, Mysuru, Naharlagun,
 Narnaul, Panchkula, Ramanagara, Shillong, Thane, Thoothukudi, Tirupati,
 Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Lucknow	Moderate	147	PM _{2.5} , PM ₁₀	4
74	Ludhiana	Moderate	112	PM ₁₀	1
75	Mandideep	Good	42	PM _{2.5}	1
76	Mandikhera	Satisfactory	65	СО	1
77	Manesar	Moderate	135	PM ₁₀	1
78	Manglore	Good	50	PM _{2.5}	1
79	Medikeri	Satisfactory	53	PM ₁₀	1
80	Meerut	Poor	244	PM ₁₀	3
81	Mumbai	Satisfactory	71	PM ₁₀ , CO, PM _{2.5}	19
82	Muzaffarnagar	Poor	205	PM ₁₀	1
83	Muzaffarpur	Satisfactory	70	CO, PM _{2.5}	2
84	Nagpur	Satisfactory	63	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Actory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Agra, Aurangabad,
 Bathinda, Bidar, Coimbatore, Davanagere, Gadag, Gummidipoondi, Jorapokhar,
 Kalaburgi, Kochi, Maihar, Mandi Gobindgarh, Moradabad, Mysuru, Naharlagun,
 Narnaul, Panchkula, Ramanagara, Shillong, Thane, Thoothukudi, Tirupati,
 Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Nandesari	Satisfactory	88	со	1
86	Nashik	Moderate	164	PM _{2.5}	1
87	Navi Mumbai	Satisfactory	92	O ₃ , PM ₁₀	3
88	Noida	Moderate	185	PM ₁₀	2
89	Pali	Moderate	188	PM ₁₀	1
90	Palwal	Moderate	125	PM ₁₀	1
91	Panipat	Poor	255	PM ₁₀	1
92	Patiala	Moderate	145	PM ₁₀	1
93	Patna	Moderate	120	PM ₁₀	5
94	Pithampur	Satisfactory	90	03	1
95	Puducherry	Good	25	PM _{2.5}	1
96	Pune	Satisfactory	87	PM _{2.5} , CO	5

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Agra, Aurangabad,
 Bathinda, Bidar, Coimbatore, Davanagere, Gadag, Gummidipoondi, Jorapokhar,
 Kalaburgi, Kochi, Maihar, Mandi Gobindgarh, Moradabad, Mysuru, Naharlagun,
 Narnaul, Panchkula, Ramanagara, Shillong, Thane, Thoothukudi, Tirupati,
 Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Raichur	Satisfactory	79	PM ₁₀	1
98	Rajamahendravaram	Good	39	PM ₁₀	1
99	Ratlam	Moderate	135	PM _{2.5}	1
100	Rohtak	Moderate	190	PM _{2.5}	1
101	Rupnagar	Moderate	119	PM ₁₀	1
102	Sagar	Satisfactory	98	PM _{2.5}	1
103	Satna	Satisfactory	68	PM ₁₀	1
104	Shivamogga	Good	49	PM ₁₀	1
105	Siliguri	Satisfactory	89	PM _{2.5}	1
106	Singrauli	Moderate	156	PM ₁₀	1
107	Sirsa	Moderate	182	PM _{2.5}	1
108	Solapur	Good	35	O ₃	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	ory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Agra, Aurangabad,
 Bathinda, Bidar, Coimbatore, Davanagere, Gadag, Gummidipoondi, Jorapokhar,
 Kalaburgi, Kochi, Maihar, Mandi Gobindgarh, Moradabad, Mysuru, Naharlagun,
 Narnaul, Panchkula, Ramanagara, Shillong, Thane, Thoothukudi, Tirupati,
 Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Sonipat	Poor	291	PM ₁₀	1
110	Srinagar	Satisfactory	94	PM ₁₀	1
111	Talcher	Satisfactory	86	со	1
112	Thiruvananthapuram	Good	50	PM ₁₀	2
113	Thrissur	Satisfactory	77	SO ₂	1
114	Udaipur	Moderate	104	PM ₁₀	1
115	Ujjain	Moderate	138	O ₃	1
116	Varanasi	Moderate	153	O ₃	1
117	Vatva	Moderate	111	PM ₁₀	1
118	Vijayapura	Satisfactory	59	PM ₁₀	1
119	Visakhapatnam	Satisfactory	85	PM ₁₀	1
120	Yadgir	Satisfactory	70	O ₃	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Agra, Aurangabad,
 Bathinda, Bidar, Coimbatore, Davanagere, Gadag, Gummidipoondi, Jorapokhar,
 Kalaburgi, Kochi, Maihar, Mandi Gobindgarh, Moradabad, Mysuru, Naharlagun,
 Narnaul, Panchkula, Ramanagara, Shillong, Thane, Thoothukudi, Tirupati,
 Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Yamunanagar	Poor	208	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Agra, Aurangabad,
 Bathinda, Bidar, Coimbatore, Davanagere, Gadag, Gummidipoondi, Jorapokhar,
 Kalaburgi, Kochi, Maihar, Mandi Gobindgarh, Moradabad, Mysuru, Naharlagun,
 Narnaul, Panchkula, Ramanagara, Shillong, Thane, Thoothukudi, Tirupati,
 Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.