

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	262	PM <sub>2.5</sub>	2
2	Agra	Moderate	160	PM <sub>2.5</sub> , PM <sub>10</sub>	5
3	Ahmedabad	Moderate	126	PM <sub>2.5</sub> , PM <sub>10</sub>	8
4	Aizawl	Moderate	114	PM <sub>10</sub>	1
5	Ajmer	Satisfactory	97	PM <sub>10</sub>	1
6	Alwar	Satisfactory	99	PM <sub>10</sub>	1
7	Amaravati	Satisfactory	87	PM <sub>10</sub>	1
8	Ambala	Poor	237	PM <sub>2.5</sub>	1
9	Amritsar	Moderate	113	PM <sub>10</sub>	1
10	Ankleshwar	Moderate	148	PM <sub>2.5</sub>	1
11	Araria	Poor	226	PM <sub>2.5</sub>	1
12	Asansol	Poor	242	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Arrah, Aurangabad, Bathinda, Bhilai, Bidar, Brajrajnagar, Jorapokhar, Kalyan, Maihar, Muzaffarnagar, Naharlagun, Nandesari, Rajgir, Ratlam, Talcher, Thoothukudi, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baddi	Moderate	177	PM <sub>2.5</sub>	1
14	Bagalkot	Satisfactory	51	PM <sub>10</sub>	1
15	Baghpat	Moderate	176	PM <sub>2.5</sub>	1
16	Bahadurgarh	Poor	222	PM <sub>2.5</sub>	1
17	Ballabgarh	Moderate	172	PM <sub>10</sub>	1
18	Bengaluru	Moderate	127	PM <sub>2.5</sub> , PM <sub>10</sub> , CO	8
19	Bettiah	Poor	293	PM <sub>2.5</sub>	1
20	Bhagalpur	Poor	234	PM <sub>2.5</sub>	1
21	Bhiwadi	Poor	241	PM <sub>2.5</sub>	1
22	Bhiwani	Moderate	130	PM <sub>10</sub>	1
23	Bhopal	Moderate	122	PM <sub>10</sub>	1
24	Bihar Sharif	Very Poor	302	PM <sub>10</sub>	1

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Arrah, Aurangabad, Bathinda, Bhilai, Bidar, Brajrajnagar, Jorapokhar, Kalyan, Maihar, Muzaffarnagar, Naharlagun, Nandesari, Rajgir, Ratlam, Talcher, Thoothukudi, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bilaspur	Satisfactory	52	PM <sub>10</sub>	1
26	Bulandshahr	Poor	244	PM <sub>2.5</sub>	1
27	Buxar	Poor	221	PM <sub>2.5</sub>	1
28	Chamarajanagar	Good	48	PM <sub>10</sub>	1
29	Chandigarh	Moderate	137	O <sub>3</sub> , PM <sub>2.5</sub> , PM <sub>10</sub>	3
30	Chandrapur	Moderate	155	PM <sub>2.5</sub> , PM <sub>10</sub>	2
31	Charkhi Dadri	Moderate	142	PM <sub>10</sub>	1
32	Chennai	Moderate	103	PM <sub>2.5</sub> , PM <sub>10</sub>	8
33	Chhapra	Poor	252	PM <sub>2.5</sub>	1
34	Chikkaballapur	Moderate	115	PM <sub>2.5</sub>	1
35	Chikkamagaluru	Satisfactory	60	PM <sub>2.5</sub>	1
36	Coimbatore	Moderate	110	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Arrah, Aurangabad, Bathinda, Bhilai, Bidar, Brajrajnagar, Jorapokhar, Kalyan, Maihar, Muzaffarnagar, Naharlagun, Nandesari, Rajgir, Ratlam, Talcher, Thoothukudi, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Damoh	Moderate	117	PM <sub>10</sub>	1
38	Darbhanga	Poor	223	PM <sub>10</sub>	1
39	Davanagere	Moderate	118	PM <sub>10</sub>	1
40	Delhi	Poor	218	PM <sub>2.5</sub> , PM <sub>10</sub>	38
41	Dewas	Moderate	136	PM <sub>10</sub>	1
42	Dharuhera	Poor	208	PM <sub>10</sub>	1
43	Durgapur	Very Poor	335	PM <sub>10</sub>	1
44	Eloor	Satisfactory	73	PM <sub>10</sub>	1
45	Ernakulam	Satisfactory	59	PM <sub>2.5</sub>	1
46	Faridabad	Moderate	170	PM <sub>2.5</sub>	1
47	Fatehabad	Moderate	169	PM <sub>10</sub>	1
48	Firozabad	Moderate	180	PM <sub>2.5</sub>	2

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Arrah, Aurangabad, Bathinda, Bhilai, Bidar, Brajrajnagar, Jorapokhar, Kalyan, Maihar, Muzaffarnagar, Naharlagun, Nandesari, Rajgir, Ratlam, Talcher, Thoothukudi, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Gadag	Satisfactory	89	PM <sub>2.5</sub>	1
50	Gandhinagar	Moderate	131	PM <sub>2.5</sub> , PM <sub>10</sub>	3
51	Gaya	Moderate	152	PM <sub>10</sub> , PM <sub>2.5</sub>	3
52	Ghaziabad	Poor	240	PM <sub>2.5</sub> , PM <sub>10</sub>	4
53	Gorakhpur	Satisfactory	91	PM <sub>2.5</sub>	1
54	Greater Noida	Poor	208	PM <sub>2.5</sub> , PM <sub>10</sub>	2
55	Gummidipoondi	Good	50	PM <sub>10</sub>	1
56	Gurugram	Poor	216	PM <sub>2.5</sub> , PM <sub>10</sub>	3
57	Guwahati	Poor	272	PM <sub>2.5</sub>	2
58	Gwalior	Moderate	165	PM <sub>2.5</sub>	1
59	Hajipur	Poor	238	PM <sub>2.5</sub>	1
60	Haldia	Moderate	112	PM <sub>10</sub>	1

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Arrah, Aurangabad, Bathinda, Bhilai, Bidar, Brajrajnagar, Jorapokhar, Kalyan, Maihar, Muzaffarnagar, Naharlagun, Nandesari, Rajgir, Ratlam, Talcher, Thoothukudi, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hapur	Moderate	184	PM <sub>2.5</sub>	1
62	Hassan	Moderate	115	PM <sub>10</sub>	1
63	Hisar	Moderate	169	PM <sub>2.5</sub>	1
64	Howrah	Moderate	173	PM <sub>2.5</sub> , PM <sub>10</sub>	3
65	Hubballi	Moderate	161	PM <sub>2.5</sub>	1
66	Hyderabad	Moderate	138	PM <sub>2.5</sub> , PM <sub>10</sub>	6
67	Indore	Moderate	156	PM <sub>10</sub>	1
68	Jabalpur	Moderate	189	PM <sub>10</sub>	1
69	Jaipur	Moderate	190	PM <sub>2.5</sub>	2
70	Jalandhar	Moderate	130	PM <sub>10</sub>	1
71	Jhansi	Moderate	174	PM <sub>10</sub>	1
72	Jind	Moderate	131	PM <sub>10</sub>	1

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Arrah, Aurangabad, Bathinda, Bhilai, Bidar, Brajrajnagar, Jorapokhar, Kalyan, Maihar, Muzaffarnagar, Naharlagun, Nandesari, Rajgir, Ratlam, Talcher, Thoothukudi, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Jodhpur	Moderate	182	PM <sub>2.5</sub>	1
74	Kaithal	Moderate	146	PM <sub>2.5</sub>	1
75	Kalaburgi	Moderate	130	PM <sub>10</sub>	1
76	Kannur	Satisfactory	67	PM <sub>10</sub>	1
77	Kanpur	Moderate	154	PM <sub>2.5</sub> , PM <sub>10</sub>	3
78	Karnal	Moderate	121	PM <sub>2.5</sub>	1
79	Katihar	Very Poor	360	PM <sub>2.5</sub>	1
80	Katni	Poor	215	PM <sub>10</sub>	1
81	Khanna	Moderate	124	PM <sub>10</sub>	1
82	Kishanganj	Poor	269	PM <sub>2.5</sub>	1
83	Kochi	Satisfactory	52	PM <sub>2.5</sub>	1
84	Kohima	Moderate	174	PM <sub>2.5</sub>	1

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Arrah, Aurangabad, Bathinda, Bhilai, Bidar, Brajrajnagar, Jorapokhar, Kalyan, Maihar, Muzaffarnagar, Naharlagun, Nandesari, Rajgir, Ratlam, Talcher, Thoothukudi, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kolar	Moderate	134	PM <sub>10</sub>	1
86	Kolkata	Moderate	125	PM <sub>2.5</sub> , PM <sub>10</sub>	7
87	Kollam	Moderate	106	PM <sub>10</sub>	1
88	Koppal	Moderate	112	03	1
89	Kota	Moderate	113	PM <sub>10</sub>	1
90	Kozhikode	Satisfactory	58	PM <sub>10</sub>	1
91	Kurukshetra	Moderate	200	PM <sub>2.5</sub>	1
92	Lucknow	Poor	213	PM <sub>2.5</sub> , PM <sub>10</sub>	6
93	Ludhiana	Moderate	152	PM <sub>2.5</sub>	1
94	Madikeri	Satisfactory	97	PM <sub>2.5</sub>	1
95	Mandi Gobindgarh	Moderate	189	PM <sub>10</sub>	1
96	Mandideep	Satisfactory	95	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Arrah, Aurangabad, Bathinda, Bhilai, Bidar, Brajrajnagar, Jorapokhar, Kalyan, Maihar, Muzaffarnagar, Naharlagun, Nandesari, Rajgir, Ratlam, Talcher, Thoothukudi, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Mandikhera	Satisfactory	98	PM <sub>10</sub>	1
98	Manesar	Poor	229	PM <sub>2.5</sub>	1
99	Manglore	Satisfactory	64	со	1
100	Manguraha	Moderate	118	PM <sub>10</sub>	1
101	Meerut	Poor	206	PM <sub>2.5</sub>	3
102	Moradabad	Moderate	164	PM <sub>2.5</sub> , PM <sub>10</sub>	4
103	Motihari	Poor	294	PM <sub>2.5</sub>	1
104	Mumbai	Moderate	184	PM <sub>2.5</sub> , O <sub>3</sub>	19
105	Munger	Poor	255	PM <sub>10</sub>	1
106	Muzaffarpur	Poor	290	PM <sub>10</sub> , PM <sub>2.5</sub>	3
107	Mysuru	Satisfactory	83	PM <sub>10</sub>	1
108	Nagpur	Satisfactory	60	СО	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Arrah, Aurangabad, Bathinda, Bhilai, Bidar, Brajrajnagar, Jorapokhar, Kalyan, Maihar, Muzaffarnagar, Naharlagun, Nandesari, Rajgir, Ratlam, Talcher, Thoothukudi, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Narnaul	Moderate	126	PM <sub>10</sub>	1
110	Nashik	Satisfactory	78	PM <sub>10</sub>	1
111	Navi Mumbai	Poor	290	PM <sub>10</sub>	1
112	Noida	Moderate	180	PM <sub>2.5</sub> , PM <sub>10</sub>	4
113	Pali	Moderate	117	PM <sub>2.5</sub>	1
114	Palwal	Moderate	139	PM <sub>10</sub>	1
115	Panchkula	Moderate	176	PM <sub>2.5</sub>	1
116	Panipat	Moderate	138	PM <sub>10</sub>	1
117	Patiala	Satisfactory	100	PM <sub>2.5</sub>	1
118	Patna	Poor	265	PM <sub>2.5</sub> , PM <sub>10</sub>	5
119	Pithampur	Satisfactory	93	PM <sub>10</sub>	1
120	Prayagraj	Moderate	127	PM <sub>10</sub>	3

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Arrah, Aurangabad, Bathinda, Bhilai, Bidar, Brajrajnagar, Jorapokhar, Kalyan, Maihar, Muzaffarnagar, Naharlagun, Nandesari, Rajgir, Ratlam, Talcher, Thoothukudi, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Puducherry	Moderate	116	PM <sub>2.5</sub>	1
122	Pune	Moderate	172	PM <sub>2.5</sub>	5
123	Purnia	Poor	257	PM <sub>2.5</sub>	1
124	Raichur	Moderate	153	PM <sub>10</sub>	1
125	Rajamahendravaram	Moderate	114	PM <sub>10</sub>	1
126	Ramanagara	Moderate	166	PM <sub>10</sub>	1
127	Rohtak	Moderate	150	PM <sub>2.5</sub>	1
128	Rupnagar	Moderate	159	PM <sub>10</sub>	1
129	Sagar	Moderate	129	PM <sub>2.5</sub>	1
130	Saharsa	Very Poor	366	PM <sub>10</sub>	1
131	Sasaram	Moderate	197	O <sub>3</sub>	1
132	Satna	Satisfactory	70	PM <sub>10</sub>	1

## Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Arrah, Aurangabad, Bathinda, Bhilai, Bidar, Brajrajnagar, Jorapokhar, Kalyan, Maihar, Muzaffarnagar, Naharlagun, Nandesari, Rajgir, Ratlam, Talcher, Thoothukudi, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Shillong	Satisfactory	82	PM <sub>2.5</sub>	1
134	Shivamogga	Satisfactory	74	03	1
135	Siliguri	Poor	267	PM <sub>2.5</sub>	1
136	Singrauli	Very Poor	308	PM <sub>10</sub>	1
137	Sirsa	Moderate	103	PM <sub>10</sub>	1
138	Siwan	Poor	250	PM <sub>10</sub>	1
139	Solapur	Satisfactory	88	PM <sub>2.5</sub>	1
140	Sonipat	Moderate	158	PM <sub>10</sub>	1
141	Srinagar	Good	34	PM <sub>10</sub>	1
142	Thane	Poor	264	PM <sub>10</sub>	1
143	Thiruvananthapuram	Satisfactory	91	PM <sub>2.5</sub>	2
144	Thrissur	Satisfactory	89	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Arrah, Aurangabad, Bathinda, Bhilai, Bidar, Brajrajnagar, Jorapokhar, Kalyan, Maihar, Muzaffarnagar, Naharlagun, Nandesari, Rajgir, Ratlam, Talcher, Thoothukudi, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Tirupati	Moderate	133	PM <sub>2.5</sub>	1
146	Udaipur	Moderate	110	PM <sub>2.5</sub>	1
147	Udupi	Satisfactory	53	O <sub>3</sub>	1
148	Ujjain	Moderate	144	PM <sub>10</sub>	1
149	Varanasi	Moderate	117	PM <sub>10</sub>	4
150	Vatva	Moderate	137	PM <sub>10</sub>	1
151	Vijayapura	Satisfactory	51	PM <sub>10</sub>	1
152	Visakhapatnam	Moderate	142	PM <sub>10</sub>	1
153	Vrindavan	Moderate	141	PM <sub>10</sub>	1
154	Yadgir	Satisfactory	89	PM <sub>10</sub>	1
155	Yamunanagar	Satisfactory	61	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Arrah, Aurangabad, Bathinda, Bhilai, Bidar, Brajrajnagar, Jorapokhar, Kalyan, Maihar, Muzaffarnagar, Naharlagun, Nandesari, Rajgir, Ratlam, Talcher, Thoothukudi, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.