

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	188	PM _{2.5}	2
2	Agra	Satisfactory	60	PM ₁₀	6
3	Ahmedabad	Moderate	162	PM _{2.5} , NO ₂	7
4	Ajmer	Satisfactory	94	PM ₁₀	1
5	Alwar	Satisfactory	90	PM ₁₀	1
6	Amaravati	Satisfactory	57	PM ₁₀	1
7	Ambala	Moderate	102	PM _{2.5}	1
8	Amritsar	Moderate	185	PM _{2.5}	1
9	Anantapur	Satisfactory	67	PM ₁₀	1
10	Ankleshwar	Poor	206	PM _{2.5}	1
11	Araria	Poor	222	PM ₁₀	1
12	Ariyalur	Satisfactory	67	NO ₂	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aizawl, Bidar, Bihar

Notes:

Churu, Coimbatore, Darbhanga, Davanagere, Dewas, Dharwad, Dholpur,
Dindigul, Eloor, Ernakulam, Fatehabad, Kadapa, Kaithal, Kanchipuram, Kolar,
Kunjemura, Kurukshetra, Milupara, Motihari, Naharlagun, Salem, Satna,
Silchar, Sirohi, Talcher, Thane, Tonk, Tumakuru, Tumidih, Udupi,
Vijayawada, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Arrah	Poor	262	PM _{2.5}	1
14	Asansol	Poor	216	PM _{2.5}	1
15	Aurangabad (Bihar)	Poor	202	PM _{2.5}	1
16	Aurangabad (Maharashtra)	Moderate	141	PM _{2.5}	1
17	Baddi	Moderate	190	O ₃	1
18	Bagalkot	Good	50	PM ₁₀	1
19	Baghpat	Poor	285	PM _{2.5}	1
20	Bahadurgarh	Poor	254	PM _{2.5}	1
21	Ballabgarh	Poor	202	PM _{2.5}	1
22	Bareilly	Moderate	116	PM ₁₀	2
23	Baripada	Moderate	176	PM _{2.5}	1
24	Bathinda	Moderate	151	PM ₁₀	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aizawl, Bidar, Bihar

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Begusarai	Very Poor	371	PM _{2.5}	1
26	Belgaum	Moderate	155	PM ₁₀	1
27	Bengaluru	Satisfactory	96	PM _{2.5} , PM ₁₀	9
28	Bettiah	Poor	291	PM _{2.5}	1
29	Bhagalpur	Poor	219	PM _{2.5}	2
30	Bharatpur	Poor	224	PM _{2.5}	1
31	Bhilai	Moderate	140	O ₃	2
32	Bhiwadi	Poor	246	PM ₁₀	1
33	Bhiwani	Moderate	150	PM _{2.5}	1
34	Bhopal	Moderate	157	O ₃	3
35	Bilaspur	Satisfactory	68	со	1
36	Bileipada	Moderate	179	PM ₁₀	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aizawl, Bidar, Bihar

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Brajrajnagar	Satisfactory	80	PM ₁₀	1
38	Bulandshahr	Poor	226	PM _{2.5}	1
39	Chamarajanagar	Good	39	PM ₁₀	1
40	Chandigarh	Poor	214	PM _{2.5}	3
41	Chandrapur	Moderate	109	PM ₁₀	1
42	Charkhi Dadri	Poor	226	PM _{2.5}	1
43	Chennai	Satisfactory	98	PM _{2.5} , PM ₁₀	8
44	Chhapra	Poor	291	PM ₁₀	1
45	Chikkaballapur	Satisfactory	86	PM ₁₀	1
46	Chittoor	Moderate	150	03	1
47	Damoh	Good	32	PM _{2.5}	1
48	Dehradun	Moderate	101	PM ₁₀	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aizawl, Bidar, Bihai

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Delhi	Poor	291	PM _{2.5}	38
50	Dharuhera	Poor	280	PM _{2.5}	1
51	Durgapur	Moderate	147	PM ₁₀	1
52	Faridabad	Very Poor	309	PM _{2.5}	3
53	Firozabad	Satisfactory	89	PM ₁₀	2
54	Gadag	Satisfactory	84	O ₃	1
55	Gandhinagar	Moderate	190	PM _{2.5} , PM ₁₀	3
56	Gangtok	Satisfactory	54	PM ₁₀	1
57	Gaya	Moderate	174	O ₃ , PM _{2.5}	3
58	Ghaziabad	Poor	242	PM ₁₀	4
59	Gorakhpur	Moderate	109	PM ₁₀	1
60	Greater Noida	Poor	288	PM ₁₀	2

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aizawl, Bidar, Bihar

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Gummidipoondi	Moderate	129	PM _{2.5}	1
62	Gurugram	Poor	262	PM _{2.5}	3
63	Guwahati	Moderate	160	PM _{2.5}	4
64	Gwalior	Moderate	179	PM ₁₀ , PM _{2.5}	3
65	Hajipur	Poor	257	PM _{2.5}	1
66	Haldia	Moderate	131	PM ₁₀	1
67	Hapur	Moderate	172	O ₃	1
68	Hassan	Satisfactory	80	PM ₁₀	1
69	Haveri	Moderate	103	PM _{2.5}	1
70	Hisar	Poor	203	PM ₁₀	1
71	Hosur	Moderate	140	PM _{2.5}	1
72	Howrah	Moderate	183	PM _{2.5}	3

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aizawl, Bidar, Bihar

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Hubballi	Satisfactory	100	PM ₁₀	1
74	Hyderabad	Satisfactory	98	CO, PM ₁₀	13
75	Imphal	Moderate	126	PM _{2.5} , SO ₂	2
76	Indore	Moderate	110	NO ₂	1
77	Jabalpur	Moderate	157	PM ₁₀	1
78	Jaipur	Moderate	126	PM _{2.5} , PM ₁₀	3
79	Jalandhar	Moderate	152	PM _{2.5}	1
80	Jhansi	Satisfactory	98	PM ₁₀	1
81	Jind	Moderate	132	PM _{2.5}	1
82	Jodhpur	Moderate	124	O ₃	2
83	Jorapokhar	Poor	202	PM ₁₀	1
84	Kalaburgi	Moderate	111	PM ₁₀	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aizawl, Bidar, Bihai

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kalyan	Moderate	163	PM ₁₀	1
86	Kannur	Satisfactory	76	PM ₁₀	1
87	Kanpur	Moderate	153	PM _{2.5}	3
88	Karnal	Moderate	103	PM ₁₀	1
89	Kashipur	Moderate	118	PM ₁₀	1
90	Katihar	Poor	265	PM ₁₀	1
91	Katni	Moderate	128	PM ₁₀	1
92	Keonjhar	Moderate	193	PM _{2.5}	1
93	Khanna	Moderate	105	PM ₁₀	1
94	Khurja	Moderate	144	PM _{2.5}	1
95	Kishanganj	Poor	240	PM ₁₀	1
96	Kochi	Moderate	153	PM _{2.5}	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aizawl, Bidar, Bihar

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Kohima	Satisfactory	93	PM ₁₀	1
98	Kolkata	Moderate	155	PM _{2.5}	7
99	Kollam	Satisfactory	72	PM ₁₀	1
100	Koppal	Moderate	112	PM ₁₀	1
101	Korba	Moderate	106	PM ₁₀	1
102	Kota	Moderate	145	PM ₁₀	3
103	Kozhikode	Satisfactory	75	PM _{2.5}	1
104	Lucknow	Moderate	174	PM ₁₀	6
105	Ludhiana	Poor	230	PM _{2.5}	1
106	Madikeri	Satisfactory	53	O ₃	1
107	Maihar	Good	41	PM ₁₀	1
108	Mandi Gobindgarh	Moderate	194	PM _{2.5}	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aizawl, Bidar, Bihar

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Mandideep	Poor	253	PM ₁₀	1
110	Mandikhera	Satisfactory	93	PM ₁₀	1
111	Manesar	Poor	201	PM _{2.5}	1
112	Mangalore	Moderate	121	PM ₁₀	1
113	Manguraha	Moderate	184	O ₃	1
114	Meerut	Very Poor	303	PM ₁₀ , PM _{2.5}	3
115	Moradabad	Moderate	103	CO, PM ₁₀	6
116	Mumbai	Poor	208	PM _{2.5} , PM ₁₀	19
117	Munger	Poor	263	PM ₁₀	1
118	Muzaffarnagar	Poor	242	PM _{2.5}	1
119	Muzaffarpur	Poor	255	PM _{2.5}	3
120	Mysuru	Satisfactory	53	O ₃	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aizawl, Bidar, Bihai

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Nagaon	Poor	210	PM _{2.5}	1
122	Nagpur	Moderate	126	PM _{2.5}	1
123	Nalbari	Moderate	170	PM ₁₀	1
124	Nandesari	Good	40	PM _{2.5}	1
125	Narnaul	Moderate	137	PM _{2.5}	1
126	Nashik	Satisfactory	88	PM _{2.5}	1
127	Navi Mumbai	Very Poor	330	PM _{2.5} , PM ₁₀	3
128	Nayagarh	Poor	286	PM ₁₀	1
129	Noida	Poor	279	PM ₁₀ , PM _{2.5}	4
130	Ooty	Satisfactory	76	со	1
131	Pali	Satisfactory	89	PM ₁₀	1
132	Palwal	Moderate	108	PM _{2.5}	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aizawl, Bidar, Bihar

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Panchkula	Satisfactory	56	PM _{2.5}	1
134	Panipat	Moderate	196	PM ₁₀	1
135	Patiala	Moderate	122	PM ₁₀	1
136	Patna	Poor	245	PM _{2.5}	6
137	Pithampur	Moderate	146	PM ₁₀	1
138	Prayagraj	Moderate	111	O ₃ , PM ₁₀	3
139	Puducherry	Good	44	O ₃	1
140	Pune	Moderate	148	PM _{2.5}	2
141	Purnia	Poor	237	PM _{2.5}	1
142	Raichur	Moderate	113	PM ₁₀	1
143	Raipur	Moderate	115	NO ₂ , PM ₁₀	4
144	Rairangpur	Poor	236	PM _{2.5}	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aizawl, Bidar, Bihar

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Rajamahendravaram	Satisfactory	77	PM ₁₀	1
146	Rajgir	Moderate	179	PM ₁₀	1
147	Ramanagara	Satisfactory	92	PM ₁₀	1
148	Ramanathapuram	Good	38	PM ₁₀	1
149	Ratlam	Moderate	145	PM _{2.5}	1
150	Rishikesh	Satisfactory	71	PM ₁₀	1
151	Rohtak	Moderate	161	PM _{2.5}	1
152	Rourkela	Moderate	150	PM ₁₀	3
153	Rupnagar	Moderate	138	PM ₁₀	1
154	Sagar	Satisfactory	63	СО	2
155	Saharsa	Poor	300	PM ₁₀	1
156	Samastipur	Very Poor	354	PM ₁₀	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aizawl, Bidar, Bihar

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Sasaram	Moderate	107	O ₃	1
158	Shillong	Satisfactory	62	PM _{2.5}	1
159	Shivamogga	Satisfactory	64	03	1
160	Siliguri	Satisfactory	96	PM ₁₀	1
161	Singrauli	Moderate	163	PM _{2.5}	1
162	Sirsa	Moderate	122	PM ₁₀	1
163	Sivasagar	Satisfactory	55	PM ₁₀	1
164	Siwan	Very Poor	307	PM _{2.5}	1
165	Solapur	Moderate	119	PM ₁₀	1
166	Sonipat	Poor	208	PM ₁₀	1
167	Srinagar	Satisfactory	66	PM ₁₀	1
168	Suakati	Moderate	151	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aizawl, Bidar, Bihai

Notes: Churu, Coimbatore, Darbhanga, Davanagere, Dewas, Dharwad, Dholpur,
Dindigul, Eloor, Ernakulam, Fatehabad, Kadapa, Kaithal, Kanchipuram, Kolar,
Kunjemura, Kurukshetra, Milupara, Motihari, Naharlagun, Salem, Satna,
Silchar, Sirohi, Talcher, Thane, Tonk, Tumakuru, Tumidih, Udupi,
Vijayawada, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Surat	Poor	225	PM _{2.5}	1
170	Tensa	Moderate	103	PM ₁₀	1
171	Thiruvananthapuram	Good	46	PM ₁₀ , PM _{2.5}	2
172	Thoothukudi	Satisfactory	57	03	1
173	Thrissur	Moderate	152	PM _{2.5}	1
174	Tirupati	Satisfactory	92	PM _{2.5}	2
175	Tirupur	Satisfactory	85	PM ₁₀	1
176	Udaipur	Moderate	101	PM ₁₀	1
177	Ujjain	Moderate	148	PM ₁₀	1
178	Vapi	Very Poor	339	PM _{2.5}	1
179	Varanasi	Satisfactory	73	PM ₁₀	4
180	Vatva	Poor	218	PM _{2.5}	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aizawl, Bidar, Bihar

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Vijayapura	Good	46	PM ₁₀	1
182	Visakhapatnam	Moderate	144	PM ₁₀	1
183	Vrindavan	Moderate	118	PM ₁₀	1
184	Yadgir	Satisfactory	90	PM ₁₀	1
185	Yamunanagar	Moderate	156	PM _{2.5}	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.