



Air Quality Index on Feb 25, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	162	PM _{2.5}	1
2	Agra	Moderate	185	PM _{2.5}	6
3	Ahmedabad	Poor	237	PM _{2.5} , PM ₁₀	7
4	Aizawl	Satisfactory	78	PM ₁₀	1
5	Ajmer	Moderate	180	PM _{2.5}	1
6	Alwar	Moderate	109	PM ₁₀	1
7	Amaravati	Good	47	O ₃	1
8	Ambala	Moderate	102	PM ₁₀	1
9	Amritsar	Satisfactory	72	PM ₁₀	1
10	Ankleshwar	Poor	246	PM _{2.5}	1
11	Araria	Moderate	110	PM _{2.5}	1
12	Arrah	Poor	207	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Asansol, Baghpat, Eloor, Jorapokhar, Kishanganj, Kolar, Maihar, Naharlagun, Panipat, Raichur, Sasaram, Udupi, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 25, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Aurangabad	Moderate	102	PM _{2.5}	1
14	Bagalkot	Good	50	PM _{2.5}	1
15	Bahadurgarh	Poor	256	PM _{2.5}	1
16	Ballabgarh	Poor	230	PM _{2.5}	1
17	Bathinda	Moderate	143	PM ₁₀	1
18	Bengaluru	Satisfactory	78	PM _{2.5} , PM ₁₀	7
19	Bettiah	Moderate	180	PM _{2.5}	1
20	Bhagalpur	Poor	286	PM ₁₀ , PM _{2.5}	2
21	Bhilai	Good	46	PM ₁₀	1
22	Bhiwadi	Poor	296	PM _{2.5}	1
23	Bhiwani	Moderate	165	PM _{2.5}	1
24	Bhopal	Moderate	145	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Asansol, Baghpat, Eloor, Jorapokhar, Kishanganj, Kolar, Maihar, Naharlagun, Panipat, Raichur, Sasaram, Udupi, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 25, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bidar	Satisfactory	69	PM ₁₀	1
26	Bihar Sharif	Poor	230	PM _{2.5}	1
27	Bilaspur	Satisfactory	56	CO	1
28	Brajrajnagar	Satisfactory	76	O ₃	1
29	Bulandshahr	Poor	284	PM _{2.5}	1
30	Buxar	Very Poor	325	PM _{2.5}	1
31	Chamarajanagar	Good	45	PM ₁₀	1
32	Chandigarh	Moderate	103	O ₃ , PM _{2.5} , PM ₁₀	3
33	Chandrapur	Moderate	144	O ₃ , PM ₁₀	2
34	Charkhi Dadri	Poor	267	PM _{2.5}	1
35	Chennai	Satisfactory	70	PM ₁₀	7
36	Chhapra	Very Poor	315	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Asansol, Baghpat, Eloor, Jorapokhar, Kishanganj, Kolar, Maihar, Naharlagun, Panipat, Raichur, Sasaram, Udupi, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 25, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chikkaballapur	Satisfactory	73	PM ₁₀	1
38	Chikkamagaluru	Satisfactory	59	PM ₁₀	1
39	Coimbatore	Satisfactory	66	PM _{2.5}	1
40	Damoh	Satisfactory	70	PM _{2.5}	1
41	Darbhanga	Moderate	165	PM ₁₀	1
42	Davanagere	Good	50	PM _{2.5}	1
43	Delhi	Poor	286	PM _{2.5}	35
44	Dewas	Moderate	109	PM ₁₀	1
45	Dharuhera	Very Poor	310	PM ₁₀	1
46	Durgapur	Moderate	154	PM ₁₀	1
47	Ernakulam	Moderate	158	NO ₂	1
48	Faridabad	Poor	294	PM ₁₀ , PM _{2.5}	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Asansol, Baghpat, Eloor, Jorapokhar, Kishanganj, Kolar, Maihar, Naharlagun, Panipat, Raichur, Sasaram, Udupi, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 25, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Fatehabad	Moderate	115	PM ₁₀	1
50	Firozabad	Moderate	176	PM _{2.5} , O ₃	2
51	Gadag	Good	41	O ₃	1
52	Gandhinagar	Poor	258	PM _{2.5} , PM ₁₀	3
53	Gaya	Satisfactory	93	PM _{2.5}	2
54	Ghaziabad	Very Poor	329	PM _{2.5}	4
55	Gorakhpur	Satisfactory	70	PM _{2.5}	1
56	Greater Noida	Very Poor	308	PM _{2.5} , PM ₁₀	2
57	Gummidipoondi	Good	30	PM ₁₀	1
58	Gurugram	Poor	272	PM _{2.5} , PM ₁₀	4
59	Guwahati	Satisfactory	94	PM _{2.5}	2
60	Gwalior	Poor	238	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Asansol, Baghpat, Eloor, Jorapokhar, Kishanganj, Kolar, Maihar, Naharlagun, Panipat, Raichur, Sasaram, Udupi, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 25, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hajipur	Poor	235	PM _{2.5}	1
62	Haldia	Satisfactory	99	PM ₁₀	1
63	Hapur	Poor	253	PM _{2.5}	1
64	Hassan	Satisfactory	77	PM ₁₀	1
65	Hisar	Poor	234	PM _{2.5}	1
66	Howrah	Moderate	141	PM _{2.5} , PM ₁₀	3
67	Hubballi	Satisfactory	96	PM ₁₀	1
68	Hyderabad	Satisfactory	86	PM ₁₀ , PM _{2.5}	6
69	Indore	Moderate	161	PM ₁₀	1
70	Jabalpur	Moderate	151	PM ₁₀	1
71	Jaipur	Moderate	197	PM ₁₀	2
72	Jalandhar	Satisfactory	89	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Asansol, Baghpat, Eloor, Jorapokhar, Kishanganj, Kolar, Maihar, Naharlagun, Panipat, Raichur, Sasaram, Udupi, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 25, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Jhansi	Moderate	186	PM ₁₀	1
74	Jind	Moderate	185	PM _{2.5}	1
75	Jodhpur	Moderate	171	PM _{2.5}	1
76	Kaithal	Moderate	142	PM _{2.5}	1
77	Kalaburgi	Good	48	PM _{2.5}	1
78	Kalyan	Poor	204	PM _{2.5}	1
79	Kannur	Satisfactory	63	PM ₁₀	1
80	Kanpur	Moderate	132	PM _{2.5}	3
81	Karnal	Moderate	115	PM ₁₀	1
82	Katihar	Poor	215	PM ₁₀	1
83	Katni	Moderate	175	PM _{2.5}	1
84	Khanna	Satisfactory	89	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Asansol, Baghpat, Eloor, Jorapokhar, Kishanganj, Kolar, Maihar, Naharlagun, Panipat, Raichur, Sasaram, Udupi, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 25, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kochi	Moderate	145	PM _{2.5}	1
86	Kohima	Moderate	146	PM _{2.5}	1
87	Kolkata	Moderate	105	PM _{2.5} , PM ₁₀	7
88	Kollam	Moderate	102	PM ₁₀	1
89	Koppal	Satisfactory	84	O ₃	1
90	Kota	Poor	223	PM _{2.5}	1
91	Kozhikode	Satisfactory	61	PM ₁₀	1
92	Kurukshetra	Moderate	129	PM _{2.5}	1
93	Lucknow	Moderate	143	PM _{2.5} , PM ₁₀	6
94	Ludhiana	Moderate	120	PM ₁₀	1
95	Madikeri	Satisfactory	58	PM ₁₀	1
96	Mandi Gobindgarh	Satisfactory	85	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Asansol, Baghpat, Eloor, Jorapokhar, Kishanganj, Kolar, Maihar, Naharlagun, Panipat, Raichur, Sasaram, Udupi, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 25, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Mandideep	Moderate	174	PM ₁₀	1
98	Mandikhara	Satisfactory	100	PM ₁₀	1
99	Manesar	Poor	298	PM _{2.5}	1
100	Manglore	Good	50	CO	1
101	Manguraha	Satisfactory	93	O ₃	1
102	Meerut	Poor	280	PM ₁₀ , PM _{2.5}	3
103	Moradabad	Moderate	154	PM _{2.5}	4
104	Motihari	Moderate	157	PM _{2.5}	1
105	Mumbai	Poor	219	PM _{2.5} , O ₃	15
106	Munger	Very Poor	343	PM _{2.5}	1
107	Muzaffarnagar	Poor	201	PM _{2.5}	1
108	Muzaffarpur	Moderate	184	PM _{2.5} , PM ₁₀	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Asansol, Baghpat, Eloor, Jorapokhar, Kishanganj, Kolar, Maihar, Naharlagun, Panipat, Raichur, Sasaram, Udupi, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 25, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Mysuru	Satisfactory	52	O ₃	1
110	Nagpur	Satisfactory	69	CO	1
111	Nandesari	Satisfactory	100	CO	1
112	Narnaul	Poor	229	PM _{2.5}	1
113	Nashik	Satisfactory	66	PM ₁₀	1
114	Navi Mumbai	Poor	213	PM ₁₀	3
115	Noida	Poor	268	PM _{2.5}	4
116	Pali	Moderate	185	PM _{2.5}	1
117	Palwal	Moderate	141	PM ₁₀	1
118	Panchkula	Satisfactory	91	PM _{2.5}	1
119	Patiala	Satisfactory	88	PM ₁₀	1
120	Patna	Poor	257	PM _{2.5}	6

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Asansol, Baghpat, Eloor, Jorapokhar, Kishanganj, Kolar, Maihar, Naharlagun, Panipat, Raichur, Sasaram, Udupi, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 25, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Pithampur	Satisfactory	99	PM ₁₀	1
122	Prayagraj	Moderate	118	PM ₁₀ , PM _{2.5}	3
123	Puducherry	Satisfactory	55	PM ₁₀	1
124	Pune	Moderate	147	PM _{2.5}	4
125	Purnia	Moderate	177	PM _{2.5}	1
126	Rajamahendravaram	Satisfactory	61	PM ₁₀	1
127	Rajgir	Poor	253	PM _{2.5}	1
128	Ramanagara	Satisfactory	70	PM ₁₀	1
129	Ratlam	Moderate	114	PM ₁₀	1
130	Rohtak	Very Poor	309	PM _{2.5}	1
131	Rupnagar	Satisfactory	81	PM ₁₀	1
132	Sagar	Satisfactory	73	CO	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Asansol, Baghpat, Eloor, Jorapokhar, Kishanganj, Kolar, Maihar, Naharlagun, Panipat, Raichur, Sasaram, Udupi, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 25, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Saharsa	Poor	277	PM _{2.5}	1
134	Satna	Satisfactory	59	PM ₁₀	1
135	Shillong	Good	50	PM _{2.5}	1
136	Shivamogga	Satisfactory	85	NO ₂	1
137	Siliguri	Moderate	110	PM ₁₀	1
138	Singrauli	Moderate	196	PM _{2.5}	1
139	Sirsa	Moderate	107	PM ₁₀	1
140	Siwan	Poor	263	PM _{2.5}	1
141	Solapur	Satisfactory	66	PM _{2.5}	1
142	Sonipat	Poor	208	PM ₁₀	1
143	Srinagar	Satisfactory	91	PM ₁₀	1
144	Talcher	Good	42	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Asansol, Baghpat, Eloor, Jorapokhar, Kishanganj, Kolar, Maihar, Naharlagun, Panipat, Raichur, Sasaram, Udupi, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 25, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Thane	Moderate	188	O ₃	1
146	Thiruvananthapuram	Good	43	PM _{2.5}	1
147	Thoothukudi	Good	48	PM ₁₀	1
148	Thrissur	Satisfactory	91	PM _{2.5}	1
149	Tirupati	Satisfactory	64	PM _{2.5}	1
150	Udaipur	Moderate	113	PM ₁₀	1
151	Ujjain	Poor	246	PM _{2.5}	1
152	Vapi	Moderate	175	PM ₁₀	1
153	Varanasi	Moderate	117	PM _{2.5} , PM ₁₀	3
154	Vatva	Poor	247	PM ₁₀	1
155	Vijayapura	Good	50	PM ₁₀	1
156	Visakhapatnam	Satisfactory	92	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Asansol, Baghpat, Eloor, Jorapokhar, Kishanganj, Kolar, Maihar, Naharlagun, Panipat, Raichur, Sasaram, Udupi, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 25, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Vrindavan	Moderate	198	PM _{2.5}	1
158	Yadgir	Satisfactory	63	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Asansol, Baghpat, Eloor, Jorapokhar, Kishanganj, Kolar, Maihar, Naharlagun, Panipat, Raichur, Sasaram, Udupi, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.