

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	246	PM _{2.5}	1
2	Agra	Satisfactory	65	PM ₁₀	6
3	Ahmedabad	Moderate	157	PM ₁₀	7
4	Aizawl	Satisfactory	52	PM ₁₀	1
5	Ajmer	Moderate	147	O ₃	1
6	Alwar	Satisfactory	81	PM ₁₀	1
7	Amaravati	Satisfactory	56	СО	1
8	Ambala	Satisfactory	59	PM ₁₀	1
9	Amritsar	Moderate	162	PM _{2.5}	1
10	Anantapur	Good	41	PM _{2.5}	1
11	Ankleshwar	Moderate	113	со	1
12	Araria	Moderate	141	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Bilaspur, Buxar, $\begin{tabular}{ll} Notes: & Chengal pattu, Chittoor, Darbhanga, Ernakulam, Gorakhpur, Jabal pur, Kannur, \\ \end{tabular}$ Kashipur, Kochi, Kolar, Kollam, Koppal, Kozhikode, Madikeri, Mysuru, Naharlagun, Nandesari, Narnaul, Palkalaiperur, Patiala, Purnia, Rajsamand, Rupnagar, Salem, Sasaram, Sirohi, Sonipat, Srinagar, Surat, Tensa, Thrissur, Udupi, Vijayawada, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ariyalur	Good	37	PM _{2.5}	1
14	Arrah	Moderate	142	PM _{2.5}	1
15	Asansol	Moderate	109	PM ₁₀	1
16	Aurangabad (Bihar)	Moderate	133	PM ₁₀	1
17	Aurangabad (Maharashtra)	Satisfactory	67	PM ₁₀	1
18	Baddi	Poor	289	O ₃	1
19	Bagalkot	Good	46	PM ₁₀	1
20	Bahadurgarh	Moderate	183	PM ₁₀	1
21	Ballabgarh	Moderate	171	PM _{2.5}	1
22	Banswara	Moderate	197	03	1
23	Bareilly	Satisfactory	89	PM ₁₀	2
24	Baripada	Satisfactory	56	O ₃	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Bilaspur, Buxar, $\begin{tabular}{ll} Notes: & Chengal pattu, Chittoor, Darbhanga, Ernakulam, Gorakhpur, Jabal pur, Kannur, \\ \end{tabular}$ Kashipur, Kochi, Kolar, Kollam, Koppal, Kozhikode, Madikeri, Mysuru, Naharlagun, Nandesari, Narnaul, Palkalaiperur, Patiala, Purnia, Rajsamand, Rupnagar, Salem, Sasaram, Sirohi, Sonipat, Srinagar, Surat, Tensa, Thrissur, Udupi, Vijayawada, vellore as data was not available. # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Barmer	Moderate	166	O ₃	1
26	Bathinda	Satisfactory	89	PM ₁₀	1
27	Begusarai	Poor	258	PM _{2.5}	1
28	Belgaum	Good	48	со	1
29	Bengaluru	Satisfactory	58	PM ₁₀	13
30	Bettiah	Poor	248	PM ₁₀	1
31	Bhagalpur	Moderate	140	PM ₁₀	2
32	Bharatpur	Moderate	150	O ₃	1
33	Bhilai	Good	30	PM ₁₀	3
34	Bhiwadi	Moderate	169	PM ₁₀	1
35	Bhiwani	Moderate	177	PM _{2.5}	1
36	Bhopal	Moderate	102	PM ₁₀	3

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Bilaspur, Buxar, $\begin{tabular}{ll} Notes: & Chengal pattu, Chittoor, Darbhanga, Ernakulam, Gorakhpur, Jabal pur, Kannur, \\ \end{tabular}$ Kashipur, Kochi, Kolar, Kollam, Koppal, Kozhikode, Madikeri, Mysuru, Naharlagun, Nandesari, Narnaul, Palkalaiperur, Patiala, Purnia, Rajsamand, Rupnagar, Salem, Sasaram, Sirohi, Sonipat, Srinagar, Surat, Tensa, Thrissur, Udupi, Vijayawada, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bidar	Good	26	PM ₁₀	1
38	Bihar Sharif	Moderate	153	PM ₁₀	1
39	Bikaner	Moderate	168	PM ₁₀	1
40	Bileipada	Satisfactory	96	PM ₁₀	1
41	Brajrajnagar	Satisfactory	86	со	1
42	Bulandshahr	Moderate	119	PM ₁₀	1
43	Byrnihat	Poor	270	PM _{2.5}	1
44	Chamarajanagar	Good	50	PM ₁₀	1
45	Chandigarh	Moderate	152	O ₃ , PM ₁₀	3
46	Chandrapur	Satisfactory	77	PM ₁₀	1
47	Charkhi Dadri	Poor	263	PM _{2.5}	1
48	Chennai	Satisfactory	62	CO, O ₃	6

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Bilaspur, Buxar, $\begin{tabular}{ll} Notes: & Chengal pattu, Chittoor, Darbhanga, Ernakulam, Gorakhpur, Jabal pur, Kannur, \\ \end{tabular}$ Kashipur, Kochi, Kolar, Kollam, Koppal, Kozhikode, Madikeri, Mysuru, Naharlagun, Nandesari, Narnaul, Palkalaiperur, Patiala, Purnia, Rajsamand, Rupnagar, Salem, Sasaram, Sirohi, Sonipat, Srinagar, Surat, Tensa, Thrissur, Udupi, Vijayawada, vellore as data was not available. # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations,

website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chhal	Satisfactory	58	O ₃	1
50	Chhapra	Poor	272	PM ₁₀	1
51	Chikkaballapur	Good	46	PM _{2.5}	1
52	Chikkamagaluru	Good	38	03	1
53	Chittorgarh	Moderate	182	03	1
54	Churu	Moderate	178	03	1
55	Coimbatore	Satisfactory	76	со	1
56	Cuddalore	Moderate	105	NO ₂	1
57	Damoh	Good	25	PM _{2.5}	1
58	Dausa	Moderate	167	PM _{2.5}	1
59	Davanagere	Good	28	PM _{2.5}	1
60	Dehradun	Moderate	127	СО	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Bilaspur, Buxar, $\begin{tabular}{ll} Notes: & Chengal pattu, Chittoor, Darbhanga, Ernakulam, Gorakhpur, Jabal pur, Kannur, \\ \end{tabular}$ Kashipur, Kochi, Kolar, Kollam, Koppal, Kozhikode, Madikeri, Mysuru, Naharlagun, Nandesari, Narnaul, Palkalaiperur, Patiala, Purnia, Rajsamand, Rupnagar, Salem, Sasaram, Sirohi, Sonipat, Srinagar, Surat, Tensa, Thrissur, Udupi, Vijayawada, vellore as data was not available. # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used
 - to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Delhi	Poor	210	NO ₂ , PM ₁₀	38
62	Dewas	Moderate	101	СО	1
63	Dhanbad	Poor	233	PM _{2.5}	1
64	Dharuhera	Poor	207	PM ₁₀	1
65	Dharwad	Satisfactory	64	PM ₁₀	1
66	Dholpur	Moderate	156	03	1
67	Dindigul	Good	45	SO ₂	1
68	Durgapur	Moderate	119	PM ₁₀	1
69	Eloor	Satisfactory	80	PM ₁₀	1
70	Faridabad	Moderate	148	PM _{2.5}	3
71	Fatehabad	Moderate	153	PM ₁₀	1
72	Firozabad	Moderate	140	O ₃	2

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Bilaspur, Buxar, $\begin{tabular}{ll} Notes: & Chengal pattu, Chittoor, Darbhanga, Ernakulam, Gorakhpur, Jabal pur, Kannur, \\ \end{tabular}$ Kashipur, Kochi, Kolar, Kollam, Koppal, Kozhikode, Madikeri, Mysuru, Naharlagun, Nandesari, Narnaul, Palkalaiperur, Patiala, Purnia, Rajsamand, Rupnagar, Salem, Sasaram, Sirohi, Sonipat, Srinagar, Surat, Tensa, Thrissur, Udupi, Vijayawada, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Gadag	Good	45	SO ₂	1
74	Gandhinagar	Moderate	160	PM _{2.5} , PM ₁₀	3
75	Gangtok	Satisfactory	65	03	1
76	Gaya	Moderate	149	PM ₁₀ , PM _{2.5}	2
77	Ghaziabad	Poor	203	PM _{2.5} , O ₃	4
78	Greater Noida	Poor	230	O ₃ , PM ₁₀	2
79	Gummidipoondi	Satisfactory	92	PM _{2.5}	1
80	Gurugram	Poor	205	PM _{2.5} , O ₃	4
81	Guwahati	Satisfactory	97	PM ₁₀	4
82	Gwalior	Moderate	182	O ₃ , PM _{2.5}	4
83	Hajipur	Moderate	194	PM ₁₀	1
84	Haldia	Satisfactory	62	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Baghpat, Bilaspur, Buxar, $\begin{tabular}{ll} Notes: & Chengal pattu, Chittoor, Darbhanga, Ernakulam, Gorakhpur, Jabal pur, Kannur, \\ \end{tabular}$ Kashipur, Kochi, Kolar, Kollam, Koppal, Kozhikode, Madikeri, Mysuru, Naharlagun, Nandesari, Narnaul, Palkalaiperur, Patiala, Purnia, Rajsamand, Rupnagar, Salem, Sasaram, Sirohi, Sonipat, Srinagar, Surat, Tensa, Thrissur, Udupi, Vijayawada, vellore as data was not available.

Some stations have data available at 3PM

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Hanumangarh	Moderate	175	PM ₁₀	1
86	Hapur	Moderate	178	O ₃	1
87	Hassan	Satisfactory	62	PM ₁₀	1
88	Haveri	Good	50	PM ₁₀	1
89	Hisar	Poor	220	PM _{2.5}	1
90	Hosur	Satisfactory	90	со	1
91	Howrah	Satisfactory	95	PM ₁₀	3
92	Hubballi	Satisfactory	78	PM ₁₀ , CO	2
93	Hyderabad	Satisfactory	55	PM ₁₀ , PM _{2.5}	9
94	Imphal	Satisfactory	82	SO ₂	2
95	Indore	Satisfactory	73	NO ₂	1
96	Jaipur	Moderate	137	O ₃ , PM _{2.5}	5

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Bilaspur, Buxar, $\begin{tabular}{ll} Notes: & Chengal pattu, Chittoor, Darbhanga, Ernakulam, Gorakhpur, Jabal pur, Kannur, \\ \end{tabular}$ Kashipur, Kochi, Kolar, Kollam, Koppal, Kozhikode, Madikeri, Mysuru, Naharlagun, Nandesari, Narnaul, Palkalaiperur, Patiala, Purnia, Rajsamand, Rupnagar, Salem, Sasaram, Sirohi, Sonipat, Srinagar, Surat, Tensa, Thrissur, Udupi, Vijayawada, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Jalandhar	Moderate	111	PM ₁₀	1
98	Jhalawar	Moderate	102	O ₃	1
99	Jhansi	Moderate	195	O ₃	1
100	Jhunjhunu	Very Poor	311	03	1
101	Jind	Moderate	191	PM _{2.5}	1
102	Jodhpur	Moderate	158	03	3
103	Jorapokhar	Moderate	122	PM ₁₀	1
104	Kadapa	Good	39	03	1
105	Kaithal	Moderate	134	PM ₁₀	1
106	Kalaburgi	Good	45	PM ₁₀ , SO ₂	2
107	Kalyan	Moderate	107	PM ₁₀	1
108	Kanchipuram	Good	46	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Bilaspur, Buxar, $\begin{tabular}{ll} Notes: & Chengal pattu, Chittoor, Darbhanga, Ernakulam, Gorakhpur, Jabal pur, Kannur, \\ \end{tabular}$ Kashipur, Kochi, Kolar, Kollam, Koppal, Kozhikode, Madikeri, Mysuru, Naharlagun, Nandesari, Narnaul, Palkalaiperur, Patiala, Purnia, Rajsamand, Rupnagar, Salem, Sasaram, Sirohi, Sonipat, Srinagar, Surat, Tensa, Thrissur, Udupi, Vijayawada, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Kanpur	Moderate	113	PM _{2.5}	4
110	Karauli	Good	36	PM _{2.5}	1
111	Karnal	Satisfactory	78	PM ₁₀	1
112	Katihar	Moderate	119	PM ₁₀	1
113	Katni	Satisfactory	81	PM ₁₀	1
114	Keonjhar	Good	49	PM ₁₀	1
115	Khanna	Moderate	141	PM ₁₀	1
116	Khurja	Satisfactory	96	PM _{2.5}	1
117	Kishanganj	Moderate	128	PM ₁₀	1
118	Kohima	Satisfactory	61	PM ₁₀	1
119	Kolhapur	Satisfactory	62	O ₃ , PM ₁₀	2
120	Kolkata	Satisfactory	89	PM ₁₀	7

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Bilaspur, Buxar, $\begin{tabular}{ll} Notes: & Chengal pattu, Chittoor, Darbhanga, Ernakulam, Gorakhpur, Jabal pur, Kannur, \\ \end{tabular}$ Kashipur, Kochi, Kolar, Kollam, Koppal, Kozhikode, Madikeri, Mysuru, Naharlagun, Nandesari, Narnaul, Palkalaiperur, Patiala, Purnia, Rajsamand, Rupnagar, Salem, Sasaram, Sirohi, Sonipat, Srinagar, Surat, Tensa, Thrissur, Udupi, Vijayawada, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Korba	Good	46	co	2
122	Kota	Moderate	193	O ₃ , PM _{2.5}	3
123	Kunjemura	Good	42	03	1
124	Kurukshetra	Moderate	116	PM ₁₀	1
125	Lucknow	Satisfactory	92	PM ₁₀	6
126	Ludhiana	Moderate	125	PM ₁₀	1
127	Maihar	Satisfactory	62	СО	1
128	Mandi Gobindgarh	Moderate	143	PM _{2.5}	1
129	Mandideep	Satisfactory	67	PM _{2.5}	1
130	Mandikhera	Satisfactory	76	PM ₁₀	1
131	Manesar	Poor	214	PM _{2.5}	1
132	Mangalore	Good	48	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Bilaspur, Buxar, $\begin{tabular}{ll} Notes: & Chengal pattu, Chittoor, Darbhanga, Ernakulam, Gorakhpur, Jabal pur, Kannur, \\ \end{tabular}$ Kashipur, Kochi, Kolar, Kollam, Koppal, Kozhikode, Madikeri, Mysuru, Naharlagun, Nandesari, Narnaul, Palkalaiperur, Patiala, Purnia, Rajsamand, Rupnagar, Salem, Sasaram, Sirohi, Sonipat, Srinagar, Surat, Tensa, Thrissur, Udupi, Vijayawada, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Manguraha	Moderate	174	O ₃	1
134	Meerut	Poor	235	03	3
135	Milupara	Good	35	03	1
136	Moradabad	Moderate	145	PM _{2.5}	6
137	Motihari	Moderate	107	NO ₂	1
138	Mumbai	Satisfactory	94	PM _{2.5} , PM ₁₀	19
139	Munger	Poor	213	PM ₁₀	1
140	Muzaffarnagar	Poor	213	PM _{2.5}	1
141	Muzaffarpur	Poor	219	PM ₁₀ , PM _{2.5}	3
142	Nagaon	Satisfactory	91	O ₃	1
143	Nagpur	Satisfactory	53	PM _{2.5}	1
144	Nalbari	Moderate	180	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Bilaspur, Buxar, $\begin{tabular}{ll} Notes: & Chengal pattu, Chittoor, Darbhanga, Ernakulam, Gorakhpur, Jabal pur, Kannur, \\ \end{tabular}$ Kashipur, Kochi, Kolar, Kollam, Koppal, Kozhikode, Madikeri, Mysuru, Naharlagun, Nandesari, Narnaul, Palkalaiperur, Patiala, Purnia, Rajsamand, Rupnagar, Salem, Sasaram, Sirohi, Sonipat, Srinagar, Surat, Tensa, Thrissur, Udupi, Vijayawada, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Nashik	Satisfactory	68	PM ₁₀	1
146	Navi Mumbai	Moderate	108	PM ₁₀	2
147	Nayagarh	Satisfactory	58	PM ₁₀	1
148	Noida	Moderate	199	PM ₁₀	4
149	Ooty	Satisfactory	58	PM ₁₀	1
150	Pali	Moderate	128	03	1
151	Palwal	Satisfactory	88	PM ₁₀	1
152	Panchkula	Moderate	112	PM _{2.5}	1
153	Panipat	Moderate	141	PM ₁₀	1
154	Patna	Poor	213	PM _{2.5}	6
155	Pithampur	Satisfactory	88	PM ₁₀	1
156	Pratapgarh	Moderate	110	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Bilaspur, Buxar, Notes: Chengalpattu, Chittoor, Darbhanga, Ernakulam, Gorakhpur, Jabalpur, Kannur, Kashipur, Kochi, Kolar, Kollam, Koppal, Kozhikode, Madikeri, Mysuru, Naharlagun, Nandesari, Narnaul, Palkalaiperur, Patiala, Purnia, Rajsamand, Rupnagar, Salem, Sasaram, Sirohi, Sonipat, Srinagar, Surat, Tensa, Thrissur, Udupi, Vijayawada, vellore as data was not available. # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Prayagraj	Satisfactory	98	O ₃ , PM ₁₀	3
158	Puducherry	Good	39	PM ₁₀	1
159	Pune	Moderate	136	PM _{2.5}	3
160	Raichur	Good	41	SO ₂	1
161	Raipur	Satisfactory	60	PM ₁₀ , NO ₂	4
162	Rairangpur	Satisfactory	57	PM ₁₀	1
163	Rajamahendravaram	Good	46	PM ₁₀	1
164	Rajgir	Moderate	108	СО	1
165	Ramanagara	Satisfactory	69	O ₃	1
166	Ramanathapuram	Good	48	PM ₁₀	1
167	Ratlam	Moderate	104	PM ₁₀	1
168	Rishikesh	Satisfactory	60	O ₃	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Bilaspur, Buxar, $\begin{tabular}{ll} Notes: & Chengal pattu, Chittoor, Darbhanga, Ernakulam, Gorakhpur, Jabal pur, Kannur, \\ \end{tabular}$ Kashipur, Kochi, Kolar, Kollam, Koppal, Kozhikode, Madikeri, Mysuru, Naharlagun, Nandesari, Narnaul, Palkalaiperur, Patiala, Purnia, Rajsamand, Rupnagar, Salem, Sasaram, Sirohi, Sonipat, Srinagar, Surat, Tensa, Thrissur, Udupi, Vijayawada, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Rohtak	Moderate	200	PM _{2.5}	1
170	Rourkela	Satisfactory	80	PM ₁₀	2
171	Sagar	Moderate	125	O ₃	1
172	Saharsa	Moderate	189	PM _{2.5}	1
173	Samastipur	Poor	268	PM ₁₀	1
174	Satna	Satisfactory	64	PM _{2.5}	1
175	Sawai Madhopur	Moderate	114	O ₃	1
176	Shillong	Good	47	PM ₁₀	1
177	Shivamogga	Good	40	O ₃	1
178	Sikar	Moderate	167	O ₃	1
179	Silchar	Satisfactory	75	со	1
180	Siliguri	Satisfactory	73	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Bilaspur, Buxar, $\begin{tabular}{ll} Notes: & Chengal pattu, Chittoor, Darbhanga, Ernakulam, Gorakhpur, Jabal pur, Kannur, \\ \end{tabular}$ Kashipur, Kochi, Kolar, Kollam, Koppal, Kozhikode, Madikeri, Mysuru, Naharlagun, Nandesari, Narnaul, Palkalaiperur, Patiala, Purnia, Rajsamand, Rupnagar, Salem, Sasaram, Sirohi, Sonipat, Srinagar, Surat, Tensa, Thrissur, Udupi, Vijayawada, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Singrauli	Moderate	105	PM _{2.5}	1
182	Sirsa	Moderate	123	PM ₁₀	1
183	Sivasagar	Good	28	PM _{2.5}	1
184	Siwan	Poor	219	PM _{2.5}	1
185	Solapur	Moderate	120	PM ₁₀	1
186	Sri Ganganagar	Poor	270	PM ₁₀	1
187	Suakati	Satisfactory	72	03	1
188	Talcher	Satisfactory	79	PM _{2.5}	1
189	Thane	Moderate	117	PM ₁₀	1
190	Thiruvananthapuram	Satisfactory	53	PM ₁₀	2
191	Thoothukudi	Satisfactory	67	03	1
192	Tirupati	Satisfactory	62	PM ₁₀ , PM _{2.5}	2

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Bilaspur, Buxar, $\begin{tabular}{ll} Notes: & Chengal pattu, Chittoor, Darbhanga, Ernakulam, Gorakhpur, Jabal pur, Kannur, \\ \end{tabular}$ Kashipur, Kochi, Kolar, Kollam, Koppal, Kozhikode, Madikeri, Mysuru, Naharlagun, Nandesari, Narnaul, Palkalaiperur, Patiala, Purnia, Rajsamand, Rupnagar, Salem, Sasaram, Sirohi, Sonipat, Srinagar, Surat, Tensa, Thrissur, Udupi, Vijayawada, vellore as data was not available. # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Tirupur	Good	33	PM ₁₀	1
194	Tonk	Moderate	120	03	1
195	Tumakuru	Moderate	102	PM ₁₀	1
196	Tumidih	Good	47	03	1
197	Udaipur	Satisfactory	95	PM ₁₀	1
198	Ujjain	Moderate	149	PM ₁₀	1
199	Vapi	Satisfactory	86	PM _{2.5}	1
200	Varanasi	Moderate	104	PM _{2.5}	4
201	Vatva	Poor	203	PM _{2.5}	1
202	Vijayapura	Good	46	PM ₁₀	1
203	Visakhapatnam	Satisfactory	87	PM ₁₀	1
204	Vrindavan	Moderate	128	O ₃	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Bilaspur, Buxar, $\begin{tabular}{ll} Notes: & Chengal pattu, Chittoor, Darbhanga, Ernakulam, Gorakhpur, Jabal pur, Kannur, \\ \end{tabular}$ Kashipur, Kochi, Kolar, Kollam, Koppal, Kozhikode, Madikeri, Mysuru, Naharlagun, Nandesari, Narnaul, Palkalaiperur, Patiala, Purnia, Rajsamand, Rupnagar, Salem, Sasaram, Sirohi, Sonipat, Srinagar, Surat, Tensa, Thrissur, Udupi, Vijayawada, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
205	Yadgir	Good	39	PM ₁₀	1
206	Yamunanagar	Satisfactory	100	PM ₁₀	1

Good	Minimal Impact	
Satisfactory	ctory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Baghpat, Bilaspur, Buxar, $\begin{tabular}{ll} Notes: & Chengal pattu, Chittoor, Darbhanga, Ernakulam, Gorakhpur, Jabal pur, Kannur, \\ \end{tabular}$ Kashipur, Kochi, Kolar, Kollam, Koppal, Kozhikode, Madikeri, Mysuru, Naharlagun, Nandesari, Narnaul, Palkalaiperur, Patiala, Purnia, Rajsamand, Rupnagar, Salem, Sasaram, Sirohi, Sonipat, Srinagar, Surat, Tensa, Thrissur, Udupi, Vijayawada, vellore as data was not available. # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.